

Ejercicio 1:

```
usuario@DESKTOP-GU5AT09 MINGW64 ~  
$ git config --global user.name "Pablo Muño Rodríguez"  
  
usuario@DESKTOP-GU5AT09 MINGW64 ~  
$ git config --global user.email pmuirod185@gmail.com
```

```
usuario@DESKTOP-GU5AT09 MINGW64 ~  
$ git config --global color.ui auto
```


Ejercicio 2:



A screenshot of a terminal window titled "MINGW64: c:/Users/usuario/Desktop/Muiño". The terminal shows the following commands and output:

```
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño  
$ git init  
Initialized empty Git repository in C:/Users/usuario/Desktop/Muiño/.git/  
  
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)  
$ ls -la  
./ ../ .git/  
  
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)  
$
```

Ejercicio 3:



A screenshot of a terminal window titled "MINGW64: c:/Users/usuario/Desktop/Muiño". The terminal shows the following commands and output:

```
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)  
$ git status  
On branch master  
  
No commits yet  
  
nothing to commit (create/copy files and use "git add" to track)  
  
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)  
$
```

```
MINGW64:/c/Users/usuario/Desktop/Muiño
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        indice.txt.txt

nothing added to commit but untracked files present (use "git add" to track)

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git status -s
?? indice.txt.txt

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ |
```

```
MINGW64:/c/Users/usuario/Desktop/Muiño
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git add indice.txt

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   indice.txt

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git status -s
A  indice.txt

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ |
```

Ejercicio 4:

```
MINGW64:/c/Users/usuario/Desktop/Muiño
usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git commit -m "Añadido índice del libro"
[master (root-commit) d65f57d] Añadido índice del libro
1 file changed, 3 insertions(+)
 create mode 100644 indice.txt

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master

nothing to commit, working tree clean

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ git status -s

usuario@DESKTOP-GU5AT09 MINGW64 ~/Desktop/Muiño (master)
$ |
```

Ejercicio 5:

```
MINGW64/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git diff
diff --git a/indice.txt b/indice.txt
index 8142b7e..b5f6ced 100644
--- a/indice.txt
+++ b/indice.txt
@@ -1,3 +1,4 @@
Capítulo 1: Introducción a Git
Capítulo 2: Flujo de trabajo básico
-Capítulo 3: Repositorios remotos
\ No newline at end of file
+Capítulo 3: Gestión de ramas
+Capítulo 4: Repositorios remotos
\ No newline at end of file

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$
```

```
MINGW64/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   indice.txt

no changes added to commit (use "git add" and/or "git commit -a")

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
M indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ |
```

```
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git commit -m "Añadido capítulo 3 sobre gestión de ramas"
[master 8a17979] Añadido capítulo 3 sobre gestión de ramas
1 file changed, 2 insertions(+), 1 deletion(-)

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$
```

```
MINGW64/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$
```

Ejercicio 6:

```
MINGW64:/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git diff

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ |
```

```
MINGW64:/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git commit -m "Añadido capítulo 3 sobre gestión de ramas al índice"
On branch master
nothing to commit, working tree clean

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$
```

```
MINGW64:/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git diff

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git log
commit 8a1797966b9e2aa021448b46c4a77075dbd6075b (HEAD -> master)
Author: Pablo Muiño Rodríguez <pmuirod185@gmail.com>
Date: Mon Jan 29 18:35:15 2024 +0100

    Añadido capítulo 3 sobre gestión de ramas

commit 58d9d5c004f4d2c0bd3448217b60f61937d29e1d
Author: Pablo Muiño Rodríguez <pmuirod185@gmail.com>
Date: Mon Jan 29 18:29:45 2024 +0100

    Añadido índice del libro

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ |
```

Ejercicio 7:

```
MINGW64:/c/Users/Usuario/Desktop/capitulos
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos
$ ls -l
total 0

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos
$ |
```

```
MINGW64:/c/Users/Usuario/Desktop/capitulos
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        capitulo1.txt

nothing added to commit but untracked files present (use "git add" to track)

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git status -s
?? capitulo1.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ |
```

```
MINGW64:/c/Users/Usuario/Desktop/capitulos
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git add capitulo1.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   capitulo1.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git status -s
A capitulo1.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ |
```

```
MINGW64/c/Users/Usuario/Desktop/capitulos

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git commit -m "Añadido capítulo 1"
[master (root-commit) 575e543] Añadido capítulo 1
1 file changed, 1 insertion(+)
create mode 100644 capitulo1.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git status
On branch master
nothing to commit, working tree clean

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git log
commit 575e543337933676f74e5d42a6422982dee053b4 (HEAD -> master)
Author: Pablo Muño Rodríguez <pmuirod185@gmail.com>
Date: Mon Jan 29 18:59:21 2024 +0100

    Añadido capítulo 1

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$
```

Ejercicio 8:

```
MINGW64/c/Users/Usuario/Desktop/capitulos

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git add capitulo2.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git commit -m "Añadido capítulo 2"
[master 1c4c5ff] Añadido capítulo 2
1 file changed, 4 insertions(+)
create mode 100644 capitulo2.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git log --oneline
1c4c5ff (HEAD -> master) Añadido capítulo 2
575e543 Añadido capítulo 1

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$
```

Ejercicio 9:

```
MINGW64/c/Users/Usuario/Desktop/capitulos

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git add capitulo3.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git commit -m "Añadido capítulo3"
[master 3fd6222] Añadido capítulo3
1 file changed, 1 insertion(+)
create mode 100644 capitulo3.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$ git log --oneline
3fd6222 (HEAD -> master) Añadido capítulo3
1c4c5ff Añadido capítulo 2
575e543 Añadido capítulo 1

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/capitulos (master)
$
```

Ejercicio 10:

```
MINGW64:/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   indice.txt

no changes added to commit (use "git add" and/or "git commit -a")

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
M indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git add indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
M indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ |
```

```
MINGW64:/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   indice.txt

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
MM indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git add indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
M indice.txt
```

Ejercicio 11:

```
MINGW64:/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   indice.txt

no changes added to commit (use "git add" and/or "git commit -a")

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
M indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git add indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status -s
M indice.txt
```

```
MINGW64/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git restore --staged indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   indice.txt

no changes added to commit (use "git add" and/or "git commit -a")

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$
```

```
MINGW64/c/Users/Usuario/Desktop/Muiño
Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   indice.txt

no changes added to commit (use "git add" and/or "git commit -a")

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git restore indice.txt

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ git status
On branch master
nothing to commit, working tree clean

Usuario@DESKTOP-1VM9U3H MINGW64 ~/Desktop/Muiño (master)
$ |
```