(a)


Fan DKD bulk RNA-seq
Pyrimidine score
Normal (n=9), Early DKD (n=6), Adv. DKD (n=21)
Pyrimidine module score (log2)
10.8
10.6
10.4
10.2
10.0
9.8
ns
***
Normal
Early DKD
Adv. DKD

(b)


KPMP scRNA
PT pyrimidine score (pseudobulk by sample)
n samples: Healthy=33, AKI=20, CKD=49
Pyrimidine module score (mean expression)
0.125
0.100
0.075
0.050
****
****
Healthy
AKI
CKD

(c)


KPMP scRNA (DKD-focused)
PT pyrimidine score
n samples: Healthy=33, AKI=20, CKD (DKD only)=19
Pyrimidine module score (mean expression)
0.125
0.100
0.075
0.050
0.025
****
****
Healthy
AKI
CKD
(DKD only)

(d)


KPMP snRNA
PT pyrimidine score (pseudobulk by patient)
n patients: Healthy=38, AKI=33, CKD=71
Pyrimidine module score (mean expression)
0.100
0.075
0.050
0.025
ns
***
Healthy
AKI
CKD

(e)


KPMP snRNA (DKD-focused)
PT pyrimidine score
n patients: Healthy=38, AKI=33, CKD (DKD only)=28
Pyrimidine module score (mean expression)
0.08
0.06
0.04
0.02
ns
***
Healthy
AKI
CKD
(DKD only)