KENYA MEDICAL TRAINING COLLEGE

FACULTY OF CLINICAL SCIENCES

DEPARTMENT OF CLINICAL MEDICINE

DIPLOMA IN CLINICAL MEDICINE & SURGERY

YEAR 2, END OF SEMESTER 1 EXAMINATION

PAPER: SURGERY I

DATE: 25th July, 2024 TIME: 2 HOURS (9.00AM- 11:00AM)

**INSTRUCTIONS**

1. Attempt **ALL** Questions.
2. Write your **Admission Number** on all the answer sheets provided and on the question paper.
3. Ensure that all examination answer scripts are handed in at the end of the examination.
4. Ensure you sign the examination register provided.
5. Any examination malpractices will be handled as per the College Examination Policy.

**Admission Number** .....

AnyScanner

## Section 1: Multiple Choice Questions - (20 Marks)

1.The following are Common sites for Avascular necrosis **except**

A. Head of the femur (after fracture of the femoral neck or dislocation of the hip.
B. Proximal part of the scaphoid after fracture through its waist
C. Lunate following dislocation
D. Body of the calcaneus after fracture of its neck.

2.Shortening can be due to **except**

A. Mal-union,
B. Crushing or actual loss of bone,
C. fractures that split the epiphysis in children
D. non-union

3.Fat embolism syndrome may occur after severe fractures of

A. Femur & tibia.
B. Ulna and radius
C. Ribs
D. Humerus

4.The following explains Myositis ossificans except

A. Heterotrophic bone formation
B. deposition of calcium in muscles
C. causing pain and swelling in muscles
D. occur due to lack of manipulation of fractures

5.About tension Pneumothorax

A. It is a surgical emergency
B. May lead to circulatory failure
C. Under water seal drainage is indicated
D. Air moves in and out freely

6.The following are causes of early death in chest injuries which one is not?

A. Flail chest
B. Cardiac tamponade
C. Tension pneumothorax
D. Sepsis

7.Clinical diagnosis of shock is based on the following except

A. Hypotension
B. Tachycardia
C. Cool extremities
D. Hypostatic

8.The Principles of Underwater seal drainage include the following which is not

A. The rate of fluid drainage is influenced by level of seal under water
B. The return of air/fluid is prevented by the underwater seal
C. Drainage of fluid is influenced by body weight.
D. Drainage of air is influenced by pressure difference of chest cavity and UWSD system

9.Which one is wrong in Flail chest

AnyScanner

A. Flail segment moves inward during inspiration
B. Chest wall stabilization with assisted ventilation is necessary
C. Paradoxical breathing is a common feature
D. Respiratory distress is not a common failure

10. About Monteggia fracture the following is true
A. A fracture of the upper half of the ulna with dislocation of the head of the radius.
B. Usually the cause is a fall on the elbow
C. Associated medial nerve injury is self-limiting.
D. The 'piano-key sign' is diagnostic.

11. Dinner-fork' deformity is a feature in
A. Galeazzi Fracture
B. Colles' Fracture
C. Smith's fracture
D. Barton's fracture

12. Causes of inadequate fluid resuscitation in a burns patient include the following except
A. Inaccurate estimate of burn size
B. Undiagnosed inhalation injury
C. Concomitant traumatic injury
D. Mathematical accuracy

13. The following are Patient factors for admission in burns which one is not
A. Extremes of age
B. Circumferential burns
C. concomitant trauma
D. pre-existing medical disorder

14. Which one is false on skin graft
A. Failure in graft take may be associated with exudates
B. graft take may be associated with haemorrhages at graft site
C. Granulation tissue is important at recipient sit
D. Meshing of the skin graft increases the surface area.

15. Concerning burns the following are true except
A. Extreme of age may influence the outcome of burns
B. Sulphur silver sulphadiazine is a topic ointment
C. Colloids are recommended as first line therapy
D. Inhalation burns don't influence management.

16. In stress response, which of the following statements is false?
A. It is graded.
B. Metabolism and nitrogen excretion are related to the degree of stress.
C. In such a situation there are physiological, metabolic and immunological changes.
D. The changes cannot be modified.

17. Which of the following statements is false for optimal perioperative care?
A. Volume loss should be promptly treated by large intravenous (IV) infusions of fluid.

AnyScanner

B. Hypothermia and pain are to be avoided.
C. Starvation needs to be combated
D. Avoid immobility

18.In patient with snake bite the following is true except
A. Anaphylactic shock may occur
B. Tourniquet application is useful
C. Gangrene can occur
D. Cellulitis may be a complication

19.In the management of patient with burns Using open method
A. Abed cradle is not useful
B. Tetanus toxoid is of no use
C. Silver sulphadiazine is necessary
D. Analgesia is contraindicated

20, Branulas are mostly preferred in giving fluids or blood than needles because.
A. Are sharper than needles
B. Are always aseptic
C. Cannot tissue easily
D. Are coated with antibiotics

***Section 2: Short Answer Questions - (40 Marks)***

1.Enumerate five (5) signs in a patient presenting with Tension pneumothorax (should not include Tachycardia & Tachypnea). **(5 Marks)**

2.Identify five (5) typical clinical features in a patient presenting with inhalational burns. **(5 Marks)**

3.Complication of blood transfusion **(5 marks)**

4.Outline the Pathophysiology of Fracture Healing **(5 Marks)**

5.Briefly discus the cardinal features of gangrene. **(5 Marks)**

6.List 5 General complications of fractures **(5 Marks)**

7. The diagnosis of discrete breast lumps is based on a triple assessment that comprises of the following **( 5 marks).**

8.Classify types of fluids used in hospital giving 3 examples for each **( 5 marks)**

***Section 3: Long Answer Questions - (40 Marks)***

1. Mr Tumbojoto a 65 year old man presents to Embu county and referral hospital where you are a clinician with abdominal features. Carefully outline the pre- operative and post-operative care if he is to undergo laparotomy **( 20 marks)**
2. Discuss the principles of management of fractures. **(20 Marks)**

AnyScanner