KENYA MEDICAL TRAINING COLLEGE
FACULTY OF CLIICALSCIENCES
DEPARTMENT OF CLINICAL MEDICINE

END OF YEAR 2 SEMESTER 2 EXAMINATION
FOR
DIPLOMA IN CLINICAL MEDICINE

PAPER: SURGERY

DATE: 12th February, 2020 **TIME: 2 HOURS (2:00PM – 4:00PM)**

INSTRUCTIONS

1. This paper consists of:
   - Section 1 (20 Multiple Choice Questions)
   - Section 2 (20 True/False)
   - Section 3 (8 short Answer Questions)
   - Section 4 (1 Long Answer Question)
2. Attempt **ALL** Questions
3. Write the EXAMINATION **NUMBER** given on all the answer sheets provided and on the question paper.
4. Ensure that all examination answer scripts are handed in at the end of the examination
5. Ensure you sign the examination register provided

EXAMINATION NUMBER .....

AnyScanner

SURGERY

SECTION I
MJLTIPLE CHOICE QUESITONS

1. Which of the following is an accessory organ of the digestive system?
    a. The stomach
    b. The esophagus
    c. The salivary glands
    d. The intestines
2. The following is a stage of bone healing:
    a. Scaring
    b. Consolidation
    c. Recollection
    d. Mending
3. Concerning ranula:
    a. It is a malignant tumour of the tongue
    b. It is common in adults
    c. It is a cyst arising from sublingual glands
    d. It is managed conservatively
4. Which of this is the best treatment mode for tongue tie?
    a. Reassure patient
    b. Admit patient for bed rest and observation
    c. Excise part of the tongue that is affected
    d. Surgical decision of the frenulum with scissors
5. Commonest site for carcinoma of the lip is:
    a. The upper lip
    b. The lower lip
    c. In the mouth
    d. Soft palate
6. Rainsteds operation is done in the following condition:
    a. Congenital oesophageal
    b. Intussusception
    c. Chron's disease
    d. Congenital hypertrophic stenosis
7. The following is not a cause of paralytic ileus
    a. Intestinal worms
    b. Hypokalemia
    c. Peritonitis
    d. Fractures of the spine

AnyScanner

8. The most common site for volvulus is: -
   a. Caecum
   b. Sigmoid colon
   c. Small intestines
   d. Gall bladder
9. Second degree hemorrhoids:
   a. They bleed and permanently prolapse outside
   b. They bleed with no prolapse
   c. They prolapse but do not bleed
   d. They bleed and prolapse on defecation
10. Concerning osteogenic sarcoma:
   a. Common site is upper end of the tibia
   b. Common tumour in the actual over 50years of age
   c. It is a giant cell tumour
   d. It arises from cartilage
11. Mary is a 40-year-old lady who comes to your clinic with complaints pain, swelling and loss of mobility in the proximal joints of the fingers. She also complains of stiffness after period of inactivity especially after rising from bed early in the morning. The most likely condition she is suffering from is:
   a. Ankylosing spondylitis
   b. Rheumatoid arthritis
   c. Pyogenic arthritis
   d. Polyarticular gout
12. There are certain examinations that should be done in all patients with suspected rectal cancer. Which of the following examination is least important in the assessment and diagnosis of rectal cancer?
   a. Digital rectal examination
   b. Sigmoidoscopy and biopsy
   c. Fundoscopy
   d. Colonoscopy
13. Which of the following is not a mode of treatment for hemorrhoids?
   a. Laparotomy
   b. Injection of sclerosant
   c. Hemorrhoidectomy
   d. Banding
14. Causes of pruritis ani include
   a. Threadworm
   b. Peptic ulcer disease
   c. Douches
   d. Smoking

AnyScanner

15. In doing ano-rectal examination, which of this position is ideal?
    a. Sims position
    b. Prone position
    c. Sitting up position
    d. Extended knee position
16. Rhabdomyosarcoma:
    a. It is malignant tumor of skeletal muscles
    b. It is malignant tumors of the fatty tissue
    c. Radiotherapy has no role in treatment
    d. It is a lump caused by rapture of a muscle
17. Hemangioma:
    a. Originate from fibrous tissue
    b. Cavernous type is the most common
    c. They always turn malignant
    d. It is seen during coachwood
18. Neurofibroma are benign tumors of fibrous and venial elements, which of this statement is NOT TRUE about neurofibroma?
    a. It originates from the nerve fibers and is seen as nodules on the skin and subcutaneous tissue
    b. Lesions are associated with skeletal abnormalities like scoliosis
    c. Patient may present with paraesthesia or muscle weakness
    d. Tumors have no risk of recurrence
19. Fibromatosis refers to a group of well differentiated fibrous lesions that infiltrate the tissues. Which of this is true concerning fibromatosis?
    a. Duputyren's contractures is a type
    b. Plain x-rays are very useful in determining the extent of invasiveness of this tumor's
    c. Non operative treatment is recommended for all of tumors
    d. There is high risk of metastasis to surrounding structures
20. Which of the following represents the classification of the fractures of the neck of femur?
    a. Transcervical fractures
    b. Gorgeous classification
    c. Weber classification
    d. Gastric classification

SCAN AnyScanner

SECTION 2
TRUE / FALSE

1. Predisposing factors of carcinoma of the tongue are:
    a. Chronic malaria infestation'
    b. Poor oral hygiene
    c. Leukoplakia
    d. Alcoholism
    e. Dental trauma
2. General causes of dysphagia include:
    a. Foreign body
    b. Hysteria
    c. Achalasia cardia
    d. Poliomyelitis
    e. Myasthenia gravis
3. Symptoms of esophageal disease include:
    a. Odynophagia
    b. Dysphagia
    c. Chest pain
    d. Heart pain
    e. Regurgitation
4. The following are chronic surgical complications of peptic ulcer disease:
    a. Malignancy
    b. Perforation
    c. Hemorrhage
    d. Chronicity
    e. Penetration
5. Differential diagnosis for perforated peptic ulcers includes:
    a. Perforated appendix
    b. Acute pancreatitis
    c. Pneumothorax
    d. Myocardial infarction
    e. Acute cholecystitis
6. Indications for hemorrhoidectomy include the following:
    a. Failed non operative management
    b. First degree hemorrhoids
    c. Bleeding hemorrhoids
    d. 2nd degree hemorrhoids
    e. Strangulation

AnyScanner

7. A patient gives history of pain at the anus region. The pain was noticed after passing hard stools. The patient now fears to pass stool. This condition coved have been caused by the following:
    a. Syphilis
    b. Too much bending
    c. Inflammatory bowel disease
    d. Homosexuality
    e. Too much eating
8. Low variety importance anus includes the following:
    a. Ano rectal agenesis
    b. Cloaca
    c. Ectopic anus
    d. Membranes anus
    e. Stenosed anus
9. The following is true of hernias:
    a. Hernias cannot be reduced
    b. In obstructed hernia contents can be returned to abdomen
    c. In strangulated hernia bowels in the hernia has good blood supply
    d. In obstructed hernia, blood supply of bowel is obstructed
    e. In reducible hernia contents can be returned to the abdomen
10. Concerning hernias, contents of the sac are:
    a. Omentocele
    b. Meckel's diverticulum
    c. Fluid
    d. Enterocele
    e. Portion of the bladder
11. A young man sustains an injury around the left elbow joint. What are the differential diagnosis for this injury?
    a. Fractures of the lunate
    b. Fracture of the capitulum
    c. Fractures of the coracoid process
    d. Fractures of the epicondyle
    e. Fractures of the coronoid process
12. The following is true about tears of the menisci of the knee.
    a. Tears are caused by twisting force with the knee in semi flexed or flexed position
    b. Bucket-handle tear is the most common type
    c. Caused by an injury that abducts the tibia upon the femur
    d. Tear is due to a force that drives the upper end of the tibia towards relative to the femur
    e. The medial meniscus is torn much more often than the lateral one

AnyScanner

13. Malignant tumours of bone include:
    a. Myeloma
    b. Ewing's tumour
    c. Chrondroma
    d. Giant cell tumour
    e. Osteoid osteoma
14. The following are predisposing factors / causes of gout:
    a. Uncontrolled administration of aspirin
    b. Diuretics
    c. Alcohol
    d. Family history of gout
    e. Smoking
15. Which of this statement is true?
    a. Dislocation of the glenohumeral joint is more common in children than adults
    b. In anterior dislocations of the glenohumeral joint, the shoulder contour is lost
    c. In obese patients the glenohumeral dislocation may be missed on clinical examination
    d. Posterior glenohumeral dislocations are more common than the anterior dislocations
    e. Glenohumeral dislocations are mainly evasion
16. The following are complications of anterior shoulder dislocation:
    a. Injury to the brachial nerve
    b. Injury to the axillary nerve
    c. Injury to the axillary artery
    d. Fracture of greater tuberosity of the humorous
17. The following are fragility fractures:
    a. Fractures of the neck of humorous
    b. Fracture mid shaft femur
    c. Trochanteric fractures of the femur
    d. Fractures of the tarsal bones
    e. Colle's fracture
18. The hamstrings flex the knee joint and extend the thigh to the backside of the body. This groups of muscles include:
    a. Vastus lateralis
    b. Biceps femoris
    c. Quadriceps femoris
    d. Semimembranosus
    e. Semitendinosus
19. Supracondylar fractures of the humerus:
    a. Are common fractures in young children
    b. Unstable fractures are fixed by percutaneous ping
    c. Can cause injury to the brachial artery
    d. Causes injury to the median nerve

AnyScanner

20. Concerning rectal prolapse:
    a. Operation is performed either via the phenonium or via the abdomen
    b. In adults, the prolapse is often full thickens
    c. In children prolapse is usually mucosal
    d. Rectal prolapse in children is treated conservatively
    e. Diarrhea can be a cause

SECTION 3
SHORT ANSWER QUESTIONS

1. Kati is a known peptic ulcer disease patient who has come to seek advice and counselling from you.
    a. Help Kati distinguish between duodenal and gastric ulcers (5 marks)
    b. Kati requires surgical treatment. What would be some of the indications of surgical treatment? (3 marks)
    c. Name any 2 operations done in patients with peptic ulcer disease (2 marks)
2. a) What are hemorrhoids? (1 mark)
    b) List the predisposing factors of hemorrhoids (2marks)
    c) What are the clinical features of hemorrhoids? (2marks)
3. A50 year old lady faces on an out stretched hand and sustains a fracture at the lower end of the radius 2cm from the wrist joint.
    a. In case of displacement, which kind of deformity is she likely to have? (2 marks)
    b. How would you treat this patient? (5 marks)
    c. State any three complications of this fracture (3 marks)
4. A) Classify pelvic fractures giving an example in each case (4 marks)
    b) State the complications of pelvic fractures (1 mark each)
5. You examine a new born baby in maternity and discover that the baby has congenital talipes Equino Varus.
    a. Name the other types of talipes deformities. (2marks)
    b. Explain changes involved in this condition. (2marks)
    c. Mention three principles of management of this condition. (6marks)

SCAN AnyScanner

SECTION 4
LONG ANSWER QUESTIONS

Jadi is a male patient admitted at Lamu county hospital. he is doing his eighth post-operative day after an abdominal surgery. Yesterday he noticed that the wound had opened and some abdominal viscera had extruded.

a) What impression would you make?(1mark)
b) What would be the causes of Jadi's condition? (8marks)
c) You are a C.O intern who has just been posted to the ward after a change over. How would you manage Jadi? (10marks)

AnyScanner