YEAR 2, END OF SEMESTER 1 EXAMINATION
FOR
DIPLOMA IN COMMUNITY HEALTH NURSING

@malcomskylar

MODULE: GYNAECOLOGY & REPRODUCTIVE HEALTH

DATE: 16TH JULY 2024 **TIME: 2 HOURS (2.00PM-4.00PM)**

INSTRUCTIONS

. This paper consists of:
- Section 1 (20 Multiple Choice Questions)
- Section 2 (8 Short Answer Questions)
- Section 3 (2 Long Answer Questions)

. Attempt **ALL** Questions

. ALL Multiple choice questions MUST be answered in **CAPITAL LETTERS**

. Write your **COLLEGE NUMBER** on all the answer sheets provided and on the question paper.
. No other writing should be done on the question paper except your COLLEGE NUMBER.
. Ensure that all examination answer scripts are handed in at the end of the examination
. Ensure you sign the examination register provided

COLLEGE NUMBER ..D/NURS/83005/4873.....

AnyScanner

GYNAECOLOGY SET 1

SECTION I: MULTIPLE CHOICE QUESTIONS (20 MARKS)

1. Which of the following is the correct statement about spontaneous miscarriage?
   A. Most frequently occurs in second trimester
   B. Chromosomal anomalies are rare
   C. Happens to more than half of all conceptions
   D. Young maternal age is a risk factor
2. A 25-year-old woman presents with a 2.5-cm, firm, mobile breast mass. What is the MOST likely diagnosis?
   A. Fibrocystic breast disease
   B. Fibroadenoma
   C. Invasive ductal breast carcinoma
   D. Mastodynia
3. What are the two most important risk factors for the development of hydatidiform moles?
   A. History of previous gonadotrophic disease/ Extremes of maternal age
   B. Extremes of maternal age/ smoking
   C. History of gonadotrophic disease/ Vitamin A deficiency
   D. Maternal blood type AB/A/B/Nulliparity
4. The following are common symptoms of uterine fibroids
   A. Low abdominal mass
   B. Low abdominal pain
   C. Pressure
   D. Inter menstrual bleeding
5. Habitual abortions
   A. Best define as 3 or more consecutive spontaneous losses of nonviable fetus.
   B. Investigations should be done before another pregnancy occur.
   C. Spontaneous abortion due to infections.
   D. Incompetent cervix is a common cause.
6. Uterine fibroids can cause infertility by
   A. Inducing tubal ligation
   B. Causing abnormal myometrial inflammation
   C. Distortion of uterine cavity
   D. Creating excess weight in the uterus
7. Reproductive tract related tumors grow exponentially due to:
   A. Rapid differentiation of cells
   B. Gompertzian growth
   C. Rapid weakening of the immune system
   D. Disruption in the regulation of programmed cell death (apoptosis)
8. Treatments of primary dysmenorrhea are directed toward addressing the cause, which is associated with elevations in:
   A. Estrogen
   B. Progesterone
   C. Fsh
   D. Prostaglandin F2alpha

AnyScanner

In secondary dysmenorrhea, there is

A. Absence of menstrual period in women of reproductive age
B. Painful menstruation associated with pelvic pathology
C. An abnormally heavy and prolonged menstrual period
D. Painful menstruation with no identifiable pelvic pathology

10. The following statement describes stage III of cervical carcinoma

A. Invasive carcinoma diagnosed only by microscopy, stromal invasion with a maximum depth of 5.00mm
B. Tumor invades mucosa of bladder or rectum and extends beyond the pelvis
C. Tumor extends to the pelvic wall and invades lower third of vagina and causes hydronephrosis
D. Cervical carcinoma invades beyond uterus but not pelvic wall

11. The preventive measure against cystocele is

A. Doing pelvic examination
B. Avoiding spontaneous vertex delivery
C. Doing Kegels exercises
D. Undergoing surgical operation

12. The major difference between primary and secondary infertility is based upon

A. Couple not using contraceptives
B. Couple having been in union for at least 5 years without using contraceptives
C. Having pregnancy which led to a live birth
D. Couple having been treated for pelvic organ diseases.

13. Human papilloma viruses (HPV) are associated with

A. Cancer of the cervix
B. Skin cancer
C. Lung cancer
D. Breast cancer

14. **For question 14, indicate whether the statements are true or false:**

A. Hormone replacement therapy should be used for long periods in high doses to treat severe menopauseal complications.
B. Blood tests for hydatidform mole will show very high levels of human chorionic gonadotrophin hormone

15. Clinical manifestations of prostate cancer include:

A. Pelvic pain, hyperthermia
B. Fatigue, hematuria
C. Normal sexual function, urethral discharge
D. Dysuria, haematemesis

16. Blood tests from a patient with tubal pregnancy will show

A. High levels of oestrogen
B. Raised levels of leucocytes
C. Low levels of progesterone
D. Negative pregnancy test

SCAN AnyScanner

17. One of the following is cause of painful menorrhagia
    A. Endometriosis
    B. Ovarial dysfunction
    C. Uterine fibroids
    D. Pelvic inflammatory disease
18. The confirmatory test for early detection of carcinoma of the breast is
    A. MRI
    B. Ultrasonography
    C. Biopsy
    D. Mammography
19. A client has undergone mastectomy. The nurse interprets that the client is making the best adjustment to the loss of the breast if which of the following behavior is observed?

    A. Participating in the care of surgical drains.
    B. Reading postoperative care booklet.
    C. Refusing to look at the wound.
    D. Asking for pain medication when needed.
20. The client suspected of an ovarian tumor is scheduled for a pelvis ultrasound. The nurse provides which pro-procedure instructions to the client?

    A. Maintain an NPO status before the procedure.
    B. Eat a light breakfast only.
    C. Drink six to eight glasses of water without voiding before the test.
    D. Wear comfortable clothing and shoes for the procedure

SECTION II: SHORT ANSWER QUESTIONS (40 MARKS)

21. Outline five (5) causes of infertility in females. **5 marks**
22. State five (5) causes of uterine prolapse **5 marks**
23. State five (5) maternal causes of abortion. **5 marks**
24. Outline five (5) medical measures in the management of uterine prolapse. **5 marks**
25. State five (5) complications of endometriosis. **5 marks**
26. State five (5) signs and symptoms of Bartholin's abscess. **5 marks**
27. Outline five (5) causes of cervical incompetence. **5 marks**
28. Outline five (5) roles of the nurse during amniocentesis. **5 marks**

SECTION III: LONG ANSWER QUESTIONS (40 MARKS)

1. Mrs. W is admitted in gynaecological ward with ruptured ectopic pregnancy. Draw a well labeled diagram to illustrate the different possible locations of an ectopic pregnancy and describe her medical and nursing management for the first 72 hours. **20 marks**

2. Ms P is admitted to the ward with a vesico-vaginal fistula. Explain five (5) causes of vesico-vaginal fistula and describe her nursing management pre and post-operatively. **20 marks**

AnyScanner