FINAL QUALIFYING EXAMINATION
DIPLOMA IN COMMUNITY HEALTH NURSING
PAPER TWO (MIDWIFERY)

Date: Wednesday, 14th February 2018 Time: 3 Hours (9.00am-12noon)

INSTRUCTIONS TO CANDIDATES:

1. ENTER YOUR EXAMINATION NUMBER on the space provided on the examination answer booklet and **inside every page of the answer booklet**
2. READ THE QUESTIONS carefully and answer only WHAT IS ASKED.
3. Enter QUESTION NUMBERS on the space provided in the examination answer booklet.
4. Omission of/ and or wrong numbering of a question or part of the question will result in (10% deduction of marks scored from relevant part.
5. Confirm you have written the EXAM and QUESTION NUMBERS correctly before handing in your booklet.
6. Observe all the examination rules and regulations as stipulated in college rules and regulation.
7. Follow any other instructions from the supervisor as may be necessary.

Note:

a) Mobile phones and "Smart Watches" NOT allowed in exam room.

b) All candidates must "sign in" while handing in their scripts

Part One:Multiple Choice Questions-(20marks)

1. **One of the following is not a structure of the vulva:**
   a) Labia minora
   b) Mons veneris
   c) Bartholins glands
   d) Cervical os

2. **Indicate whether the following statements are true or false**
   a) During fetal development, the Kidneys begin to function between 8-12 weeks
   b) During fetal development, vernix caseosa appears between 16-20 weeks

3. **The part of the blastocyst that develops into placenta is**
   a) Inner cell mass
   b) Trophoblast
   c) Blastocyst
   d) Cyntotrophoblast

4. **The probable sign of pregnancy include**
   a) Fetal heart tones and quickening
   b) Hegars sign and ballolment of fetus
   c) Nausea and vomiting
   d) Amenorrhoea and vomiting

5. **The main focus during 4th antenatal visit should be**
   a) Birth preparedness
   b) History taking
   c) Foetal growth monitoring
   d) Danger signs in pregnancy

6. **An 18yrs old primigravida is admitted at 34wks gestation with pre-eclampsia. The nurse should observe her carefully for signs of eclampsia which include:**
   a) A raise in systolic blood pressure of 30mmhg 0r more
   b) Convulsions, seizure and coma
   c) A diastolic blood pressure of 90mmhg or more
   d) Proteinuria of 3+

7. **A woman who is 32wks gestation has had ruptured membranes for 26hours. A nurse would assess the woman for the following manifestation:**
   a) Proteinuria
   b) Dependent oedema
   c) Constipation
   d) Elevated temperature

8. **The management of hyperemesis gravidarum includes:**
   a) Antibiotics, psychological support
   b) Psychological support, correct fluid and electrolyte imbalances
   c) Correct fluid and electrolyte imbalances, antibiotics
   d) Encourage oral fluids, antiemetics

9. **The mechanical factors that facilitate progress of labour during first stage are:-**
   a) General fluid pressure, fetal axis pressure
   b) Cervical dilatation, fundal dominance
   c) Polarity, cervical dominance
   d) Fundal dominance, polarity

10. **The action of Oxytocin on the uterus is by:**
   a) Inhibiting spontaneous contractions of the pregnant uterus
   b) Contracting the pregnant uterus but relaxes the cervix
   c) Causing regular coordinated uterine contractions followed by relaxation
   d) Causing uterine contractions with an increase in basal tone

11. **On vaginal examination, during labour the midwife should document the following about the cervix**
   a) Effacement, ischial spines, dilatation
   b) Effacement, position, dilatation
   c) Position Ischia spines, dilatation
   d) Effacement, ischail spines, positions

Placenta abruption

12. **When diagnosing abruption, placenta the midwife should take note of one of the following findings:**
    a) Abscess of pain on abdominal palpation in the revealed type
    b) Foetal parts can be clearly palpated and there is no foetal heart rate in concealed type
    c) The uterus is tender and rigid and pain ~~in~~ is constant in the combined type
    d) The pulse is raised and there is low blood pressure or hypertension in the concealed type

13. **During neonatal emergencies second level resuscitation involves:**
    a) Wiping of the face, clearing airway
    b) Intubation, flickering soles of the feet to stimulate the baby
    c) Clearing the airway, cardiac massage
    d) Drug administration, rubbing the back of the neonate

14. **The features a midwife would find on examination of the bregma in a newborn include**
    a) Diamond shaped, lies at the function of frontal suture, pulsation
    b) Diamond shaped, pulsations, large membranes space
    c) Large membranes space, lies along coronol suture, pulsations
    d) Does not pulsate, irregular shaped, large mebraneous space

15. **Meconium is completely excreted within:**
    a) 12-24 hours
    b) 24-36 hours
    c) 36-48 hours
    d) 48-72 hours

16. **Deaths of newborns that occur in the first week of life are classified as:**
    a) Infant deaths
    b) Fresh still births
    c) Perinatal deaths
    d) Neonatal deaths

17. **The Signs and symptoms of mild hypothermia in a new born include:**
    a) Restlessness, increased respiratory rate, hypoglycaemia
    b) Little movements of the limbs, hypercalcaemia, decreased respiratory rate
    c) Restlessness, decreased respiratory rate, hypoglycaemia
    d) Little movements of the limbs, dehydration, increased respiratory rate.

18. **Autolysis is a process by which:**
    a) Uterus contracts and retracts to reduce in size
    b) Lactation is established
    c) Muscles has insufficient blood supply
    d) Proteolytic enzymes digest the muscle fibres

19. **Preventive measures of pulmonary embolism in puerperium include:-**
    a) Careful aseptic technique, prenatal exercises.
    b) Prompt identification and treatment of the affected limb
    c) Prenatal exercises, early ambulation
    d) careful aseptic technique, use of anticoagulant

20. **In third degree inversion of the uterus:**
    a) The cervix is inverted and visible at the vagina
    b) The fundus of the uterus is inverted and is at internal os
    c) Both uterus and cervix are inverted and the vagina are inverted and are visible
    d) The body of the uterus is inverted to the internal os

Part Two-Short Answer Questions-(40marks)

1. Draw and labell a diagram illustrating a sagittal section of the female pelvis **(5marks)**
2. State five (5) pillars of safe motherhood **(5 marks)**
3. Using the following headings, write short note on magnesium sulphate
   a) Dosage and one route of administration **(1marks)**
   b) Mode of action **(2marks)**
   c) Two (2) precautions **(2marks)**
4. Explain two (2) ways a midwife will prevent heat loss on a newborn **(4marks)**
5. Outline five (5) roles of the midwife during blood exchange transfusion**(5marks)**
6. Outline five (5) precautionary measures taken to minimize the spread of HIV/AIDs during labour **(5marks)**
7. Explain three (3) main functions of the placenta **(6marks)**
8. State five (5) roles of the midwife in reducing perinatal mortality **(5Marks)**

Part Three-Long Answer Questions-(40 marks)

1. **Baby Loyogooni has just been born in labour ward with asphyxia neonatorum:**

a) Outline four (4) causes of asphyxia neonotorum **(4marks)**

b) Describe the management of baby loyogooni for the first 24 hours **(12marks)**

c) Explain two (2) complications baby loyogooni may develop **(4marks)**

2. **Mrs. peekiyiyi Para 3^{+0} Gravida 3 aged 27 years is admitted in labour ward in established labour:**

a) Define normal labour **(1mark)**
b) Explain Three (3) factors that affect a woman's ability to cope with the stress of labour **(6marks)**
c) Describe the role of the midwife in the management of Mrs. peekiyiyi during the first stage of labour **(13marks)**