March 2018 FQE MED-SURG (Paper 1)

community health nursing (Kenya Medical Training College)

Scan to open on Studocu

Studocu is not sponsored or endorsed by any college or university
Downloaded by Patrick Ngobiro (pngobiro@gmail.com)

KENYA MEDICAL TRAINING COLLEGE
FACULTY OF NURSING
DEPARTMENT OF NURSING

FINAL QUALIFYING EXAMINATION FOR DIPLOMA IN COMMUNITY HEALTH NURSING

PAPER: MEDICAL-SURGICAL NURSING

DATE: 17th JANUARY, 2022	TIME: 3 HOURS (9:00AM – 12:00 NOON)

INSTRUCTIONS

1. This paper consists of:
   - Section 1 (40 Multiple Choice Questions)
   - Section 2 (8 Short Answer Questions)
   - Section 3 (1 Long Answer Question)
2. Attempt **ALL** Questions
3. Write the EXAMINATION **NUMBER** given on all the answer sheets provided and on the question paper.
4. Ensure that all examination answer scripts are handed in at the end of the examination
5. Ensure you sign the examination register provided

EXAMINATION NUMBER .....

This document is available on studocu

Downloaded by Patrick Ngobiro (pngobiro@gmail.com)

MEDICAL-SURGICAL NURSING

SECTION 1: MULTIPLE CHOICE QUESTIONS (40 MARKS)

1. Hypotension in acute pancreatitis is mainly caused by;
   a) Profuse vomiting
   b) Loss of large amounts of protein rich fluid into tissues and peritoneal cavity.
   c) Bleeding into the tissues and peritoneal cavity.
   d) Profuse sweating and anxiety
2. Clinical manifestations of neurogenic shock include;
   a) Tachycardia, hypotension and dysrythmias.
   b) Hypotension, hyperthermia and tachypnea.
   c) Warm dry skin, bradycardia and hypothermia.
   d) Hypothermia, warm dry skin and tachycardia.
3. Hysteroscopy is indicated in;
   a) Cases of infertility and cervical carcinoma.
   b) Endometrial carcinoma & infertility.
   c) Unexplained per vaginal bleeding & recurrent early pregnancy loss.
   d) Retained intra-uterine device & acute pelvic inflammation.
4. Abnormal findings on Breast examination includes;
   a) Longstanding nipple inversion, breast tenderness before menses.
   b) Unilateral venous prominence, skin dimpling.
   c) Lumpiness before menstruation, skin dimpling.
   d) Longstanding nipple inversion, edema
5. Early signs of cervical cancer include;
   a) Bleeding between menstrual periods, dyspareunia and prolonged bleeding.
   b) Heavy bleeding post intercourse, pelvic pain and unusual discharge.
   c) Pelvic pain, unusual vaginal discharge and increased urinary frequency.
   d) Increased urinary frequency, dyspareunia and bleeding between menstrual periods.
6. The primary outcome of the assessment component of the nursing process is;
   a) Complete data base
   b) Comprehensive system review.
   c) Detailed nursing history
   d) Nursing diagnosis.
7. Fracture immobilization is meant to achieve the following;
   a) Pain relieve, reduced movement and correction of malunion
   b) Prevention of displacement, pain relieve and reduced deformities.
   c) Prevent muscle spasms, bone alignment and increased circulation.
   d) Reduce malformations, restore circulation and relieve pain

For questions 8 and 9 match the drugs in column A with the descriptions in column B.

Column A.	**Column B.**
8. a) Ethambutol	i) causes smooth muscle relaxation
b) Vasopressin	ii) causes peripheral visual loss.
9. c) Neostigmine	iii) used for staphylococcal septicaemia
d) Flucloxacillin	iv) Is a cholinergic drug.
	v) Causes hepatitis & cardiac toxicity
	v) Causes low blood pressure
	vi) Leads to anaphylactic shock

Downloaded by Patrick Ngobiro (pngobiro@gmail.com)

10. The stratified epithelium lines the following;
    a) Kidney tubules, buccal cavity and the throat.
    b) Lungs, trachea and inner lining of blood vessels.
    c) Eye conjunctiva,vagina and oesophagus
    d) Inner lining of blood vessels, buccal cavity and lungs.
11. A third degree burn involves;
    a) The epidermis and a portion of the dermis.
    b) Epidermis, upper dermis & a portion of deeper dermis.
    c) Epidermis, entire dermis, subcutaneous & connective tissue.
    d) Muscles and the bones only.
12. The common causative bacterial pathogens for otitis media are;
    a) Staphylococcus aureus, pneumococci.
    b) Klebsiella spp., pseudomonas spp.
    c) Staphylococcus aureus, pseudomonas spp.
    d) Streptococcus spp. Neisseria menengitidis
13. The stages of urine formation are in the order of:-
    a) Filtration, urine concentration, secretion and reabsorption.
    b) Secretion, urine concentration, filtration and reabsorption.
    c) Filtration, reabsorption, secretion and urine concentration.
    d) Urine concentration, filtration, secretion and reabsorption.
14. While caring for a patient in the recovery room after an operation under general anaesthesia, the nurse should notify the physician if the;
    a) Patient pushes out the airway.
    b) Respiration is regular but shallow.
    c) Systolic pressure drops from 130mmhg to 100mmhg.
    d) Patient has snoring respirations.
15. Contact dermatitis is initially suspected if the rash appears;
    a) Erythematous with raised papules.
    b) Dry & scaly flaking skin.
    c) Inflamed with weeping and crusting lesion
    d) Excoriated with multiple fissures.
16. Indicate whether the following statements are **true** (T) or **false** (F) in the provided answer sheet.
    a) The skin should be cleaned with an alcohol swab before insulin injection is administered.
    b) The onset of action for glucagon injection is 8-10min.
17. The type of blood that is called the universal donor blood is:
    a) Type A
    b) Type B
    c) Type AB
    d) Type O
18. Movement of an extremity away from the midline of the body is called;
    a) Adduction
    b) Pronation
    c) Flexion
    d) Abduction

This document is available on studocu

Downloaded by Patrick Ngobiro (pngobiro@gmail.com)

19. When a patient is receiving heparin therapy, the nurse should
    a) Observe him for cyanosis
    b) Remember that a sedimentation rate is ordered for monitoring blood coagulation
    c) Give the injection intramuscularly
    d) Observe emesis, urine, and stools for blood
20. A patient reports being allergic to penicillin. Which question would elicit the most useful information;
    a) When did the reaction occur?
    b) What infection did you have that required penicillin?
    c) What type of allergic reaction did you have?
    d) Did you notify your physician of the allergy?
21. The nurse is assessing the bowel sounds of her patient who had prostatectomy 2 days ago. To determine that he does not have bowel sounds present, the nurse would have to auscultate each quadrant for;
    a) 1 minute
    b) 3 minutes
    c) 10 minutes
    d) 15 minutes
22. Which problem constitutes a medical emergency;
    a) Anuria
    b) Polyuria
    c) Dysuria
    d) Dyspnea
23. Blood cells that specifically provides cell mediated immunity are;
    a) Macrophages
    b) B- lymphocytes
    c) T- lymphocytes
    d) Plasma cells
24. The hormones responsible for blood calcium levels are;
    a) Calcitonin and parathyroid hormone
    b) Estrogen and progesterone
    c) Melatonin and follicle stimulating hormone
    d) Thyroxine and parathyroid hormone
25. The following nursing diagnosis is appropriate for a patient with renal stones;
    a) Pain related to progressive propelling of stones as evidenced by patient's verbalization.
    b) Acute pain related to inflammation of the urinary tract as evidenced by patient's verbalization.
    c) Deficient knowledge regarding urine excretion as evidenced by patient's asking many questions.
    d) Restlessness due to severe physical pain.
26. Possible complications of haemodialysis include;
    a) Infection, low blood pressure, air embolus.
    b) Infection, high blood pressure, air embolus.
    c) Abnormal heart rhythms, high blood pressure, haemorrhage.
    d) Allergic reactions, hypothermia, high blood pressure.

Downloaded by Patrick Ngobiro (pngobiro@gmail.com)

27. When performing naso-tracheal suction, the nurse should;
    a) Lubricate the catheter with warm water.
    b) Advance the catheter into the trachea only during inspiration.
    c) Suction for at least 3min before giving oxygen
    d) Ensure the suctioning machine is at a pressure of 150mmhg
28. The following diseases are caused by bacteria;
    a) Onchocerciasis, diphtheria, anthrax, paratyphoid.
    b) Diphtheria, paratyphoid, whooping cough, tonsillitis.
    c) Endocarditis, peritonitis, anthrax, candidiasis
    d) Peritonitis, schistosomiasis, puerperal sepsis, rheumatic fever.
29. Some of the factors that predispose one to gynaecomastia are;
    a) Aldomet administration, orchitis, auto-immune gonadal failure.
    b). Oestrogen secreting tumour, stilbesterol, hyperthyroidism.
    c) Cimetidine, tuberculosis, hyperpituitarism.
    d) Digoxin, orchitis, hyperpituitarism.
30. Aspirin is manufactured by different pharmaceutical companies. Each company has its unique name. Such distinctive drug names are referred to as;
    a). Generic name
    b) Trade names
    c) Official names
    d) Limited names
31. Low oxygen supply to the tissues is scientifically referred to as;
    a) Anoxia
    b). Hypoxia
    c) Ischemia
    d) Asphyxia
32. Pre-operative nursing interventions include;
    a). Reducing anxiety, relieving discomfort, providing instruction and preparing the patient.
    b) Maintaining fluid balance, managing potential complications and relieving pain.
    c) Relieving pain, reducing anxiety, education and counselling.
    d) Providing instruction, Care of prosthesis and maintaining fluid balance.
33. The aura stage of a tonic clonic seizure is characterized by;
    a). Visual disturbance, tingling sensations, change in mood
    b) Auditory sensation, change in mood, loss of consciousness
    c) Tonic contractions, temporary cessation of breathing, staring into the space
    d) Audible cry, tonic contractions, last for 3 to 4 seconds
34. Measures that may be taken to reduce gastro-oesophageal acid reflux include;
    a) Taking antacids one hour after meals, avoiding alcohol.
    b) Taking coffee immediately after meals, avoiding alcohol.
    c). Taking antacids one hour before meals, avoiding alcohol.
    d) Taking antacids one hour after meals, taking coffee immediately after meals.
35. Obesity;
    a) Is a result of imbalance between fats and carbohydrates intake.
    b) Represents excess of body carbohydrate reserve.
    c). Is associated with a BMI of greater than 40.
    d) Is associated with a BMI of 30 to 40

This document is available on studocu

Downloaded by Patrick Ngobiro (pngobiro@gmail.com)

36. A retention enema;
    a) Is indicated to empty the bowel of faeces
    b) Is a means of applying local treatment
    c) Precedes a soap and water enema
    d) Is administered for colonic lavage
37. The sources of fluid output include;
    a) Blood loss, sputum, vomitus
    b) Perspiration, faecal matter , urine
    c) Urine, exhalation, perspiration
    d) Sputum, faecal matter, vomitus
38. Diagnosis of cholelithiasis is mainly done by;
    a) Magnetic resonance imaging
    b) Utrasonography
    c) Computerised tomographic scan
    d) Endoscopic retrograde cholangiopancreatography
39. When collecting sputum specimen, the nurse instructs the patient to;
    a) Clean the mouth well before expectoration
    b) To be in recumbent position when expectorating
    c) To discard the first sputum and them expectorate the second in the specimen bottle.
    d) To take plenty of fluid the night before collection
40. Which of the following is the correct sequence of the grieving process;
    a) Denial, bargain, anger, depression
    b) Denial, anger, bargaining, depression
    c) Denial, depression, anger, bargain
    d) Denial, anger, depression, bargain

SECTION 2: SHORT ANSWER QUESTIONS (40 MARKS)

41. In order of priority explain two (2) interventions a nurse should initiate on suspecting a blood transfusion reaction (4 marks)
42. a) Define high level disinfection (HLD) (1mark)
    b) Explain two methods of high level disinfection (4 marks)
43. Draw and label a diagram illustrating the structures of the internal ear. (5marks)
44. Explain three (3) nursing management for a patient with severe head injury. (6 marks)
45. Describe the pathophysiology of Asthma (5marks)
46. Describe the pathophysiology of rheumatic fever (5marks)
47. State five (5) specific nursing responsibilities for a patient with vesicle-vaginal fistula post operatively (5 marks)
48. Outline five (5) factors that affect blood pressure. (5marks)

SECTION 3: LONG ANSWER QUESTION (20 MARKS)

49. Mr. Nininit has undergone an explorative laparotomy of the abdomen.
    a) Explain the concept of peri-operative care (2 marks)
    b) State four (4) types of surgeries based on purpose (4 marks)
    c) Describe the specific care Mr. Nininit will receive post operatively for the first 24 hours (11marks)
    d) Outline three (3) complications Mr. Ninniti is likely to develop. (3 marks)

Downloaded by Patrick Ngobiro (pngobiro@gmail.com)