GENERAL NURSING

SECTION 1: MULTIPLE CHOICE QUESTIONS (40 MARKS)

1. The instruction the nurse will give to a client who is taking albendazole, is to take;
   a) In an empty stomach
   b) With food
   c) After meals
   d) With very little water
2. The indications of urinary bladder catheterization includes;
   a) Acutely ill patients, bladder irrigation, urethral infection
   b) Gross haematuria, urethral infection, urine retention
   c) Urinary incontinence, bladder irrigation, urine retention
   d) Gross haematuria, urethral infection, Urinary incontinence
3. Deficiency of thiamine causes;
   a) Dermatitis
   b) Beriberi
   c) Pellagra
   d) Pernicious anaemia
4. The blood cells affected in sickle cell anaemia are;
   a) Platelets
   b) Leucocytes
   c) Monocytes
   d) Erythrocytes
5. Conditions that lead to Ketosis include;
   a) Diabetes mellitus, starvation, unwise dieting
   b) Hypertension, starvation, unwise dieting
   c) Hypertension, Metabolic alkalosis, Diabetes mellitus,
   d) Diabetes mellitus, starvation, metabolic alkalosis
6. A type of cardiomyopathy that is characterized by ventricle abnormal rigidity and lack of flexibility to expand during ventricular filling with blood is;
   a) Hypertrophic
   b) dilated
   c) Restrictive
   d) Arrhymogenic
7. A nurse takes the blood pressure of Mr K 60 years old, known hypertensive patient and finds that it is 160/110mmHg, she considers this client to have;
   a) Normal blood pressure
   b) Prehypertension
   c) Stage 1 hypertension
   d) Stage 2 hypertension
8. The anticonvulsant drugs that interfere with sodium channels are;
   a) Vigabatrin, ethosuximide, phenorbitone
   b) Carbamezipine, phenytoin, phenorbitone
   c) Ethosuximide, phenorbitone, carbamezipine
   d) Carbamezipine, Vigabatrin, phenytoin
9. The nursing consideration that a nurse will make when managing a patient Y with congestive cardiac failure on carvedilol is to observe patient for;

a) Dehydration, elevated blood pressure
b) Generalized swelling of the feet, dyspnea
c) Bradycardia, dehydration
d) Elevated blood pressure, bradycardia

10. A patient R is receiving palliative care for pancreatic cancer, during a home visit the nurse finds the patient is experiencing pain at a level of 8 in a scale of 0-10, what priority action should the nurse do;
    a) Assess how long the patient has been on patin
    b) Take observation of vital signs
    c) Counsel on use of analgesics
    d) Administer an analgesic as per WHO ladder
11. A 50 year old patient is wheeled to the emergency department with acute illness, on examination the following findings are recorded; patient has a productive cough, a wheeze, rapid respirations at 48 breaths per minute, rapid pulse rate at 116/ minute and an oxygen saturation of 87%; The nurse suspects the patient has;
    a) Pulmonary tuberculosis
    b) Asthma
    c) Bronchiectasis
    d) Bronchitis
12. Pernicious anaemia will most probably be caused by;
    a) Lack of intrinsic factor or deficiency of vitamin B12
    b) Lack of intrinsic factor or failure of bone marrow
    c) Deficiency of vitamin B12 or excessive break down of red blood cells
    d) Excessive break down of red blood cells or failure of bone marrow
13. A demyelinating central nervous system condition that commonly affects young people is;
    a) Multiple sclerosis
    b) Guillain barre syndrome
    c) Myasthenia gravis
    d) Parkinsonism
14. A nurse observes a patient who has been on oxygen therapy for 1 hour on nasal prongs at a flow rate of 1 litre/ minute is restless and dyspneic. On checking the oxygen saturation, it is 85%, to increase oxygen supply the nurse correctly decides to put a;
    a) Simple face mask at a flow rate of 2 litres per minute
    b) Nasal catheter at a flow rate of 4 litres per minute
    c) A non rebreather mask at a flow rate of 15 litres/minute
    d) A naso pharyngeal catheter at 10 litres per minute
15. The following vital signs in an adult male patient are abnormal;
    a) Temperature 35^0 c and respirations 36 breaths/minute
    b) Blood pressure 110/70mmHg and pulse rate of 78/minute
    c) Oxygen saturation 95% and Blood pressure 110/70mmHg
    d) Pulse rate of 78/minute and Oxygen saturation 95%
16. A type of cancer originating from muscles is referred to as;
    a) Sarcoma
    b) Lymphoma
    c) Carcinoma
    d) Leukemia

17. In post-anaesthestic care unit (PACU), the patient's vital signs are observed every;
    a) 15 minutes
    b) 30 minutes
    c) 1 hourly
    d) 2 hourly
18. A patient induced through general anaesthesia will be;
    a) Conscious, not feel pain
    b) Unconscious, feel pain
    c) Unable to breath for herself/himself, has muscle control
    d) Unconscious, unable to breath for herself/himself
19. Crohn's disease causes inflammation of;
    a) Stomach, small intestine
    b) Colon, stomach
    c) Colon, small intestine
    d) Anus, rectum
20. The hearing acuity tested with the vibrating tuning fork on the forehead is;
    a) Wisper
    b) Rinne
    c) Weber
    d) Schwabach
21. A patient presenting with hoarse or loss of voice, irritating cough, always wanting to clear throat and sore throat is most probably having;
    a) Adenitis
    b) laryngitis
    c) Tonsillitis
    d) Sinusitis
22. During gynecological examinations Sims position is an alternative position to;
    a) Trendenberg
    b) Lithotomy
    c) Supine
    d) Prone
23. A patient has a new diagnosis of liver disease; a nurse concludes that most medication dosages for this patient will be reduced because of impairment of one of the following pharmacokinetic phase;
    a) Absorption
    b) Distribution
    c) Metabolism
    d) Excretion
24. A bed ridden patient is likely to develop the following musculoskeletal effects due to inactivity and immobility;
    a) Pressure ulcer and contracture
    b) Foot drop and contracture
    c) Constipation and pressure ulcer
    d) Constipation and foot drop
25. An injured patient who was a driver and a bread winner verbalizes he is stressed because he is not able to perform his duties as before; The appropriate nursing diagnosis is;

a) Activity intolerance
b) Ineffective coping
c) Care giver role strain
d) Ineffective role performance

26. Altered sensory perception related to auditory damage could result from side effects of the following drugs;

a) Streptomycin and gentamycin
b) Gentamycin and azithromycin
c) Streptomycin and azithromycin
d) Lasix and erythromycin

27. A patient in the medical ward has clotting and bleeding disorder concurrently; the nurse recognizes these as signs of;

a) Haemophilia
b) Disseminated intravascular coagulation
c) Polycythemia vera
d) Leukemia

28. According to Glasgow coma scale, the score of a patient who obeys commands in motor responses criteria will be;

a) 6
b) 5
c) 4
d) 3

29. The priority intervention in a patient with a fracture is;

a) Reduction of the fracture
b) Immobilization
c) Internal fixation
d) Skin traction

30. Osteoporosis is associated with one of the following complications;

a) Infection
b) Blood clot formation
c) Painful immobility of the joint
d) Pathological fractures

31. The immediate effect of sympathetic nervous system that initiates fight or flight response to stress causes;

a) Heart rate to decrease, blood pressure increases
b) Peristalysis to increase, digestive secretions increases
c) Respiratory rate to increase, blood pressure increases
d) Heart rate to decrease, respiratory rate increases

32. Mrs X with gastro-intestinal bleeding is experiencing passage of red coloured stool per rectal. The nurse recognizes this sign as;

a) Haematemesis
b) Haematochezia
c) Malena
d) Haemoptysis

33. Patient P is a admitted in the medical ward with Cushing's syndrome. The nurse recognizes the clinical manifestations as;

a) Buffalo hump, moon face, central obesity
b) Central obesity, vomiting, exopthalmos
c) Buffalo hump, Diarrhea, vomiting
d) Moon face, diarrhea, exopthalmos

34. A common symptom that is associated with bile accumulation in the body is;
a) Itching
b) Urticaria
c) Hypoglacaemia
d) hyperglacaemia

35. A patient with hypercalcemia mostly has hyperactivity of which gland;
a) Thyroid
b) Parathyroid
c) Thymus
d) Adrenal

36. The skin layer that provides barrier to infections is
a) Epidermis
b) Dermis
c) Hypodermis
d) Subcutaneous

37. Fungal skin infections include;
a) Herpes zoster, pediculosis
b) Candidiasis, tinea corporis
c) Herpes zoster, candidiasis
d) Tinea corporis, pediculosis

38. A process of infection prevention that destroys all microorganism including bacterial endospores is;
a) Sterilization
b) Disinfection
c) Asepsis
d) Waste segregation

39. Indicate if the following statements are <u>true</u> or <u>false</u> as regards to aseptic technique in wound dressing;
a) The wound must be cleaned with betadine solution
b) The wound is cleaned from inside out

40. A patient admitted in surgical ward who is bedridden verbalizes he is worried that he may lose his job because of prolonged hospitalization. The nursing diagnosis applicable to this situation is;
a) Anxiety related to prolonged hospitalization evidenced by verbalization
b) Ineffective coping related to prolonged hospitalization by verbalization
c) Role confusion related to hospitalization by verbalization
d) Self- care deficit related to immobility by verbalization