

Question 1.

Server-based architecture is more secure than client-based architecture.

☒ True

☐ False

Client-based = fat client

Question 2.

The term in the computing domain which refers to the creation of devices or storage with the use of software and not hardware is what?

☐ Encryption

☐ Dynamic Creation

☒ Virtualization

☐ Alternative Devices

Question 3.

There are three advantages associated with client-server architecture.

☐ True

☒ False

Question 4.

The objective of architecture design is to determine how the software components of the information system will be assigned to the hardware devices of the system.

☒ True

☐ False

Question 5.

An ATM dialing a network provides the IT department with a quick cash withdrawal for emergency purposes.

☐ True

☒ False

Question 6.

Server virtualization involves what?

- ☐ Stacking blade servers
- ☐ Using a laptop as a server
- ☒ Partitioning a physical server into smaller virtual servers

Question 7.

Mobile application architectures are where the:

- ☒ The server is responsible for data access logic
- ☒ Client device is responsible for presentation logic
- ☒ Client device is responsible for business logic
- ☒ The server stores the data

Question 8.

Technical Environment Requirements can be defined as special hardware, software, and network requirements imposed by business requirements

- ☒ True
- ☐ False

Question 9.

The design phase is the time to select the specific software that will operate the hardware.

- ☒ True
- ☐ False

Question 10.

How many advantages are client-server based architectures known for?

- ☐ 2
- ☐ 3
- ☒ 4
- ☐ 5

☐ 7

1. Scalable: easy to increase/decrease storage or processing power as necessary.
 2. Can support many different types of clients and servers (e.g. a Windows client can access a server running on Linux)
 3. Easy to separate different logic functions (presentation logic, application logic, data access logic).
 4. Reliable: if a server fails, the failed server can be replaced.
- (p. 224-225)

Question 11.

Portability Requirements can be defined as the extent to which the system will need to operate in other environments.

☒ True

☐ False

Question 12.

Maintainability Requirements can be defined as the extent to which the system will need to operate in other environments.

☐ True

☒ False

Question 13.

Expected business changes to which the system should be able to adapt.

☐ Technical Environment Requirements

☒ Maintainability Requirements

☐ Scalability Requirements

☐ System Integration Requirements

☐ Portability Requirements

Question 14.

The scalability associated with Client-Server systems is:

☐ Low-Medium

- ☒ High
- ☐ Very High
- ☐ Low
- ☐ High-medium

There is no sound reasoning behind this answer in the textbook.

Question 15.

DES is an example of what?

- ☐ Alternative Systems Security Algorithms
- ☒ Symmetric Encryption Algorithm
- ☐ Asymmetric Encryption Algorithm
- ☐ Bi-Adjusted Encryption Algorithm
- ☐ Dynamic Encryption System

Question 16.

Client-server architecture holds the client responsible for _____ and server is only responsible for _____.

- ☐ Application Logic; Data Storage
- ☐ Data Access Logic and Presentation Logic; Data Storage
- ☐ Data Storage; Application Logic
- ☐ Application Logic; Presentation Logic
- ☒ Presentation Logic; Data Access Logic and Data Storage

Question 17.

System Integration Requirements can be defined as the extent to which the system will need to operate in other environments.

- ☐ True
- ☒ False

Question 18.

A sample access control requirement would be what?

- ☐ Data will be encrypted for secure ordering
- ☐ All uploaded files will be checked for viruses
- ☒ Customer service reps can modify customer files but not delete them
- ☐ The system will cost \$38,900 per minute of downtime in lost revenues

Question 19.

Designing an architecture can be what?

- ☒ Difficult and therefore, many organizations use the skills of experienced, expert system architects (consultants or employees) who specialize in the task.
- ☐ Easy and therefore more experienced members of the department take the lead.
- ☐ Easy and therefore outside consultants are often sourced to do the task.
- ☐ Tedious and therefore younger members of the team are usually urged to take the lead.
- ☐ Easy and therefore experienced internal members are sourced to the task.

Question 20.

Operational requirements of a system include all of the following, except:

- ☐ Portability Requirements
- ☒ Scalability Requirements
- ☐ System Integration Requirements
- ☐ Technical Environment Requirements
- ☐ Maintainability Requirements

Question 21.

An n-tiered architecture is distinguished by:

- ☒ The number of specialized server computers
- ☐ The number of terminals on the network
- ☐ The number of drives installed
- ☐ The number of logics on the local server

Question 22.

An example of an asymmetric encryption algorithm is public key encryption.

☒ True

☐ False

Question 23.

An example of making an unstated norm explicit would be to make a field modifiable by a manager to represent the local format.

☐ True

☒ False

Question 24.

Server-based architecture is:

☐ The very first architecture system

☐ Outdated and never used

☐ When the clients capture keystrokes, the very first architecture system and outdated and never used

☐ When the clients capture keystrokes

☒ When the clients capture keystrokes and the very first architecture system

Question 25.

Thick clients contain what?

☐ Enormous storage abilities

☒ Almost all or most of the application logic

☐ Almost none or less than half of the application logic

☐ Almost all of the data logic

Question 26.

There are four advantages associated with client-server architecture.

☒ True

☐ False

Question 27.

Client-server scalability is less than server-based scalability.

- ☐ True
- ☒ False

Question 28.

Special hardware, software, and network requirements imposed by business requirements.

- ☒ Technical Environment Requirements
- ☐ Portability Requirements
- ☐ Maintainability Requirements
- ☐ System Integration Requirements
- ☐ Scalability Requirements

Question 29.

Software systems can be divided into how many basic functions?

- ☐ 1
- ☐ 2
- ☐ 3
- ☒ 4
- ☐ 5

- 1. Data storage
 - 2. Data access logic
 - 3. Application logic
 - 4. Presentation logic
- (p. 223-224)

Question 30.

Data storage, Data Access Logic, Application Logic and Presentation Logic are the four basic functions of software systems.

- ☒ True
- ☐ False

Question 31.

Server-based architecture is not more secure than client-based architecture.

- ☐ True
- ☒ False

Client-based = fat client

Question 32.

Client computers, Servers, and Networks are the three primary hardware components of a system.

- ☒ True
- ☐ False

Question 33.

The extent to which the system will operate with other systems.

- ☐ Maintainability Requirements
- ☐ Portability Requirements
- ☐ Technical Environment Requirements
- ☐ Scalability Requirements
- ☒ System Integration Requirements

Question 34.

An example of a cultural requirement would be offering the system in English and Spanish.

- ☒ True
- ☐ False

Question 35.

Which of the following is an advantage of client-server architectures?

- ☒ Reliability
- ☒ It is easy to separate different logic functions
- ☒ They can support different types of systems

☒ They are scalable

Question 36.

What is/are the disadvantage(s) associated with n-tiered architecture?

- ☐ When the clients capture keystrokes and the very first architecture system and they are always slower
- ☐ Great load on the network
- ☐ They are always slower
- ☒ Great load on the network and it is more difficult to program and test software
- ☐ When the clients capture keystrokes and the very first architecture system

Question 37.

The architectural components of any system are the network and the hardware.

- ☐ True
- ☒ False

Question 38.

Client-based architecture is complex and there is minimal chance of network circuits being overloaded due to growing network applications.

- ☐ True
- ☒ False

Client-based = fat client

Question 39.

The extent to which the system will need to operate in other environments.

- ☐ Maintainability Requirements
- ☒ Portability Requirements
- ☐ System Integration Requirements
- ☐ Scalability Requirements
- ☐ Technical Environment Requirements

Question 40.

Client-server scalability is greater than server-based scalability.

☒ True

☐ False

Question 41.

Project teams often _____ the _____ associated with creating secure, efficient client-server applications.

☐ Overestimate; Simplicity

☐ Overestimate; Difficulty

☐ Underestimate; Simplicity

☒ Underestimate; Difficulty

Question 42.

Maintainability Requirements can be defined as expected business changes to which the system should be able to adapt.

☒ True

☐ False

Question 43.

An example of a capacity requirement would be:

☒ Transmissions require 300K of data

☐ Response time must be ≤ 2.8 seconds for any transactions

☐ The systems uptime will be 99%

☐ The inventory database will be updated in real time

Question 44.

It is not uncommon for the cost of a power disruption to be hundreds or thousands of times the cost of failed components.

☒ True

☐ False

Question 45.

An example of making an unstated norm explicit would be to make an input field explicitly defined, such as a date will use month-day-year format.

☒ True

☐ False

Question 46.

An example of a multilingual requirement is what?

☐ Personal information about English customers cannot be sent to Chinese systems

☐ Country managers can define custom fields

☒ The system will operate in English, French and Spanish

☐ Country managers are able to change telephone number formats

☐ All date fields will be presented in a uniform format

Question 47.

The objective of architecture design is to determine what?

☐ Where the mainframe will be situated

☐ How aesthetically pleasing the server system will be

☒ What parts of the application software will be assigned to what hardware

☐ How the computers will be arranged to provide ample storage

Question 48.

The cost of development associated with Client-Based systems is:

☐ High-medium

☐ Very High

☒ Low

☐ Low-Medium

☐ High

Client-based = fat client

Question 49.

The major architectural components of any system are the what?

- ☐ Hardware
- ☐ IT Department
- ☒ Hardware and Software
- ☐ IT Department and Hardware
- ☐ Software

Question 50.

System Integration Requirements can be defined as the extent to which the system will operate with other systems.

- ☒ True
- ☐ False

Question 51.

There are _____ primary hardware components of a system.

- ☐ 1
- ☐ 2
- ☒ 3
- ☐ 4
- ☐ 5

Client computers, servers, and the network. (p. 224)

Question 52.

The primary hardware components of a system consist of:

- ☐ Servers
- ☒ Client Computers, Servers, and Network
- ☐ Client Computers and Servers
- ☐ Client Computers
- ☐ Network

Question 53.

Form(s) of network connection(s) in a system include:

- ☐ ATM
- ☐ DSL
- ☒ ATM and DSL
- ☐ T2 and DSL
- ☐ T2