```
⋾ style.css
index.html X Js app.js
Web_01 > 01_A > ⑤ index.html > ⊘ html > ⊘ body
1 <!DOCTYPE html>
       <html <pre>lang="en">
               <meta charset="UTF-8" />
               <meta http-equiv="X-UA-Compatible" content="IE=edge" >>
               <meta name="viewport" content="width=device-width, initial-scale=1.0" />
               <title>Web_01</title>
k rel="stylesheet" href="style.css" type="text/css" >
               <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
           </head>
           <div class="text">CHÂO THEO GIỜ</div>
<div class="input_time">
                        <span>Nhập Giờ:<input type="text" class="Time" /></span>
                        <div class="HelloDiv"></div>
                    </div>
                    <div class="button">
                        <button>Chào</button>
                    </div>
               </div>
           <script src="app.js" type="text/javascript"></script>
       </html>
```

```
index.html
               us app.js
                          X 3 style.css
Web_01 > 01_A > Js app.js > ♦ $() callback > ♦ change() callback > ♦ click() callback
       $(function() {
            $("input").change(function() {
                 var timeHr = $('.Time').val();
            $("button").click(function(){
                 var str;
                 if (timeHr \leq 12) {
                     str = "Chào buổi sáng";
                 else{
                      \overline{i}f (timeHr \leq 17) {
                          str = "Chào buôi chiêu";
                      else{
                          str = "Chào buổi tôi";
 16
                 $(".HelloDiv").append(str);
            })
       <del>})</del>
```

```
padding: 0;
   margin: 0;
   box-sizing: border-box;
   display: flex;
   justify-content: center;
   align-items: center;
   text-align: center;
.hello {
   width: 250px;
   height: 100px;
   margin: 120px auto;
   padding: 5px;
   background-color: ■lightskyblue;
.input_time {
   height: 50px;
   padding: 5px;
   background-color: ■lightsteelblue;
   padding: 5px;
   background-color: ■lightskyblue;
   padding: 5px;
```





```
index.html × ⋾ style.css
                          us app.js
Web_01 > 01_B > Index.html > A html > A head > A script
          <meta charset="UTF-8">
          <meta http-equiv="X-UA-Compatible" content="IE=edge">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Web_01_B</title>
          <link rel="stylesheet" href="style.css" type="text/css">
          <script src= "https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
      </head>
          <div class="circle">
              <div class="circle_text">DIỆN TÍCH và CHU VI HÌNH TRÒN</div>
              <div class="content">
                  <div class="circle_radius">
     <span>Bán kính:
                       <input type="text" class="Radius">
                   </div>
                   <div class="circle_area">
                      <span>Diện tích:√span>
                       <input type="text" class="Area">
                   </div>
                   <div class="circle__perimeter">
                      <span>Chu vi: &nbsp;&nbsp;&nbsp;
                       <input type="text" class="Perimeter">
                   </div>
                   <div class="circle_button">
                      <button>Tinh
                   </div>
              </div>
          </div>
      </body>
      <script src="app.js"></script>
      </html>
```

```
index.html
                                                                   .circle__radius {
                                                                      padding: 5px;
Web_01 > 01_B > ∃ style.css >
         padding: 0;
         margin: 0;
                                                                  .circle area {
         box-sizing: border-box;
                                                                      padding: 5px;
      body {
         display: flex;
                                                                  .circle_perimeter {
         justify-content: center;
                                                                      padding: 5px;
         align-items: center;
                                                                  .circle_button {
      .circle {
                                                                      padding: 5px;
                                                                  span {
                                                                      float: left;
                                                                      padding-left: 5px;
         background-color: ■bisque;
         padding: 10px;
                                                                  .Area .Perimeter {
         background-color: sandybrown;
                                                                      background-color: ■mistyrose;
          font-weight: 600;
          font-family: "Moon Dance", cursive;
```




```
<html <pre>lang="en">
  <head>
     <meta thatp-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />

     <title>Web_01_C</title>
     <link rel="stylesheet" href="style.css" type="text/css" >>
     <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
     <div id="content">
           <h2>PHÁT SINH MẢNG VÀ TÍNH TOÁN</h2>

                 <button>Phát sinh và tính toán
              Mång:
              <input type="text" id="MAX" class="result" />
           TINN(MIN) trong mang:
↑td>
input type="text" id="MIN" class="result" />

           Tổng mảng:
              <input type="text" id="SUM" class="result" />
        (<b>Ghi chú: ⟨b> Các phân từ trong mảng sẽ có giá trị từ ở đến
           20)
        √div>
  </body>
   <script src="app.js" type="text/javascript"></script>
</html>
```


```
₃ app.js
Web_01 > 01_C > 3 style.css > 4 body
                                                                                          height: 25px;
           padding: 0;
                                                                                          width: 150px;
           margin: 0;
                                                                                          background-color: yellow;
            box-sizing: border-box;
                                                                                          border-radius: 10px;
       body []
background-image:
                                                                                          text-align: center;
           linear-gradient(to right, ■#2cccff, ■#eee);
            display: flex;
           justify-content: center;
            align-items: center;
                                                                                          color: red;
                                                                                        margin-left: 10px;
           height: 250px;
           margin: 120px auto;
background-color: ■#ffe6ff;
           border-radius: 10px;
                                                                                     .input__number {
   background-color: ■#ffccff;
           width: 100%;
border-radius: 10px;
                                                                               65 #MAX,
66 #MIN,
                                                                                67 #SUM {
          margin-right: 100px;
border-radius: 10px;
padding-left: 5px;
                                                                                        background-color: ■#993366;
           text-align: center;
color: ##fff;
background-color: ##993366;
            font-family: "Moon Dance", cursive;
            padding: 10px;
            border-radius: 10px;
```



```
index.php X
<html lang="en">
             $nameErr = $emailErr = $genderErr = $websiteErr = "";
             $name = $email = $gender = $website = "";
             if ($_SERVER["REQUEST_METHOD"] = "POST") {
                 if (empty($_POST["name"])) {
    $nameErr = "Name is required";
    $result1 = "background-color: #FFE4C4";
                       $name = test_input($_POST["name"]);
                  if (empty($_POST["email"])) {
                       $emailErr = "Email is required";
$result2 = "background-color: #F4A460";
                       $email = test_input($_POST["email"]);
                 if (empty($_POST["website"])) {
    $websiteErr = "Website is required";
    $result3 = "background-color: #ADD8E6";
                       $website = test_input($_POST["website"]);
                  if (empty($_POST["comment"])) {
                       $comment = "";
$result4 = "background-color: #98FB98";
                       $comment = test_input($_POST["comment"]);
                  if (empty($_POST["gender"])) {
    $genderErr = "Gender is required";
    $result5 = "background-color: #BDB76B";
                       $gender = test_input($_POST["gender"]);
             function test_input($data)
                  $data = trim($data);
                  $data = stripslashes($data);
                  $data = htmlspecialchars($data);
                  return $data;
```

```
<title>Web_2</title>
   <style>
          color: red;
        .name {
          width: 400px;
           border-radius: 10px;
       .email {
           width: 400px;
           border-radius: 10px;
       .website {
           width: 400px;
           border-radius: 10px;
       .comment {
           width: 400px;
           border-radius: 10px;
       .general {
           width: 400px;
           border-radius: 10px;
   ∜style>
</head>
```

```
<span class="error">* required field.</span>
       <form method="post" action="<?php echo htmlspecialchars($_SERVER["PHP_SELF"]); ?>">
             <div class="name" style="<?php echo $result1 ?>">
    Name: <input type="text" name="name"></input>
    <span class="error">* <?php echo $nameErr; ?> </span>
              </div>
             <div class="email" style="<?php echo $result2 ?>">
    E-mail: <input type="email" name="email">
    <span class="error">* <?php echo $emailErr; ?></span>
                    <br><br><br>
             <div class="website" style="<?php echo $result3 ?>">
    Website: <input type="text" name="website">
    <span class="error">* <?php echo $websiteErr; ?></span>
             </div>
             <div class="comment" style="<?php echo $result4 ?>">
    comment: <textarea name="comment" cols="40" rows="5"><\textarea>
                    <br><br><br>
              </div>
             <div class="general" style="<?php echo $result5 ?>">
                   General:
                    <input type="radio" name="gender" value="female">Female
<input type="radio" name="gender" value="male">Male
<span class="error">* <?php echo $genderErr; ?></span>
                    <br><br><br>
              </div>
             <input type="submit" name="submit" value="Submit">
      </form>
      echo "<h2>Your Input:</h2>";
      echo "Name:" . $name;
echo "<br/>cho "Email:" . $email;
      echo "<br>";
      echo "Website:" . $website;
echo "<br/>;
      echo "Comment:" . $comment;
echo "Comment:" . $comment;
echo "deroder:" . $gender;
echo "Cor";
</body>
</html>
```



```
<meta charset="UTF-8" />
<meta http-equiv="X-UA-Compatible" content="IE=edge" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<script src="images_Lab06/jquery-3.2.1.js"></script>
<link href="style_03.css" rel="stylesheet" type="text/css" />

    ID
                              input

type="text"
name=""

id="search_id"
onkeyup="FilterkeyWord()"
                     onkeyup="FilterkeyWord()"

/ thp

Last Name
                              type="text"
                                id="search_lastname"
onkeyup="FilterkeyWord()"

Email
input
                           cmalc
<input
    type="text"
    name=""
    id="search_email"</pre>
                                onkeyup="FilterkeyWord()"

                     </thead>


         </div>

type="text/javascript">

/ html>
```

```
main.js X (-) infor.json
fetch("infor.json")
    .then(function (response) {
          var table = document.getElementById("my-table");
          for (var i = 0; i < data.length; i++) {
    var row = '<tr>
                   ctl>m
${ata|i].ID}
$
{data|i].firstname}
$
{data|i].firstname}
$
{data|i].lastname}
$
{data|i].lastname}
$
{data|i].email}
$
{data|i].email}<
              table.innerHTML += row;
 function FilterkeyWord() {
     var inputSearchId = document.getElementById("search_id");
     var inputSearchFirstName = document.getElementById("search_firstname");
     var inputSearchLastName = document.getElementById("search_lastname");
     var inputSearchEmail = document.getElementById("search_email");
     var filter = inputSearchId.value.toLowerCase();
     var filter1 = inputSearchFirstName.value.toLowerCase();
var filter2 = inputSearchLastName.value.toLowerCase();
     var filter3 = inputSearchEmail.value.toLowerCase();
var table = document.getElementById("table");
     var tr = table.getElementsByTagName("tr");
     // Loop through all table rows, and hide those who don't match the search query for (i = 0; i < tr.length; i++) {
          td = tr[i].getElementsByTagName("td")[0];
         td1 = tr[i].getElementsByTagName("td")[1];
td2 = tr[i].getElementsByTagName("td")[2];
td3 = tr[i].getElementsByTagName("td")[3];
          if (td &6 td1 &6 td2 &6 td3) {
                   td.innerHTML.toLowerCase().indexOf(filter) > -1 86
                    td1.innerHTML.toLowerCase().indexOf(filter1) > -1 85 td2.innerHTML.toLowerCase().indexOf(filter2) > -1 86
                    td3.innerHTML.toLowerCase().indexOf(filter3) > -1
                    tr[i].style.display = "";
              } else {
                   tr[i].style.display = "none";
```

```
"firstname": "John",
"lastname": "Doe",
"email": "john@example.com"
"firstname": "July",
"lastname": "Dooley",
"email": "july@greatstuff.com"
"firstname": "Anja",
"lastname": "Ravendate",
"email": "a_r@test.com"
"firstname": "Hoang",
"lastname": "Chau",
"email": "hoang22201@gmail.com"
"firstname": "Khanh",
"lastname": "Hoang",
"email": "wibuhkhang@gmail.com"
"firstname": "Duy",
"lastname": "Pham",
"email": "duylove04@gmail.com"
```



← → C ① localhost/Assignment_06/Web_03/			
ID	First Name	Last Name	Email
1	John	Doe	john@example.com
2	July	Dooley	july@greatstuff.com
3	Anja	Ravendate	a_r@test.com