

```


<div id="page-wrapper">
  @RenderBody();
</div>
<!-- /#page-wrapper -->

```

```

Index.cshtml
1  @{
2      ViewBag.Title = "Home Page";
3      Layout = "~/Views/Shared/_Layout.cshtml";
4  }
5
6  <h2>View Dashboard</h2>
7
8  @RenderPage("~/Views/Home/DashboardContent.cshtml")

```




Khi bấm vào SB Admin v2.0 trả về View of Dashboard:

```

50      </button>
51      <a class="navbar-brand" href="/Home/Index">SB Admin v2.0</a>
52  </div>
53  <!-- /.navbar-header -->

```

Solution Explorer



Search Solution Explorer (Ctrl+;)





- ▶ Scripts
- ▲ Views
 - ▲ Blank
 - [@] Index.cshtml
 - ▲ Buttons
 - [@] ButtonContent.cshtml
 - [@] Index.cshtml
 - ▲ Flot
 - [@] FlotContent.cshtml
 - [@] Index.cshtml
 - ▲ Form
 - [@] FormContent.cshtml
 - [@] Index.cshtml
 - ▲ Grid
 - [@] GridContent.cshtml
 - [@] Index.cshtml
 - ▲ Home
 - [@] About.cshtml
 - [@] Contact.cshtml
 - [@] DashboardContent.cshtml
 - [@] Index.cshtml
 - ▲ Icons
 - [@] IconsContent.cshtml
 - [@] Index.cshtml
 - ▲ Login
 - [@] Index.cshtml
 - [@] LoginContent.cshtml
 - ▲ Morris
 - [@] Index.cshtml
 - [@] MorrisContent.cshtml
 - ▲ Notifications
 - [@] Index.cshtml


- [@] MorrisContent.cshtml
- Notifications
 - [@] Index.cshtml
 - [@] NotificationsContent.cshtml
 - Panels
 - [@] Index.cshtml
 - [@] PanelsContent.cshtml
 - Shared
 - [@] _Layout.cshtml
 - [@] _Login.cshtml
 - [@] Error.cshtml
 - Table
 - [@] Index.cshtml
 - [@] TableContent.cshtml
 - Typography
 - [@] Index.cshtml
 - [@] TypographyContent.cshtml

```

</li>
<li>
|   <a href="/Home/Index"><i class="fa fa-dashboard fa-fw"></i> Dashboard</a>
</li>
<li>
|   <a href="#"><i class="fa fa-bar-chart-o fa-fw"></i> Charts<span class="fa arrow"></span></a>
|   <ul class="nav nav-second-level">
|       <li>
|           |   <a href="/Flot/Index">Flot Charts</a>
|           </li>
|           <li>
|               |   <a href="/Morris/Index">Morris.js Charts</a>
|               </li>
|       </ul>
|       <!-- /.nav-second-level -->
</li>
<li>
|   <a href="/Table/Index"><i class="fa fa-table fa-fw"></i> Tables</a>
</li>
<li>
|   <a href="/Form/Index"><i class="fa fa-edit fa-fw"></i> Forms</a>
</li>

```





SB Admin 2 - Bootstrap Admin 1 x +

← → ↻ https://localhost:44313/Table/Index

SB Admin v2.0

Search...

Dashboard

Charts

Tables

Forms

UI Elements

Multi-Level Dropdown


Sample Pages

View Table Controller



Tables



DataTables Advanced Tables

Rendering engine	Browser	Platform(s)	Engine version	CSS grade
Trident	Internet Explorer 4.0	Win 95+	4	X
Trident	Internet Explorer 5.0	Win 95+	5	C
Trident	Internet Explorer 5.5	Win 95+	5.5	A
Trident	Internet Explorer 6	Win 98+	6	A
Trident	Internet Explorer 7	Win XP SP2+	7	A
Trident	AOL browser (AOL desktop)	Win XP	6	A
Gecko	Firefox 1.0	Win 98+ / OSX 2+	1.7	A
Gecko	Firefox 1.5	Win 98+ / OSX 2+	1.8	A
Gecko	Firefox 2.0	Win 98+ / OSX 2+	1.8	A
Gecko	Firefox 3.0	Win 2k+ / OSX 3+	1.9	A
Gecko	Camino 1.0	OSX 2+	1.8	A
Gecko	Camino 1.5	OSX 3+	1.8	A
Gecko	Netscape 7.2	Win 95+ / Mac OS 8.6-9.2	1.7	A
Gecko	Netscape Browser 8	Win 98SE+	1.7	A
Gecko	Netscape Navigator 9	Win 98+ / OSX 2+	1.8	A



```
<a href="#"><i class="fa fa-wrench fa-fw"></i> UI Elements<span class="fa arrow"></span></a>
<ul class="nav nav-second-level">
  <li>
    <a href="/Panels/Index">Panels and Wells</a>
  </li>
  <li>
    <a href="/Buttons/Index">Buttons</a>
  </li>
  <li>
    <a href="/Notifications/Index">Notifications</a>
  </li>
  <li>
    <a href="/Typography/Index">Typography</a>
  </li>
  <li>
    <a href="/Icons/Index"> Icons</a>
  </li>
  <li>
    <a href="/Grid/Index">Grid</a>
  </li>
</ul>
<!-- /.nav-second-level -->
i>
```





SB Admin 2 - Bootstrap Admin 1

+

← → ↺

https://localhost:44313/Icons/Index

A 🔍 ⚙️

ASP

🔒

👤

...

SB Admin v2.0

Search...

🔍

Dashboard

Charts

Tables

Forms

UI Elements

Panels and Wells

Buttons

Notifications

Typography

Icons

Grid

Multi-Level Dropdown

Sample Pages

View Icons

Icons

All available icons (font-awesome)

🔍 fa-glass

🎵 fa-music

🔍 fa-search

✉️ fa-envelope-o

♥️ fa-heart

★ fa-star

☆ fa-star-o

👤 fa-user

🎬 fa-film

📺 fa-th-large

📺 fa-th

📺 fa-th-list

✓ fa-check

⌕ fa-times

🔍 fa-search-plus

🔍 fa-search-minus

🔌 fa-power-off

📶 fa-signal

⚙️ fa-gear

⚙️ fa-cog

🗑️ fa-trash-o

🏠 fa-home

📁 fa-file-o

🕒 fa-clock-o

👤 fa-user

↕️ fa-arrows-v

↔️ fa-arrows-h

📊 fa-bar-chart-o

📱 fa-twitter-square

📱 fa-facebook-square

📷 fa-camera-retro

🔑 fa-key

⚙️ fa-gears

⚙️ fa-cogs

💬 fa-comments

👍 fa-thumbs-o-up

👎 fa-thumbs-o-down

🌟 fa-star-half

👤 fa-sign-out

📱 fa-linkedin-square

📱 fa-thumbs-tack

🔗 fa-external-link

📶 fa-sign-in

🏆 fa-trophy

📱 fa-github-square

👤 fa-upload

🍋 fa-lemon-o

📞 fa-phone

📱 fa-camera-o

⬅️ fa-angle-double-left

➡️ fa-angle-double-right

⬆️ fa-angle-double-up

⬇️ fa-angle-double-down

⬅️ fa-angle-left

➡️ fa-angle-right

⬆️ fa-angle-up

⬇️ fa-angle-down

💻 fa-desktop

📱 fa-laptop

📱 fa-tablet

📱 fa-mobile-phone

📱 fa-mobile

🕒 fa-circle-o

💬 fa-quote-left

💬 fa-quote-right

🔄 fa-spinner

🕒 fa-circle

✉️ fa-mail-reply

✉️ fa-reply

📱 fa-github-alt

📁 fa-folder-o

📁 fa-folder-open-o

📱 fa-smile-o

📱 fa-frown-o

📱 fa-tumblr-square

⬇️ fa-long-arrow-down

⬆️ fa-long-arrow-up

➡️ fa-long-arrow-right

🍏 fa-apple

🖥️ fa-windows

🤖 fa-android

🐧 fa-linux

🔗 fa-dribbble

👤 fa-skype

📱 fa-four-square

📱 fa-trello

👤 fa-female

👤 fa-male

🕒 fa-gimp

🕒 fa-sun-o

🕒 fa-moon-o

📱 fa-archive

🐛 fa-bug

🔗 fa-vk

👤 fa-weibo

👤 fa-renren

📱 fa-pagelines

📱 fa-stack-overflow

SB Admin 2 - Bootstrap Admin 1

+

← → ↺

https://localhost:44313/Grid/Index

A 🔍 ⚙️

ASP

🔒

👤

...

SB Admin v2.0

Search...

🔍

Dashboard

Charts

Tables

Forms

UI Elements

Panels and Wells

Buttons

Notifications

Typography

Icons

Grid

Multi-Level Dropdown

Sample Pages

View Grid

Grid

Grid options

See how aspects of the Bootstrap grid system work across multiple devices with a handy table.


	Extra small devices Phones (<768px)	Small devices Tablets (≥768px)	Medium devices Desktops (≥992px)	Large devices Desktops (≥1200px)
Grid behavior	Horizontal at all times	Collapsed to start, horizontal above breakpoints		
Max container width	None (auto)	750px	970px	1170px
Class prefix	<code>.col-xs-</code>	<code>.col-sm-</code>	<code>.col-md-</code>	<code>.col-lg-</code>
# of columns	12			
Max column width	Auto	60px	78px	95px
Gutter width	30px (15px on each side of a column)			
Nestable	Yes			
Offsets	Yes			
Column ordering	Yes			

Grid classes apply to devices with screen widths greater than or equal to the breakpoint sizes, and override grid classes targeted at smaller devices. Therefore, applying any `.col-md-` class to an element will not only affect its styling on medium devices but also on large devices if a `.col-lg-` class is not present.

```

<a href="#"><i class="fa fa-files-o fa-fw"></i> Sample
<ul class="nav nav-second-level">
  <li>
    <a href="/Blank/Index">Blank Page</a>
  </li>
  <li>
    <a href="/Login/Index">Login Page</a>
  </li>
</ul>
</li>
</ul>
</li>
</ul>

```




Làm thêm khi bấm logout ở thanh menu trả về sign in form:

```


</li>
<li class="divider"></li>
<li>
  <a href="/Login/Index"><i class="fa fa-sign-out fa-fw"></i> Logout</a>
</li>


```



```
36 </head>
37 <body>
38
39     @RenderBody();
40     <!-- jQuery -->
41     <script src="~/Assets/Admin/vendor/jquery/jquery.min.js"></script>
42
43     <!-- Bootstrap Core JavaScript -->
44     <script src="~/Assets/Admin/vendor/bootstrap/js/bootstrap.min.js"></script>
45
46     <!-- Metis Menu Plugin JavaScript -->
47     <script src="~/Assets/Admin/vendor/metisMenu/metisMenu.min.js"></script>
48
49     <!-- Morris Charts JavaScript -->
50     <script src="~/Assets/Admin/vendor/raphael/raphael.min.js"></script>
51     <script src="~/Assets/Admin/vendor/morrisjs/morris.min.js"></script>
52     <script src="~/Assets/Admin/data/morris-data.js"></script>
53
54     <!-- Custom Theme JavaScript -->
55     <script src="~/Assets/Admin/dist/js/sb-admin-2.js"></script>
56
57 </body>
58
59 </html>
60
61
```

```
1  @{
2      ViewBag.Title = "Home Page";
3      Layout = "~/Views/Shared/_Login.cshtml";
4
5  }
6  @RenderPage("~/Views/Login/LoginContent.cshtml")
7
```





Khi bấm nút Login ở form:

```
</label>
</div>
<!-- Change this to a button or input when using this as a form -->
<a href="/Home/Index" class="btn btn-lg btn-success btn-block">Login</a>
</fieldset>
</form>
</div>
```

