

```
apiVersion: v1
kind: Secret
metadata:
  name: gift-secret
  labels:
    app: gift-service
    project: gift-service
    tier: backend
data:
  JWT_SECRET: WW4ya2ppYmRkRkFXdG5QSjJBRmxMOFdYbW9oSk1Ddm1nUWdnYUV5cGE1RT0=
  KAKAO_CLIENT_ID: YWMYMGQ4NGY5N2I2NzlmMGJiZDlhODA2NWJhODIzZjM=
  KAKAO_CLIENT_SECRET: RnczSm1MNVBrcGV2WFZaOU9pVk04YmZiZ0hVUEQ1RUE=
---
apiVersion: v1
kind: ConfigMap
metadata:
  name: gift-config
  labels:
    app: gift-service
    project: gift-service
    tier: backend
data:
  API_GATEWAY_URI: http://api-gateway-svc:8080
  SERVICE_USER_URI: http://user-service-svc:8084
  SERVICE_PRODUCT_URI: http://product-service-svc:8081
  SERVICE_WISH_URI: http://wish-service-svc:8082
  SERVICE_ORDER_URI: http://order-service-svc:8083
  KAKAO_REDIRECT_URI: http://localhost:8080/members/login/oauth2/code/kakao
  FRONT_DOMAIN: http://localhost:8080
---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: api-gateway
  labels:
    app: api-gateway
    project: gift-service
    tier: backend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: api-gateway
  template:
    metadata:
      labels:
        app: api-gateway
    spec:
      containers:
        - name: api-gateway
          image: sk124590/api-gateway:2.1
          ports:
```

```

- containerPort: 8080
env:
- name: SERVICE_USER_URI
  valueFrom:
    configMapKeyRef:
      name: gift-config
      key: SERVICE_USER_URI
- name: SERVICE_PRODUCT_URI
  valueFrom:
    configMapKeyRef:
      name: gift-config
      key: SERVICE_PRODUCT_URI
- name: SERVICE_WISH_URI
  valueFrom:
    configMapKeyRef:
      name: gift-config
      key: SERVICE_WISH_URI
- name: SERVICE_ORDER_URI
  valueFrom:
    configMapKeyRef:
      name: gift-config
      key: SERVICE_ORDER_URI
- name: JWT_SECRET
  valueFrom:
    secretKeyRef:
      name: gift-secret
      key: JWT_SECRET
resources:
  requests:
    cpu: "100m"
    memory: "256Mi"
  limits:
    cpu: "500m"
    memory: "512Mi"
---
apiVersion: v1
kind: Service
metadata:
  name: api-gateway-svc
  labels:
    app: api-gateway
    project: gift-service
    tier: backend
spec:
  type: ClusterIP
  ports:
    - port: 8080
      targetPort: 8080
  selector:
    app: api-gateway
---
apiVersion: apps/v1
kind: Deployment
metadata:

```

```

name: user-service
labels:
  app: user-service
  project: gift-service
  tier: backend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: user-service
  template:
    metadata:
      labels:
        app: user-service
    spec:
      containers:
        - name: user-service
          image: sk124590/user-service:2.1
          ports:
            - containerPort: 8084
          env:
            - name: JWT_SECRET
              valueFrom:
                secretKeyRef:
                  name: gift-secret
                  key: JWT_SECRET
            - name: KAKAO_CLIENT_ID
              valueFrom:
                secretKeyRef:
                  name: gift-secret
                  key: KAKAO_CLIENT_ID
            - name: KAKAO_CLIENT_SECRET
              valueFrom:
                secretKeyRef:
                  name: gift-secret
                  key: KAKAO_CLIENT_SECRET
            - name: KAKAO_REDIRECT_URI
              valueFrom:
                configMapKeyRef:
                  name: gift-config
                  key: KAKAO_REDIRECT_URI
      resources:
        requests:
          cpu: "150m"
          memory: "512Mi"
        limits:
          cpu: "1000m"
          memory: "1Gi"
---
apiVersion: v1
kind: Service
metadata:
  name: user-service-svc
  labels:

```

```
  app: user-service
  project: gift-service
  tier: backend
spec:
  type: ClusterIP
  ports:
  - port: 8084
    targetPort: 8084
  selector:
    app: user-service
---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: product-service
  labels:
    app: product-service
    project: gift-service
    tier: backend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: product-service
  template:
    metadata:
      labels:
        app: product-service
    spec:
      containers:
      - name: product-service
        image: sk124590/product-service:2.1
        ports:
        - containerPort: 8081
      resources:
        requests:
          cpu: "150m"
          memory: "512Mi"
        limits:
          cpu: "1000m"
          memory: "1Gi"
---
apiVersion: v1
kind: Service
metadata:
  name: product-service-svc
  labels:
    app: product-service
    project: gift-service
    tier: backend
spec:
  type: ClusterIP
  ports:
  - port: 8081
```

```
    targetPort: 8081
  selector:
    app: product-service
  ---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: wish-service
  labels:
    app: wish-service
    project: gift-service
    tier: backend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: wish-service
  template:
    metadata:
      labels:
        app: wish-service
    spec:
      containers:
        - name: wish-service
          image: sk124590/wish-service:2.1
          ports:
            - containerPort: 8082
          env:
            - name: SERVICE_PRODUCT_URI
              valueFrom:
                configMapKeyRef:
                  name: gift-config
                  key: SERVICE_PRODUCT_URI
      resources:
        requests:
          cpu: "100m"
          memory: "512Mi"
        limits:
          cpu: "700m"
          memory: "1Gi"
  ---
apiVersion: v1
kind: Service
metadata:
  name: wish-service-svc
  labels:
    app: wish-service
    project: gift-service
    tier: backend
spec:
  type: ClusterIP
  ports:
    - port: 8082
      targetPort: 8082
```

```
selector:
  app: wish-service
---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: order-service
  labels:
    app: order-service
    project: gift-service
    tier: backend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: order-service
  template:
    metadata:
      labels:
        app: order-service
    spec:
      containers:
        - name: order-service
          image: sk124590/order-service:2.1
          ports:
            - containerPort: 8083
          env:
            - name: SERVICE_PRODUCT_URI
              valueFrom:
                configMapKeyRef:
                  name: gift-config
                  key: SERVICE_PRODUCT_URI
            - name: SERVICE_WISH_URI
              valueFrom:
                configMapKeyRef:
                  name: gift-config
                  key: SERVICE_WISH_URI
            - name: SERVICE_USER_URI
              valueFrom:
                configMapKeyRef:
                  name: gift-config
                  key: SERVICE_USER_URI
            - name: FRONT_DOMAIN
              valueFrom:
                configMapKeyRef:
                  name: gift-config
                  key: FRONT_DOMAIN
            - name: KAKAO_CLIENT_ID
              valueFrom:
                secretKeyRef:
                  name: gift-secret
                  key: KAKAO_CLIENT_ID
            - name: KAKAO_CLIENT_SECRET
              valueFrom:
```

```
      secretKeyRef:
        name: gift-secret
        key: KAKAO_CLIENT_SECRET
    resources:
      requests:
        cpu: "100m"
        memory: "512Mi"
      limits:
        cpu: "700m"
        memory: "1Gi"
---
apiVersion: v1
kind: Service
metadata:
  name: order-service-svc
  labels:
    app: order-service
    project: gift-service
    tier: backend
spec:
  type: ClusterIP
  ports:
    - port: 8083
      targetPort: 8083
  selector:
    app: order-service
---
apiVersion: apps/v1
kind: Deployment
metadata:
  name: gift-app
  labels:
    app: gift-app
    project: gift-service
    tier: frontend
spec:
  replicas: 1
  selector:
    matchLabels:
      app: gift-app
  template:
    metadata:
      labels:
        app: gift-app
    spec:
      containers:
        - name: gift-app
          image: sk124590/gift-app:2.1
          ports:
            - containerPort: 8085
          env:
            - name: API_GATEWAY_URI
              valueFrom:
                configMapKeyRef:
```

```

        name: gift-config
        key: API_GATEWAY_URI
      - name: KAKAO_REDIRECT_URI
        valueFrom:
          configMapKeyRef:
            name: gift-config
            key: KAKAO_REDIRECT_URI
      - name: JWT_SECRET
        valueFrom:
          secretKeyRef:
            name: gift-secret
            key: JWT_SECRET
      - name: KAKAO_CLIENT_ID
        valueFrom:
          secretKeyRef:
            name: gift-secret
            key: KAKAO_CLIENT_ID
      - name: KAKAO_CLIENT_SECRET
        valueFrom:
          secretKeyRef:
            name: gift-secret
            key: KAKAO_CLIENT_SECRET
    resources:
      requests:
        cpu: "100m"
        memory: "512Mi"
      limits:
        cpu: "500m"
        memory: "1Gi"
  ---
apiVersion: v1
kind: Service
metadata:
  name: gift-app-svc
  labels:
    app: gift-app
    project: gift-service
    tier: frontend
spec:
  type: LoadBalancer
  ports:
    - port: 8080
      targetPort: 8085
  selector:
    app: gift-app

```

특징: 다 성공