Encorafenib and binimetinib for advanced BRAF-mutated melanoma

Daily targeted treatment for advanced BRAF V600-mutated melanoma.

NCCP 00563: adults with advanced unresectable or metastatic melanoma with a BRAF V600 mutation. · NCCP 00563 v4 · Document revised 6 November 2026

Your personal plan: this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

NCCP 00563: adults with advanced unresectable or metastatic melanoma with a BRAF V600 mutation. This information supports individual consent; it does not issue or change a prescription.

My overall treatment

Encorafenib daily + binimetinib twice daily, continuously; reviewed regularly.

Continuous oral treatment
Continue while beneficial and tolerable, with team review; no fixed cycle total.

A 28-day reference calendar

Day 1–28
Every day in the reference calendar

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

My tests and checks

When	What is checked	Timing / reason
Before	**Baseline safety** NCCP / medicine-specific precautions	BRAF result; bloods, CK, BP, ECG, heart-pumping and skin checks.
During	**Bloods and organ checks** NCCP; local interval clarification where stated	Monthly bloods; CK/creatinine monthly for 6 months. ECG at 4 weeks then 12-weekly; heart check 3-monthly.
After / response	**Follow-up** Regimen / individual disease plan	Skin checks during treatment and for 6 months after; scans and further tests as planned.

Between treatments

- Both oral medicines continue daily unless the team tells you to pause.
- A review date does not automatically clear a held medicine to restart.

Bring the written medicine plan, test dates and actual oncology/out-of-hours contacts.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321
EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

What to watch for

You do not need to know which medicine caused a symptom before calling.

1 Energy / fever

Both medicines

Fatigue and headache can occur. Fever, marked weakness, dizziness or new neurological symptoms needs advice; do not assume it is a harmless drug effect.

3 Heart / circulation

Both medicines

Keep ECG and heart-pumping checks. Report palpitations, fainting, swollen ankles or new breathlessness; severe chest pain is an emergency.

5 Liver


Both medicines

Liver changes may have no early symptoms, so attend monthly tests. Report yellow skin or eyes, dark urine or upper-abdominal pain.

7 Muscles / strength

Binimetinib

CK can rise before or with muscle injury. Report muscle pain, weakness or dark urine, and keep the planned blood tests.



2 Eyes / vision

Both medicines

Blurred vision, spots, altered colour vision or eye pain needs prompt assessment. Retinal problems may occur with binimetinib.

4 Skin / new lesions

Both medicines

Report new growths or changes in existing spots and attend skin checks. Severe rash, blistering or peeling needs urgent help.

6 Kidneys / fluids

Binimetinib / combination

Kidney tests accompany CK monitoring. Reduced urine, dehydration or dark urine with muscle symptoms needs urgent advice.

8 Stomach / bowels

Both medicines

Nausea and diarrhoea may occur. Persistent vomiting, inability to drink, severe abdominal pain, black stools or bleeding needs assessment.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Contact the team promptly for new visual symptoms, chest pain, breathlessness, palpitations, faintness, severe muscle pain or weakness, dark urine, bleeding, severe rash, persistent diarrhoea or severe abdominal pain. Do not continue one medicine at an unchanged dose if the other has been held without a specific team instruction. Report markedly reduced urine, persistent vomiting, new muscle cramps or weakness, or palpitations promptly; the team may need to check salts, kidney function and tumour lysis risk.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

Keep your treatment details to hand

NCCP 00563: adults with advanced unresectable or metastatic melanoma with a BRAF V600 mutation. · NCCP 00563 v4 · Document revised 6 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

FRONT / CONTACTS

My Treatment Card

SACTCheck

Name: _____

Encorafenib + Binimetinib

Encorafenib daily + binimetinib twice daily, continuously; reviewed regularly.

Phase: _____ Review plan: team to confirm

Daytime (EXAMPLE) 087 12345678

Out of hours (EXAMPLE) 087 87654321

Unwell or fever? Call oncology now.
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

CUT outer border

BACK / TREATMENT RECORD

My review record

Use a dated medicine/review record, including holds. Continuous treatment has no fixed completion stamp total.

Review	Date / initials

My treatment information

Latest review date: _____

Plan changed? Ask the team to update this card.

FOLD centre — do not cut

Keep the record accurate

The team dates and initials each completed review. Daily tablets continue according to your prescribed plan; a review stamp does not mean the course is complete or authorise further treatment. Record interruptions or a changed plan. Keep any medicine-specific alert card too.

Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

Your local contacts and resources

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Hospital / team: _____

Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.