Cemiplimab for advanced cutaneous squamous cell cancer

NCCP 00812 · Draft source reconciliation; independent clinical, pharmacy and patient/PPI review pending

PRACTICAL TREATMENT GUIDE

Practical treatment planning

Agree the arrangements with your oncology team.

STEP 1

Taking or receiving treatment

Cemiplimab is infused into a vein over 30 minutes in the source schedule. Allow additional time for assessment, preparation and observation. Tell staff immediately about itching, flushing, chills, pain, dizziness, breathlessness or swelling during the infusion.

STEP 2

Missed, vomited or held treatment

If a visit is missed or treatment is held, contact the unit for a new appointment and treatment decision. Do not assume the next scheduled date means treatment has been cleared to restart.

STEP 3

Appointments and supply

Arrange dates, medicine supply, transport and any needed interpreter or carer support. Ask whether bloods are taken in the oncology unit or elsewhere and how the result reaches the prescriber.

STEP 4

Paper copies and contact information

Keep this complete handbook, the three-page summary and the wallet card together. The QR code is optional. Ask the team to add your actual contacts and print a revised plan when treatment changes.

Sources: NCCP 00812 v3a: current regimen source. Draft source reconciliation; independent clinical, pharmacy and patient/PPI review pending.