SACTCHECK TREATMENT ASSESSMENT

Cetuximab Therapy - 7 days

NCCP 00207 | 5
SACTCheck v0.83.6

TUMOUR GROUP	INDICATION	COURSE
Gastrointestinal	EGFR-expressing RAS wild-type metastatic colorectal cancer.	Advanced disease | Until progression/toxicity | q7d

TREATMENT CONTEXT	ASSESSMENT ID	ASSESSMENT TIME
Not entered	JSON-DEMO-001	17/10/2026, 01:49

ENCODED CRITERIA RESULT

1 encoded criterion requires clinical review

Review the highlighted protocol criteria and the current NCCP source before the final treatment decision.

ENTERED VALUES AND ENCODED CRITERIA

Standard assessment

DOMAIN	ENTERED VALUE	ENCODED CRITERION	RESULT
Current cetuximab skin toxicity grade	Grade 1 - Mild	<= 2	**Dose-modification pathway**
Number of grade >=3 skin episodes	2	= 2	**Dose-modification pathway**
Skin reaction failed to recover within the source withholding period	No	= No	**Dose-modification pathway**
Weeks withheld for this skin episode	1 weeks	> 0 weeks	**Dose-modification pathway**
Weeks withheld for this skin episode	1 weeks	<= 2 weeks	**Dose-modification pathway**
Which NCCP indication is being assessed?	Metastatic colorectal cancer	= 00207a	**Additional clinical review/context**

COMPONENT-SPECIFIC PROTOCOL ACTIONS

Protocol-level guidance; verify prescribed dose/current level

Cetuximab: Use protocol dose - 200 mg/m^2
After the documented severe episode recovers within two weeks, source cetuximab restart dose is 200 mg/m^2. Confirm prior individual reductions; this is not a re-loading dose. page 3 | Table 2

UNASSESSED DOMAINS

ECOG performance status, Known hypersensitivity to a regimen medicine, Pregnant, Breastfeeding, Validated tumour RAS status (colorectal indication), Cetuximab infusion reaction grade, Reaction in first 15 minutes of first cetuximab infusion, Confirmed interstitial lung disease + 6 more

Blank domains were not assumed normal.

CLINICIAN DECISION

Not documented
Not documented

CLINICAL DECISION SUPPORT - NOT TREATMENT CLEARANCE

SACTCheck applies encoded NCCP protocol criteria to clinician-entered information. This output does not constitute treatment clearance and does not replace complete clinical assessment, the current official NCCP protocol, prescribing information, local policy or professional judgement. The responsible oncology clinician retains responsibility for the final treatment decision.