SACTCHECK · REGIMEN-SPECIFIC SACT CONSENT

# Pembrolizumab + pemetrexed + cisplatin

PROTOTYPE · GOVERNANCE REVIEW REQUIRED

First-line metastatic non-squamous NSCLC without EGFR or ALK alterations · NCCP 00569 · version 5 · 21-day cycle

| Patient name | DOB | Hospital no. | Date |
|---|---|---|---|
| | | | |

**Treatment context**
This combination aims to control metastatic non-squamous lung cancer, help symptoms and extend life. Your team weighs likely benefit, risks and what matters to you.

**Schedule**
Induction: all three medicines on Day 1 every 21 days for up to four cycles. Maintenance: cisplatin stops; pembrolizumab and pemetrexed may continue every 21 days while appropriate. The team agrees duration and review points.

## 1. TREATMENT DISCUSSION

- ☐ Purpose, expected benefit and alternatives explained
- ☐ Indication, medicines, sequence and duration confirmed
- ☐ Blood tests and any individually indicated heart checks discussed
- ☐ Support medicines and phase changes explained
- ☐ Fertility, contraception and breastfeeding discussed where relevant
- ☐ Common, serious and lasting drug-specific risks discussed below
- ☐ Urgent symptoms and local contact details confirmed

## 2. REGIMEN / AGENT-SPECIFIC MATERIAL RISKS

### Pembrolizumab
IMMUNOTHERAPY

- ☐ Immune inflammation of lungs, bowel, liver, kidneys, glands, skin and other organs
- ☐ Serious infusion reactions
- ☐ Effects can develop after treatment ends

### Pemetrexed
CHEMOTHERAPY

- ☐ Low blood counts and infection
- ☐ Fatigue, nausea, mouth soreness and rash
- ☐ Kidney toxicity; folate and B12 supplementation are required

### Cisplatin
CHEMOTHERAPY

- ☐ Nausea and vomiting
- ☐ Kidney injury and electrolyte changes
- ☐ Hearing loss or tinnitus
- ☐ Numbness/tingling and other nerve effects
- ☐ Low blood counts and infection

Discuss expected benefit, alternatives and important short- and longer-term risks. Tell the team about all medicines, existing illnesses, pregnancy possibility and symptoms that matter to you.

**Individual aim / benefit, alternatives, material risks and questions:**

## 3. CONSENT CONFIRMATION

- ☐ Expected benefit, important risks and reasonable alternatives discussed
- ☐ Patient questions invited and answered; patient-specific material risks / priorities considered
- ☐ Emergency contact / toxicity advice and written information offered where appropriate
- ☐ Patient understands consent is voluntary and may be withdrawn

Patient / person giving consent _____ Date _____

Clinician obtaining consent _____ Date _____

**Prototype only.** This one-page form is a regimen-specific consent aid and requires formal governance, consultant and oncology-pharmacy review before clinical use. The current NCCP regimen, local/national consent policy, current medicine information, patient-specific material risks and clinical judgement remain authoritative.
Base regimen: NCCP 00569 v5.

SACTCheck v0.84.22
Developed by Dr Paul O'Brien