NCCP 00579 · clinician draft

Pembrolizumab + paclitaxel + carboplatin AUC6

> **Supportive prescription draft for review.** This is a regimen template. It is not an issued patient prescription; individual review and completion are required.

Maintenance: pembrolizumab

Active medicines: pembrolizumab

Emetogenic risk: minimal

No routine prophylactic antiemetic order is populated for this phase. Agree an individual symptom-treatment plan where needed.

Additional phase-specific support

- Pembrolizumab alone has minimal emetic risk: no routine continuation of the induction antiemetic course or taxane premedication.
- Prescribe symptom-directed rescue if needed and investigate unexplained nausea/vomiting for immune or other causes.
- Continue immune, renal/liver, glucose and thyroid monitoring.

Before signing: verify allergies, current medicines, interactions, renal / hepatic function, QT risk, sedation, prior response, total steroid exposure and the rescue-medicine duration. Do not duplicate medicines from another phase.

Individual changes / rescue duration: _____
Prescriber / date: _____ Pharmacy review: _____

NCCP 00579 v5a · pNCCP 00579 treatment and supportive-care sections; NCIS V8 · NCCP NCIS Medical Oncology antiemetics V8

Sources checked 2026-10-26 · SACTCheck v0.84.22 · Regimen-level drafts; prescriber and oncology-pharmacy verification required