

Atezolizumab + bevacizumab

Immunotherapy + anti-VEGF treatment for advanced liver cancer

NCCP 00831 v2a · Day 1 of every 21-day cycle · no fixed cycle count

TWO MEDICINES, TWO DIFFERENT RISK PATTERNS

ATEZOLIZUMAB

Immune system can inflame organs.

BEVACIZUMAB

Blocks VEGF; affects vessels and healing.

A CYCLE, THEN THE NEXT REVIEW

BEFORE



Varices check; bloods, urine protein, BP, glucose, thyroid.

DAY 1



Atezolizumab IV or SC; then bevacizumab IV.

DAYS 2-21



Watch symptoms and follow your team's BP / health plan.

DAY 22



Next cycle if your team confirms it is appropriate.

There is no predictable "safe week". Immune effects may begin during treatment or after it stops; bleeding can occur at any point.

BEFORE TREATMENT / BEFORE EACH CYCLE

Before starting: screen for oesophageal varices and review bleeding, surgery, autoimmune and liver history. Every cycle: blood count, liver/kidney function, glucose, urine protein and BP. Thyroid tests every 6 weeks in NCCP 00831.

My 24-hour oncology number: _____

RED FLAGS / URGENT HELP

Vomiting blood, black stools or major bleeding; sudden severe abdominal pain; chest pain or new breathlessness; confusion, severe headache, weakness or seizure; severe diarrhoea; temperature $\geq 37.5^{\circ}\text{C}$ or $\leq 36^{\circ}\text{C}$, or feeling suddenly very unwell.

Call 112/999 for collapse, severe bleeding, severe chest pain or severe breathing difficulty. Otherwise contact your oncology SOS service immediately.

WHAT TO DO WITH A NEW SYMPTOM

Tell the team which treatment you receive. A new cough, diarrhoea, yellow skin, dark urine, unusual thirst, persistent headache, rash or reduced urine needs advice even if it starts after a dose is delayed or treatment has finished.


If you feel feverish, check your temperature before paracetamol or ibuprofen and call your team for advice. Do not start steroids, anti-diarrhoeal medicines or over-the-counter painkillers for new symptoms without their plan.

Your next treatment / review: _____ Your treatment goal: _____

Immune effects can reach any organ

PURPLE atezolizumab / immune inflammation

CORAL bevacizumab / vessels + healing



BEVACIZUMAB / VESSEL AND HEALING RISKS


Report bleeding (especially black stools or blood in vomit), severe abdominal pain, persistent headache, high BP readings or swelling. Tell the team before surgery, dental extraction or invasive procedures: wound healing may be impaired.

A rare jaw-bone complication has been reported, especially with dental disease or IV bone medicines; report jaw pain or an unhealed dental wound.

DELAYED EFFECTS + PATIENT PASSPORT

Immune toxicity can appear after treatment stops. Hormone replacement may be permanent. The portal explains each organ, emergency signs, monitoring, sources and what to record in your passport.

Scan the QR for the full regimen page and printable passport. It contains no patient information.



Full patient portal