# Panitumumab + FOLFIRI

This combination aims to control bowel cancer that has spread and has a confirmed RAS wild-type result. The choice depends on previous treatment and your health.

**RAS wild-type metastatic colorectal cancer; first-line or selected second-line** · NCCP 00448 v5 · Document revised 4 November 2026

**Your personal plan:** this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

## My overall treatment

A 14-day cycle: panitumumab, irinotecan, folinic acid and fluorouracil start on Day 1, followed by a fluorouracil pump for about 46 hours. Arrange disconnection around Day 3. Continue according to benefit and tolerance.

**A repeating 14-day cycle**

Day 1: panitumumab, irinotecan, folinic acid and fluorouracil, followed by a fluorouracil pump for about 46 hours; disconnection is arranged around Day 3. A cycle lasts 14 days. Treatment continues while it is helping and side effects remain acceptable.

## Your treatment schedule

| Day 1 | Days 2–3 | Days 4–14 |
|---|---|---|
| Day-ward medicines; pump connected. | Complete 46-hour pump; disconnect as arranged. | Recovery, symptoms and tests; next cycle only after team review. |

Your team confirms the active phase and dates. Symptoms may occur during or after treatment; there are no guaranteed safe days.

## My tests and checks

| When | What is checked | Timing / reason |
|---|---|---|
| **Before** | **DPD / bloods / RAS**<br>Required by regimen | DPD before fluorouracil; baseline bloods and confirmed wild-type RAS eligibility. |
| **During** | **Bloods / minerals / skin / eyes**<br>Required by regimen | Blood count, kidney and liver tests before each cycle; electrolytes, magnesium, calcium, skin and eyes monitored. |
| **After** | **Electrolytes / magnesium / calcium**<br>Required by regimen | Monthly for two months after the last panitumumab dose. |
| **If indicated** | **ECG / warfarin INR**<br>Conditional tests | ECG if cardiac function is compromised. Warfarin INR as clinically indicated. |
| **After / review** | **Recovery / scans / markers**<br>Team-agreed plan | Follow the individual cancer review plan and unresolved effects. |

## Between treatments

- No guaranteed safe days: report fever, sudden illness, diarrhoea or poor intake promptly.
- Symptoms can continue after pump removal and after treatment ends.
- Skin/eye symptoms and low magnesium can persist; keep the post-treatment blood-test appointments.

Confirm supportive medicines, tests, working urgent contacts and pump disconnection.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**



Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# What to watch for

You do not need to know which medicine caused a symptom before calling.

### 1 Eyes

**Panitumumab**

New eye pain or visual change needs prompt advice.

### 2 Mouth

**Fluorouracil + folinic acid**

Report ulcers or pain affecting eating and drinking.

### 3 Chest

**Fluorouracil**

New chest pain or breathlessness needs urgent assessment.

### 4 Bowel

**Irinotecan / fluorouracil**

Report diarrhoea, increased stoma output or severe abdominal pain.

### 5 Hydration / minerals

**Panitumumab + chemotherapy**

Reduced urine, cramps or weakness need advice; keep your blood-test appointments.

### 6 Skin / nails

**Panitumumab**

Report rash, cracks or painful nails early.

### 7 Hands / feet


**Fluorouracil**

Report painful redness, peeling or difficulty using your hands or walking.

### 8 Pump / line

**Treatment delivery**

Pain, leakage, swelling or a loose connection needs immediate advice.




Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Report new breathing difficulty, eye pain or blurred vision, blistering or infected skin, severe diarrhoea or dehydration promptly. Also report new chest pain, fever or a line/pump problem immediately.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# Keep your treatment details to hand

**RAS wild-type metastatic colorectal cancer; first-line or selected second-line** · NCCP 00448 v5 · Document revised 4 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

**FRONT / CONTACTS**

## My Treatment Card

SACTCheck

Name: _____

**Panitumumab + FOLFIRI**

Every 14 days · 46-hour fluorouracil pump · cycle plan confirmed by team.

Phase: _____ Cycle plan: team to confirm

**Daytime (EXAMPLE)** 087 12345678
**Out of hours (EXAMPLE)** 087 87654321

**Unwell or fever? Call oncology now.**
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

**BACK / TREATMENT RECORD**

## My cycle record

Rolling record — follow your agreed treatment plan.

| Cycle | Date / initials |
|---|---|
| | |
| | |
| | |
| | |

My treatment information

Latest treatment date: _____

Plan changed? Ask the team to update this card.

CUT outer border

**FOLD centre — do not cut**

## Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

## Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

### iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

### Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

## Your local contacts and resources

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**

Hospital / team: _____
Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.