NCCP 00688 · clinician draft

# Atezolizumab + nab-paclitaxel

**Supportive prescription draft for review.** This is a regimen template. It is not an issued patient prescription; individual review and completion are required.

## Day 8 · nab-paclitaxel only

**Active medicines:** Nab-paclitaxel

**Emetogenic risk:** Low

| Medicine | Dose / route | When |
|---|---|---|
| Ondansetron | 8 mg orally once | Before each administered chemotherapy dose<br>Review QT risk, constipation, liver function and any steroid already prescribed. |
| Metoclopramide | 10 mg orally up to three times daily as needed | Rescue duration to be confirmed<br>Review contraindications, renal function and interactions. |

### Additional phase-specific support

- Atezolizumab is not scheduled on Day 8.
- No routine solvent-taxane steroid premedication. Check the current count and neuropathy decision.
- Continue to assess immune symptoms from previous atezolizumab even on chemotherapy-only days.

**Before signing:** verify allergies, current medicines, interactions, renal / hepatic function, QT risk, sedation, prior response, total steroid exposure and the rescue-medicine duration. Do not duplicate medicines from another phase.

Individual changes / rescue duration: _____
Prescriber / date: _____ Pharmacy review: _____

NCCP 00688 v2a · p7 · NCCP antiemetics v8, Table 1 pp4–5

Sources checked 2026-10-25 · SACTCheck v0.84.19 · Regimen-level drafts; prescriber and oncology-pharmacy verification required