BASELINE → TREATMENT → FOLLOW-UP

When checks happen

Relative milestones, not equal time intervals. Your team books tests and reviews results; this map does not confirm completion.

Check	Before starting	First treatment	During treatment	Change / completion	Follow-up
Blood / organ function	FBC, renal, liver	Cycle-start results	FBC including Day 8; confirm later doses	Review held / resumed medicines	Individual follow-up
BP / urine / wounds	BP, urine protein, procedures	BP before bevacizumab	BP each bev dose; urine cycle plan	Surgery and healing review	Report bleeding / wound problems

The team arranges and reviews tests. This guide shows expected timing; it does not record completed appointments. NCCP 00738 v3 · official regimen · NICE NG101 · bone health and follow-up · ASCO · biomarkers in metastatic breast cancer · ESMO metastatic breast cancer guideline · 2026

THE WHOLE TREATMENT JOURNEY

Bevacizumab + weekly paclitaxel: treatment and checks

First-line metastatic breast cancer · source-defined eligibility

Bevacizumab 10 mg/kg is given on Days 1 and 15, with paclitaxel 80 mg/m² on Days 1, 8 and 15 of each 28-day cycle. Continue according to benefit, toxicity and the treating team's plan.

Read from left to right. Columns show stages, not equal lengths of time. This is a general plan: no dates or personal information are needed. Your team confirms which steps apply and arranges appointments.

Treatment, tests and reviews across the course

Care / check	Before starting	First treatment	During treatment	Change / completion	Follow-up
Treatment plan NCCP 00738	Confirm metastatic setting	D1 / D15 both medicines	D8 paclitaxel only	Repeat q28 days until progression / intolerance	Next treatment plan
Blood / organ function NCCP 00738	FBC, renal, liver	Cycle-start results	FBC including Day 8; confirm later doses	Review held / resumed medicines	Individual follow-up
BP / urine / wounds NCCP 00738	BP, urine protein, procedures	BP before bevacizumab	BP each bev dose; urine cycle plan	Surgery and healing review	Report bleeding / wound problems
Cancer review METASTATIC · MARKERS	Confirm setting	Agree review plan	Response / symptom review	Next treatment / completion	Agreed surveillance

What each check is for

1 Before treatment

Before the first dose

First-line metastatic breast cancer · source-defined eligibility. Baseline FBC, kidney/liver tests and urine protein. Review blood counts, renal/liver function and urine protein before cycles; Day 8 FBC is explicitly required. Check current counts for each paclitaxel decision.

Ask / act: Confirm eligibility, test results and medicine list.

Sources: NCCP 00738

2 Other checks

At the specified review points

Measure blood pressure before each bevacizumab dose and follow the agreed urine-protein plan. Review bleeding, clotting, wounds and planned procedures. Cardiac imaging is considered for prior anthracycline/chest radiotherapy or clinical concern; warfarin requires additional INR monitoring.

Ask / act: Confirm who arranges and reviews each check.

Sources: NCCP 00738

3 Support and practical plan

At each treatment or phase change

Separate the first paclitaxel premedication from later weekly doses; review blood pressure, urine protein, wounds and surgery timing for bevacizumab.

Ask / act: Choose the matching support plan; confirm active medicines.

Sources: NCCP 00738

4 Response and follow-up

Agreed review points

Agree the scan type and review interval for the known disease sites. Review response, symptoms and toxicity together; new or worsening symptoms may need an earlier assessment. Keep the agreed follow-up and report persistent or new symptoms between visits.

Ask / act: Review symptoms, results and patient priorities.

Sources: METASTATIC · MARKERS

At the next review, ask

- Which treatment phase am I in, and what happens next?
- Which test is expected next, who arranges it, and who explains the result?
- Who should I contact if an expected appointment has not arrived?

This map does not show whether a test has been ordered, booked or completed. Do not wait for a scheduled test if you develop new symptoms.

Sources checked 2026-10-25 · Source reconciled; independent clinical, pharmacy and patient/PPI review pending · SACTCheck v0.84.19