Paclitaxel + cetuximab every 4 weeks

Paclitaxel and cetuximab aim to control head and neck cancer that has returned or spread and may help symptoms. Your team explains expected benefit, uncertainty and options in light of your previous treatment.


Treatment of recurrent or metastatic squamous cell cancer of the head and neck. · NCCP 00696 v2 · Document revised 10 November 2026

Your personal plan: this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

Treatment of recurrent or metastatic squamous cell cancer of the head and neck.

My overall treatment

28-day cycles: paclitaxel Days 1, 8, 15; cetuximab Days 1, 15.



Visits within each cycle
Days 1 and 15: both medicines. Day 8: paclitaxel only. No scheduled Day 22 dose.

Review before continuing
Cycles repeat every 28 days while appropriate; no fixed total number is specified.

A typical 28-day cycle

Day 1	Day 2–14	Day 15	Day 16–28
Both medicines	Between visits, with paclitaxel on Day 8	Both medicines again	Recovery and tests

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

My tests and checks

When	What is checked	Timing / reason
Before	**Safety and preparation** NCCP / individual plan	Blood count and kidney/liver tests; allergy history and nerve review. Check the planned mineral tests.
During	**Blood tests and symptoms** NCCP / product information	Regular blood count and kidney/liver tests; nerves and minerals as advised. Confirm tests due for each visit.
After / response	**Follow-up and assessment** NCCP / individual plan	Follow nerve, skin and blood/mineral problems; scans and further tests are individually arranged.

Between treatments

- Day 8 is paclitaxel only; Day 22 has no scheduled dose. Symptoms can still occur on any day.
- Report fever or sudden illness promptly. Follow the written support plan; do not wait for the next visit if symptoms worsen.

Bring your medicines list, appointment calendar, test results and verified urgent contacts.

When to get help
Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.
Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321
EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

What to watch for

You do not need to know which medicine caused a symptom before calling.

1 Hands / feet / nerves

Paclitaxel

Report numbness, tingling, weakness or difficulty walking or using your hands before another dose.

3 Mouth / bowels

Paclitaxel + cetuximab

Report mouth sores, diarrhoea, pain or reduced drinking; ask for help before dehydration develops.

5 Skin / nails / hair


Cetuximab + paclitaxel

Rash, cracked skin and nail infection need care; paclitaxel can cause hair loss. Report spreading redness or fever.

7 Blood cells / infection

Chemotherapy

Fever, shivering, sudden illness, unusual bruising or bleeding needs prompt oncology advice.



2 Eyes

Cetuximab

Report painful or red eyes, light sensitivity or a change in vision promptly.

4 Lungs / breathing

Cetuximab

Report new cough or breathlessness. Wheeze, swelling or faintness may be an infusion reaction.

6 Muscles / joints

Paclitaxel

Aches may occur after treatment. Report severe pain or weakness; follow the agreed pain-relief plan.

8 Minerals / fluids

Cetuximab

Low magnesium or other minerals may show on blood tests. Report cramps, weakness or palpitations.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Call oncology immediately for fever, shivering, sudden illness, persistent vomiting, diarrhoea, severe mouth pain or inability to drink. Report breathing difficulty, swelling, faintness, spreading skin infection or painful eyes promptly. Severe chest pain, severe breathing difficulty, collapse or a seizure is an emergency.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

Keep your treatment details to hand

Treatment of recurrent or metastatic squamous cell cancer of the head and neck. · NCCP 00696 v2 · Document revised 10 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

FRONT / CONTACTS

My Treatment Card

SACTCheck

Name: _____

Paclitaxel + cetuximab

28-day cycles: paclitaxel Days 1, 8, 15; cetuximab Days 1, 15.

Phase: _____ Cycle plan: team to confirm

Daytime (EXAMPLE) 087 12345678

Out of hours (EXAMPLE) 087 87654321

Unwell or fever? Call oncology now.
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

CUT outer border

BACK / TREATMENT RECORD

My cycle record

Rolling cycle record; each cycle has visits on Days 1, 8 and 15. No fixed total course is assumed.

Cycle	Date / initials

My treatment information

Latest treatment date: _____

Plan changed? Ask the team to update this card.

FOLD centre — do not cut

Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

Your local contacts and resources

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Hospital / team: _____

Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.