Carboplatin + fluorouracil after nasopharyngeal chemoradiotherapy

This chemotherapy is an additional treatment after chemoradiotherapy for nasopharyngeal cancer. It aims to treat cancer cells that may remain. The team explains the expected benefit and burden for you, including recovery from the earlier treatment.

Adjuvant chemotherapy after chemoradiotherapy for locally advanced stage III or intravenous (IV) nasopharyngeal cancer when cisplatin cannot be used or tolerated. · NCCP 00552 v6 · Document revised 10 November 2026

Your personal plan: this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

Adjuvant chemotherapy after chemoradiotherapy for locally advanced stage III or IV nasopharyngeal cancer when cisplatin cannot be used or tolerated.

My overall treatment

Every 28 days, for up to 3 cycles after chemoradiotherapy.

28 day view

Treatment timing in this window

Carboplatin — Day 1

Fluorouracil infusion — Day 1–4

Previous chemoradiotherapy
Weekly carboplatin with radiation (NCCP 00419), then recovery.

Adjuvant chemotherapy
Planned 4 weeks after chemoradiotherapy: Day 1 carboplatin plus Days 1–4 fluorouracil; up to 3 cycles every 28 days.

A typical 28-day cycle

Day 1–4	Day 5–28
Treatment and infusion days	Recovery and review

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

My tests and checks

When	What is checked	Timing / reason
Before	**Safety and preparation** NCCP / individual plan	Recovery from chemoradiotherapy; blood count, kidney/liver tests, kidney filtration and dihydropyrimidine dehydrogenase (a medicine-processing enzyme) (DPD). Hearing tests when indicated.
During	**Blood tests and symptoms** NCCP	Blood count and kidney/liver tests before each cycle; review weight, swallowing, skin on hands/feet and symptoms.
After / response	**Follow-up and assessment** NCCP / individual plan	Continue radiation recovery and cancer follow-up. Scans and further tests are individually arranged.

Between treatments

- Continuous fluorouracil over 96 hours, or the prescribed daily 22-hour option on Days 1–4; confirm actual pump visits.
- Report fever or sudden illness promptly. Follow the written support plan; do not wait for the next visit if symptoms worsen.

Bring your medicines list, appointment calendar, test results and verified urgent contacts.

When to get help
Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.
Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321
EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

What to watch for

You do not need to know which medicine caused a symptom before calling.

1 Mouth / swallowing

Fluorouracil

Report ulcers, painful swallowing or difficulty drinking; early severe symptoms need urgent review.

3 Kidneys / fluids

Carboplatin + fluorouracil

Kidney results guide carboplatin dosing. Report reduced urine, persistent vomiting or dehydration.

5 Hands / feet


Fluorouracil

Report sore, red or peeling palms or soles before they limit walking or ordinary activities.

7 Blood cells / infection

Chemotherapy

Fever, shivering, sudden illness, unusual bruising or bleeding needs prompt oncology advice.



2 Heart / chest

Fluorouracil

Chest pain, tightness, palpitations or collapse needs urgent assessment during or after an infusion.

4 Bowels / hydration

Fluorouracil

Call early for diarrhoea, severe tummy pain, dizziness or inability to keep fluids down.

6 Hearing / nerves

Carboplatin

Report tinnitus, hearing change, numbness or tingling, especially after earlier platinum treatment.

8 Infusion / access site

Treatment infusions

Tell staff about pain, redness or swelling at the line, or itching, wheeze or faintness during infusion.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Call oncology immediately for fever, shivering, sudden illness, persistent vomiting, diarrhoea, severe mouth pain or inability to drink. Chest pain during or after fluorouracil, or unusually early severe symptoms, needs urgent assessment even if DPD testing was normal. Severe chest pain, severe breathing difficulty, collapse or a seizure is an emergency.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

Keep your treatment details to hand

Adjuvant chemotherapy after chemoradiotherapy for locally advanced stage III or IV nasopharyngeal cancer when cisplatin cannot be used or tolerated. · NCCP 00552 v6 · Document revised 10 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

FRONT / CONTACTS

My Treatment Card

SACTCheck

Name: _____

Carboplatin + fluorouracil

Every 28 days, for up to 3 cycles after chemoradiotherapy.

Phase: _____ Planned cycles: 3

Daytime (EXAMPLE) 087 12345678

Out of hours (EXAMPLE) 087 87654321

Unwell or fever? Call oncology now.
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

BACK / TREATMENT RECORD

My cycle record

Team stamps after each completed cycle.

C1	C2	C3
Date / initials	Date / initials	Date / initials

My treatment information

Plan changed? Ask the team to update this card.

CUT outer border

FOLD centre — do not cut

Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

Your local contacts and resources

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Hospital / team: _____
Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.