SACTCHECK · REGIMEN-SPECIFIC SACT CONSENT

Pembrolizumab + pemetrexed + carboplatin

Lung · NCCP 00568 · version 5 · 21-day cycle

PROTOTYPE · GOVERNANCE REVIEW REQUIRED

Patient name	DOB	Hospital no.	Date

Treatment context
First-line metastatic non-squamous NSCLC without EGFR or ALK alteration, where this NCCP regimen is appropriate.

Schedule
Cycles 1-4: all three medicines on Day 1 every 21 days. Maintenance: pembrolizumab + pemetrexed if treatment continues.

1. GENERIC SACT RISKS / DISCUSSION POINTS

- ☐ Purpose, expected benefit and treatment plan explained
- ☐ Treatment may be delayed, modified or stopped because of toxicity
- ☐ Unexpected, rare or serious adverse effects can occur
- ☐ Supportive medicines and urgent contact advice discussed
- ☐ Pregnancy avoidance / contraception / fertility discussed where relevant
- ☐ Bone-marrow suppression / infection risk
- ☐ Anaemia / fatigue and low platelets / bleeding
- ☐ Nausea / vomiting and bowel disturbance
- ☐ Mouth soreness / mucositis and skin changes
- ☐ Allergic / infusion reaction and other organ-specific toxicity

2. REGIMEN / AGENT-SPECIFIC MATERIAL RISKS

Pembrolizumab
IMMUNOTHERAPY · IMMUNE-MEDIATED TOXICITY

- ☐ Pneumonitis - new cough / breathlessness
- ☐ Colitis - diarrhoea / abdominal symptoms
- ☐ Hepatitis - liver inflammation
- ☐ Endocrine inflammation - thyroid, pituitary, adrenal or diabetes
- ☐ Nephritis / kidney inflammation
- ☐ Severe skin inflammation / rash
- ☐ Neurological / muscle inflammation
- ☐ Cardiac inflammation including myocarditis

Immune effects may occur during treatment or after treatment has stopped.

Pemetrexed
CHEMOTHERAPY

- ☐ Low blood counts / infection
- ☐ Fatigue
- ☐ Mouth soreness / mucositis
- ☐ Skin rash
- ☐ Renal / kidney toxicity
- ☐ Folic acid, vitamin B12 and prescribed steroid support discussed

Carboplatin
PLATINUM CHEMOTHERAPY

- ☐ Low blood counts / infection / bleeding
- ☐ Nausea and vomiting
- ☐ Hypersensitivity / allergic reaction
- ☐ Individual organ-function / blood-test changes discussed where relevant

3. CONSENT CONFIRMATION

- ☐ Expected benefit, important risks and reasonable alternatives discussed
- ☐ Patient questions invited and answered; patient-specific material risks / priorities considered
- ☐ Emergency contact / toxicity advice and written information offered where appropriate
- ☐ Patient understands consent is voluntary and may be withdrawn

Patient / person giving consent _____ Date _____

Clinician obtaining consent _____ Date _____

Prototype only. This one-page form is a regimen-specific consent aid and requires formal governance, consultant and oncology-pharmacy review before clinical use. The current NCCP regimen, local/national consent policy, current medicine information, patient-specific material risks and clinical judgement remain authoritative.
Base regimen: NCCP 00568 v5.

SACTCheck v0.81.9
Developed by Dr Paul O'Brien