SACTCHECK · TREATMENT PASSPORT

# Pembrolizumab · every 3 weeks · melanoma before and after surgery

## A record of what you experience

One cycle per page. Each medicine has its own symptom table. Mark the worst symptoms since your last review, when they occurred and what they stopped you doing. Overlapping symptoms can be recorded under more than one medicine; you do not have to identify the cause.

These are patient-language severity prompts, not a validated questionnaire or a formal Common Terminology Criteria for Adverse Events (CTCAE) grading tool. Your team assigns the clinical grade. Serious symptoms override the columns: call without waiting to decide a severity level.

Pembrolizumab 200 mg every 3 weeks: 3 doses before surgery, then 15 doses after surgery, subject to recovery and clinical review. The team sets the operation date and postoperative restart; do not assume that surgery or a held dose follows the routine three-week calendar.

These pages are reusable recording sheets; the prescribed course length is stated above. Ask for additional sheets as needed.

**Emergency: 112 / 999.** Severe breathing difficulty, collapse, seizure or severe chest pain needs emergency help.

**Contact oncology immediately** for temperature ≥37.5°C or ≤36°C, shivering or suddenly feeling unwell, even with a normal temperature. Follow your own hospital's instructions. If you cannot reach the team, seek urgent medical assessment.

YOUR ONCOLOGY TEAM · DAYTIME

**Insert numbers here**

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

**Insert numbers here**

Ask for medical oncology

EVENINGS / OVERNIGHT

**Your out-of-hours pathway / nearest ED**

Other hospitals: use the numbers your team provides.

Your own hospital / contact instructions:

https://sactcheck.com/patient/00455/melanoma_perioperative/

Full patient information, sources and visual timeline. No identifiers are encoded.

Draft source reconciliation; independent clinical, pharmacy and patient/PPI review pending

# My diagnosis, plan and medicines

Complete these pages with your team. Leave unknown or inapplicable items blank. This record supports the consent discussion and your written prescription.

## Diagnosis and overall plan

**Original melanoma site / pathology date**

**Stage / Breslow thickness / ulceration**

**Lymph-node or other disease sites**

**BRAF result / date / other relevant tumour tests**

**Advanced or adjuvant intent / earlier surgery or radiotherapy (RT)**

## Medicines and safety

**Anticancer medicines / actual dose / route / start date**

**Treatment received, missed or held / restart instruction**

**All other medicines / allergies / important previous reactions**

**Pregnancy-prevention or immune-alert plan / continuing precautions**

**Oncology / out-of-hours / pharmacy contacts**

SACTCheck patient information. Your team confirms your personal plan. The treatment reference collects the clinical and medicine sources.

# My checks, symptoms and support

Record what each test is checking and when the result will be discussed. Your team explains which examinations or scans are needed for your diagnosis and treatment.

| Test and purpose | Date / booking contact | Result discussion | Agreed next step |
|---|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |

Record bloods, skin/lesion examinations, scans and specialist checks separately. Tumour-marker and scan intervals are individually selected; do not infer them from the cycle calendar.

# Symptoms, skin and support

**New symptoms / onset / change / action taken**

**Lesion or wound / pain / eating / weight / daily function**

**Skin self-check plan / optional dated photograph record kept privately**

**Sun protection / practical, emotional or family support needs**

**Questions, response review and the outcomes that matter to me**

**My urgent contact plan / what my carer should do**

SACTCheck patient information. Your team confirms your personal plan. The treatment reference collects the clinical and medicine sources.

# Pembrolizumab · every 3 weeks · melanoma before and after surgery

Cycle number: _____ Start date: _____ Next review: _____

Record the actual date, treatment received, any hold, important symptom and the next check. A review visit is not automatically a medicine dose or a completed cycle.

**Before surgery: 3 planned doses** · copy this sheet for another cycle of the same phase.

### Pembrolizumab · PD-1 checkpoint immunotherapy

| Symptom | None | Mild | Moderate / call | Severe / urgent | Emergency signs |
|---|---|---|---|---|---|
| **Bowels** | ☐ Usual pattern | ☐ New change: report | ☐ Persistent diarrhoea / constipation: call | ☐ Blood, severe pain or dehydration: urgent review | ☐ Collapse or severe sudden illness: 112/999 |
| **Breathing** | ☐ Usual breathing | ☐ New cough / change: call | ☐ Worsening breathlessness: urgent advice | ☐ Breathless at rest: urgent assessment | ☐ Severe breathing difficulty: 112/999 |
| **Skin** | ☐ No change | ☐ New small change: report | ☐ Persistent rash / itch: contact team | ☐ Painful, spreading or blistering rash: urgent review | ☐ Severe skin reaction with acute illness: emergency help |
| **Fatigue** | ☐ Usual energy | ☐ Tiredness improves with rest | ☐ Rest does not help; usual tasks affected: call | ☐ Self-care difficult: urgent review | ☐ Collapse: 112/999 |

Dates / doses missed or changed / symptoms affecting daily life / questions:

Red flags override the table. Fever, shivers, suddenly unwell, chest symptoms or inability to drink: seek prompt advice. Severe breathing difficulty, collapse or severe chest pain: 112 / 999.

# Pembrolizumab · every 3 weeks · melanoma before and after surgery

Cycle number: _____ Start date: _____ Next review: _____

Record the actual date, treatment received, any hold, important symptom and the next check. A review visit is not automatically a medicine dose or a completed cycle.

**After surgery: 15 planned doses** · copy this sheet for another cycle of the same phase.

### Pembrolizumab · PD-1 checkpoint immunotherapy

| Symptom | None | Mild | Moderate / call | Severe / urgent | Emergency signs |
|---|---|---|---|---|---|
| **Bowels** | ☐ Usual pattern | ☐ New change: report | ☐ Persistent diarrhoea / constipation: call | ☐ Blood, severe pain or dehydration: urgent review | ☐ Collapse or severe sudden illness: 112/999 |
| **Breathing** | ☐ Usual breathing | ☐ New cough / change: call | ☐ Worsening breathlessness: urgent advice | ☐ Breathless at rest: urgent assessment | ☐ Severe breathing difficulty: 112/999 |
| **Skin** | ☐ No change | ☐ New small change: report | ☐ Persistent rash / itch: contact team | ☐ Painful, spreading or blistering rash: urgent review | ☐ Severe skin reaction with acute illness: emergency help |
| **Fatigue** | ☐ Usual energy | ☐ Tiredness improves with rest | ☐ Rest does not help; usual tasks affected: call | ☐ Self-care difficult: urgent review | ☐ Collapse: 112/999 |

Dates / doses missed or changed / symptoms affecting daily life / questions:

Red flags override the table. Fever, shivers, suddenly unwell, chest symptoms or inability to drink: seek prompt advice. Severe breathing difficulty, collapse or severe chest pain: 112 / 999.