Cisplatin, lomustine and vincristine (CLV)

Three chemotherapy medicines after craniospinal radiotherapy (RT) for selected adult high-risk medulloblastoma / eligible embryonal tumours.


NCCP 00806: selected adults with high-risk medulloblastoma or another eligible primitive neuro-ectodermal tumour, including pinealoblastoma. · NCCP 00806 v2 · Document revised 5 November 2026

Your personal plan: this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

NCCP 00806: selected adults with high-risk medulloblastoma or another eligible primitive neuro-ectodermal tumour, including pinealoblastoma. The treating team confirms the applicable indication, suitability and local consent requirements.

My overall treatment

42 days: lomustine once + cisplatin intravenous (IV) D1; vincristine IV D1, 8 + 15.



After craniospinal RT

Begin 4–6 weeks after RT when cleared; eight 42-day cycles planned.

A typical 42-day cycle

Day 1	Day 2–15	Day 16–42
Three medicines and hydration	Vincristine visits on Days 8 and 15	Recovery and continuing tests

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

My tests and checks

When	What is checked	Timing / reason
Before	**Baseline safety** Regimen / product information	Blood count, kidneys/liver; lung assessment. Hearing/ creatinine clearance (CrCl) review; baseline hearing test per SmPC; fluid plan.
During	**Treatment checks** Required by regimen	Regular bloods; review symptoms and prior toxicity before treatment.
Between / after	**Weekly checks / symptoms** Product information / individual plan	Weekly counts, kidneys/liver and salts per SmPC; lung/ hearing follow-up and scans as arranged.

Between treatments

- Lomustine is taken once, not daily; counts can fall several weeks later.
- Report hearing, nerve or bowel changes before vincristine.

Bring a clear day-specific medicine plan, anti-sickness/bowel instructions and actual urgent contacts.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

What to watch for

You do not need to know which medicine caused a symptom before calling.

1 Brain / hearing

Cisplatin / tumour

Report new ringing or reduced hearing promptly. New seizure, sudden weakness or speech difficulty needs emergency help.

3 Blood / infection

Chemotherapy

Counts can fall weeks after lomustine. Fever, sudden illness, unusual bruising or bleeding needs urgent advice.

5 Kidneys / hydration


Cisplatin / lomustine

Attend kidney and electrolyte checks. Follow your individual fluid plan; report reduced urine, swelling or difficulty drinking.

7 Hands / feet / nerves

Vincristine / cisplatin

Report tingling, numbness, weakness, balance or hand-function changes before the next dose; do not wait for them to worsen.



2 Mouth / eating

Chemotherapy

Soreness or ulcers can limit intake. Use gentle mouth care and ask for help before eating or drinking becomes difficult.

4 Lungs

Lomustine

Report new cough or breathlessness. Keep the lung checks arranged; severe breathing difficulty needs emergency help.

6 Nausea / bowels

Cisplatin / vincristine

Use prescribed anti-sickness and bowel medicines. Severe pain, vomiting or no stool or wind needs urgent advice.

8 Fertility / pregnancy

Chemotherapy

Discuss preservation and contraception before starting. Do not breastfeed during treatment; ask for written precautions.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Use your oncology unit’s written emergency plan. Fever, shivering or suddenly feeling unwell needs urgent advice even on days without chemotherapy. Call 112 or 999 for a new seizure, sudden weakness or speech difficulty, loss of consciousness, severe breathing difficulty or uncontrolled bleeding. If you have an established seizure rescue plan, follow it and its emergency instructions. Call promptly for fever, bleeding, new cough or breathlessness, persistent vomiting or reduced urine. Report hearing, nerve or bowel changes before the next infusion.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital’s temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

Keep your treatment details to hand

NCCP 00806: selected adults with high-risk medulloblastoma or another eligible primitive neuro-ectodermal tumour, including pinealoblastoma. · NCCP 00806 v2 · Document revised 5 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

FRONT / CONTACTS

My Treatment Card

SACTCheck

Name: _____

CLV · 42 days

42 days: lomustine once + cisplatin IV D1; vincristine IV D1, 8 + 15.

Phase: _____ Planned cycles: 8

Daytime (EXAMPLE) 087 12345678

Out of hours (EXAMPLE) 087 87654321

Unwell or fever? Call oncology now.
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

CUT outer border

BACK / TREATMENT RECORD

My cycle record

Team stamps after each completed cycle.

C1	C2	C3	C4
Date / initials	Date / initials	Date / initials	Date / initials
C5	C6	C7	C8
Date / initials	Date / initials	Date / initials	Date / initials

Plan changed? Ask the team to update this card.

My treatment information

FOLD centre — do not cut

Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

Your local contacts and resources

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Hospital / team: _____
Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.