Vismodegib for advanced basal cell skin cancer

Daily targeted treatment for eligible advanced basal cell skin cancer.

NCCP 00236: symptomatic metastatic basal cell carcinoma, or locally advanced basal cell carcinoma unsuitable for surgery or radiotherapy. · NCCP 00236 v3 · Document revised 6 November 2026

Your personal plan: this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

NCCP 00236: symptomatic metastatic basal cell carcinoma, or locally advanced basal cell carcinoma unsuitable for surgery or radiotherapy. This information supports individual consent; it does not issue or change a prescription.

My overall treatment

Vismodegib daily; four-week safety review. No routine treatment-free week.

28 day reference

Reference window · ongoing treatment

Daily oral treatment — Day 1–28

Continuous oral treatment

Continue while beneficial and tolerable, with team review; no fixed cycle total.

A 28-day reference calendar

Day 1–28

Every day in the reference calendar

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

My tests and checks

When	What is checked	Timing / reason
Before	**Baseline safety** NCCP / medicine-specific precautions	Blood count, kidney/liver tests; formal pregnancy-prevention checks.
During	**Bloods and organ checks** NCCP; local interval clarification where stated	Bloods every 4 weeks; monthly pregnancy test when applicable; review eating, weight and cramps.
After / response	**Follow-up** Regimen / individual disease plan	Individual cancer follow-up. Pregnancy/donation precautions continue after stopping.

Between treatments

- Daily treatment continues unless the team tells you to pause.
- A review date does not automatically clear a held medicine to restart.

Bring the written medicine plan, test dates and actual oncology/out-of-hours contacts.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

What to watch for

You do not need to know which medicine caused a symptom before calling.

1 Energy / daily activity

Vismodegib

Tiredness can affect daily tasks. Tell the team if it worsens or comes with dizziness, reduced eating or other new symptoms.

2 Hair / scalp

Vismodegib

Hair may thin or fall out. Ask about scalp care, sun protection and practical support; the timing of recovery varies.

3 Taste / eating


Vismodegib

Taste may change or disappear, making food less appealing. Report reduced intake early and ask for dietitian help.

4 Skin

Vismodegib

A rash with blistering, peeling, mouth sores or fever needs urgent assessment. Keep scheduled skin reviews and report new lesions.



5 Muscles / strength

Vismodegib

Cramps and muscle pain are common concerns. Severe pain, weakness or dark urine needs urgent advice; do not add supplements or medicines yourself.

6 Stomach / bowels

Vismodegib

Nausea, diarrhoea or constipation may occur. Call if symptoms persist, you cannot drink or urine becomes reduced.

7 Appetite / weight

Vismodegib

Taste changes and poor appetite can cause weight loss. Keep a practical eating plan and tell the team about loose clothes or falling weight.

8 Pregnancy / fertility

Vismodegib

A strict pregnancy-prevention programme applies to women and men, with restrictions continuing after treatment. Report possible exposure immediately.

9 Liver

Vismodegib

Report yellow skin or eyes, dark urine, unusual itching or upper-abdominal pain. Keep the planned liver blood tests; a symptom needs assessment rather than self-diagnosis.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Call urgently for blistering or peeling skin, mouth sores with rash or fever, severe muscle pain or weakness, or dark urine. Seek immediate advice about suspected pregnancy or exposure. Report taste change, reduced eating and weight loss early so support can start.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

Keep your treatment details to hand

NCCP 00236: symptomatic metastatic basal cell carcinoma, or locally advanced basal cell carcinoma unsuitable for surgery or radiotherapy. · NCCP 00236 v3 · Document revised 6 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

FRONT / CONTACTS

My Treatment Card

SACTCheck

Name: _____

Vismodegib

Vismodegib daily; four-week safety review. No routine treatment-free week.

Phase: _____ Review plan: team to confirm

Daytime (EXAMPLE) 087 12345678

Out of hours (EXAMPLE) 087 87654321

Unwell or fever? Call oncology now.
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

BACK / TREATMENT RECORD

My review record

Use a dated medicine/review record, including holds. Continuous treatment has no fixed completion stamp total.

Review	Date / initials

My treatment information

Latest review date: _____

Plan changed? Ask the team to update this card.

CUT outer border

FOLD centre — do not cut

Keep the record accurate

The team dates and initials each completed review. Daily tablets continue according to your prescribed plan; a review stamp does not mean the course is complete or authorise further treatment. Record interruptions or a changed plan. Keep any medicine-specific alert card too.

Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

Your local contacts and resources

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Hospital / team: _____

Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.