SACTCHECK · TREATMENT PASSPORT

# Cobimetinib + vemurafenib — advanced melanoma

## A record of what you experience

One review period per page. Each medicine has its own symptom table. Mark the worst symptoms since your last review, when they occurred and what they stopped you doing. Overlapping symptoms can be recorded under more than one medicine; you do not have to identify the cause.

These are patient-language severity prompts, not a validated questionnaire or a formal CTCAE grading tool. Your team assigns the clinical grade. Serious symptoms override the columns: call without waiting to decide a severity level.

Every 28 days: cobimetinib once daily on days 1–21, then seven days off; vemurafenib twice daily continues on all 28 days unless held by the team.

These pages are reusable recording sheets; the prescribed course length is stated above. Ask for additional sheets as needed.

**Emergency: 112 / 999.** Severe breathing difficulty, collapse, seizure or severe chest pain needs emergency help.

**Contact oncology immediately** for temperature ≥37.5°C or ≤36°C, shivering or suddenly feeling unwell, even with a normal temperature. Follow your own hospital's instructions. If you cannot reach the team, seek urgent medical assessment.

YOUR ONCOLOGY TEAM · DAYTIME

**Insert numbers here**

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

**Insert numbers here**

Ask for medical oncology

EVENINGS / OVERNIGHT

**Your out-of-hours pathway / nearest ED**

Other hospitals: use the numbers your team provides.

Your own hospital / contact instructions:

https://sactcheck.com/patient/00373/

Full patient information, sources and visual timeline. No identifiers are encoded.

Draft source reconciliation; independent clinical, pharmacy and patient/PPI review pending

# My diagnosis, plan and medicines

Complete these pages with your team. Leave unknown or inapplicable items blank. This record supports the consent discussion and your written prescription.

## Diagnosis and overall plan

**Original melanoma site / pathology date**

**Stage / Breslow thickness / ulceration**

**Lymph-node or other disease sites**

**BRAF result / date / other relevant tumour tests**

**Advanced or adjuvant intent / earlier surgery or RT**

## Medicines and safety

**Anticancer medicines / actual dose / route / start date**

**Treatment received, missed or held / restart instruction**

**All other medicines / allergies / important previous reactions**

**Pregnancy-prevention or immune-alert plan / continuing precautions**

**Oncology / out-of-hours / pharmacy contacts**

NCCN Guidelines for Patients: Melanoma, 2026 - supplied education reference; original fields adapted to the Irish NCCP regimen context. No NCCN form or artwork reproduced.. Your Irish treating team confirms the diagnosis, prescription and follow-up plan.

# My checks, symptoms and support

Record what each test is checking and when the result will be discussed. Your team explains which examinations or scans are needed for your diagnosis and treatment.

| Test and purpose | Date / booking contact | Result discussion | Agreed next step |
|---|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |

Record bloods, skin/lesion examinations, scans and specialist checks separately. Tumour-marker and scan intervals are individually selected; do not infer them from the cycle calendar.

# Symptoms, skin and support

**New symptoms / onset / change / action taken**

**Lesion or wound / pain / eating / weight / daily function**

**Skin self-check plan / optional dated photograph record kept privately**

**Sun protection / practical, emotional or family support needs**

**Questions, response review and the outcomes that matter to me**

**My urgent contact plan / what my carer should do**

NCCN Guidelines for Patients: Melanoma, 2026 - supplied education reference; original fields adapted to the Irish NCCP regimen context. No NCCN form or artwork reproduced.. Your Irish treating team confirms the diagnosis, prescription and follow-up plan.

NCCP 00373 V3 · ONE REVIEW PERIOD, ONE PAGE

# Cobimetinib + vemurafenib — advanced melanoma

Review period: _____ Start date: _____ Next review: _____

Record the dose actually taken or administered, symptoms, tests and agreed next step. A planned or held visit is not a completed treatment dose.

**Cobimetinib + vemurafenib — advanced melanoma** · copy this sheet for another review period of the same phase.

## Cobimetinib · MEK targeted treatment

| Symptom | None | Mild | Moderate / call | Severe / urgent | Emergency signs |
|---|---|---|---|---|---|
| **Eyes** | ☐ Usual vision | ☐ New eye symptom: contact team | ☐ Persistent eye pain / blur: urgent advice | ☐ Sudden vision loss: immediate urgent assessment | ☐ Vision change with stroke signs: 112/999 |
| **Breathing** | ☐ Usual breathing | ☐ New cough / change: call | ☐ Worsening breathlessness: urgent advice | ☐ Breathless at rest: urgent assessment | ☐ Severe breathing difficulty: 112/999 |
| **Muscles** | ☐ Usual strength | ☐ New aches: report | ☐ Pain / weakness limiting tasks: call | ☐ Marked weakness or dark urine: urgent review | ☐ Breathing / swallowing weakness or collapse: 112/999 |
| **Bleeding / bruising** | ☐ None | ☐ New small bruise / brief bleed: report | ☐ Repeated bleeding: call today | ☐ Bleeding that will not stop: urgent help | ☐ Heavy bleeding / collapse: 112/999 |
| **Swelling** | ☐ None | ☐ New swelling: report | ☐ Increasing swelling: contact team | ☐ One painful swollen leg / breathlessness: urgent review | ☐ Severe chest pain / breathing difficulty: 112/999 |

## Vemurafenib · BRAF targeted treatment

| Symptom | None | Mild | Moderate / call | Severe / urgent | Emergency signs |
|---|---|---|---|---|---|
| **Skin** | ☐ No change | ☐ New small change: report | ☐ Persistent rash / itch: contact team | ☐ Painful, spreading or blistering rash: urgent review | ☐ Severe skin reaction with acute illness: emergency help |
| **Eyes** | ☐ Usual vision | ☐ New eye symptom: contact team | ☐ Persistent eye pain / blur: urgent advice | ☐ Sudden vision loss: immediate urgent assessment | ☐ Vision change with stroke signs: 112/999 |
| **Muscle / joint pain** | ☐ None | ☐ Mild aches; normal activity | ☐ Pain limits tasks / sleep: call | ☐ Pain limits self-care: urgent review | ☐ Sudden severe deterioration: emergency help |
| **Bowels** | ☐ Usual pattern | ☐ New change: report | ☐ Persistent diarrhoea / constipation: call | ☐ Blood, severe pain or dehydration: urgent review | ☐ Collapse or severe sudden illness: 112/999 |
| **Heart symptoms** | ☐ None | ☐ New palpitations: contact team promptly | ☐ Palpitations with dizziness: urgent assessment | ☐ Chest pain or fainting: emergency assessment | ☐ Severe chest pain, collapse or breathing difficulty: 112/999 |

Dates / doses missed or changed / symptoms affecting daily life / questions:

Red flags override the table. Fever, shivers, suddenly unwell, chest symptoms or inability to drink: seek prompt advice. Severe breathing difficulty, collapse or severe chest pain: 112 / 999.