

My treatment, my symptoms

Modified FOLFOX-6 | 14-day cycle | 46-hour 5-FU pump

Fill in with your oncology team

Name / identifier: _____ Hospital: _____

24-hour oncology SOS: _____ Pump contact: _____

Treatment goal / expected number of cycles: _____

How to use one page for each 14-day cycle

For each symptom, write the worst score in days 1–7 and days 8–14. Add when it began, a daily count if possible, and how it affected you. A blank cell means not recorded, not “no symptom”.

Your symptom score (0–4)

0 None **1 Mild** **2 Moderate** **3 Severe** **4 Very severe**

This records your experience; it is not a clinical CTCAE grade or a treatment decision. Your team can grade individual effects separately and decide on tests and the next cycle.

Call when a red flag occurs; do not wait for the score

Call oncology for temperature $\geq 37.5^{\circ}\text{C}$ or $\leq 36^{\circ}\text{C}$, shivers, four or more diarrhoea episodes in a day, vomiting despite medicine, mouth sores stopping fluids, bleeding, new chest pain or breathlessness, or sudden illness. Severe chest pain, severe breathing difficulty or collapse: 112/999.

A leaking, disconnected or alarming 5-FU pump needs your pump instructions and urgent contact with the day ward. Record the call afterwards.

Useful baseline details (check with your team)

Usual bowel movements per day: _____ Pre-existing numbness / function: _____

5-FU / DPD status discussed with team: _____

Current medicines (anti-sickness, PPI, diarrhoea plan): _____

What to do if the pump leaks or alarms: _____

What the pages contain

Cycles 1–12 each have a separate page. Every page records the two weeks, treatment and pump disconnect dates, oxaliplatin cold and nerve effects, 5-FU gut, mouth, skin and heart symptoms, plus fever, line issues and advice received.

The final page is a blank cycle template for cycle 13 onward or an adjusted plan. Print only the pages you need. Bring completed pages to each day-unit visit. Symptoms and treatment dates can change between cycles.

Sources: NCCP 00209 v10a; HSE chemotherapy safety advice; NCI CTCAE v6.

Original SACTCheck patient scale; not the PRO-CTCAE instrument. Clinical-review prototype.

Cycle 1 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 2 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 3 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 4 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 5 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 6 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 7 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 8 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 9 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 10 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 11 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle 12 / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date:

Pump disconnect date / time:

Next review / day 15:

Treatment changes / doses:

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date:

Next treatment / review:

Bloods / nerve function / dose / support medicines / plan:

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.

Cycle _____ / symptom record

Modified FOLFOX-6 | one page for this 14-day cycle

Day 1 treatment date: _____

Pump disconnect date / time: _____

Next review / day 15: _____

Treatment changes / doses: _____

Call for red flags when they happen. Record the call afterwards. A low score does not make fever, persistent diarrhoea, chest pain, breathlessness or a leaking pump safe to wait on.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	Day(s)	CTCAE Team	Counts, effect, advice / contact
5-FU / GENERAL					
Bowel diarrhoea • stools/day • blood					
Nausea / vomiting episodes • drinking / fluids					
Mouth / throat sores • pain • eating / drinking					
Energy / appetite fatigue • meals • fluids					
Blood / infection fever • shivers • bruising					
Heart / breathing chest pain • pressure • breathless					
Hands / feet redness • pain • skin change					
Pump / line leak • alarm • pain / swelling					
OXALIPLATIN / NERVES					
Cold-triggered tingling • lips • fingers / toes					
Persistent nerves buttons • writing • walking					
Throat sensation tightness • swallowing • breathing					
Infusion reaction rash • swelling • wheeze					
OTHER					
Other symptoms new change • temperature					

Dates, stool / temperature counts, calls and advice:

Oncology / day-unit review

Reviewed by / date: _____

Next treatment / review: _____

Bloods / nerve function / dose / support medicines / plan: _____

Use your team’s SOS instructions for symptoms between visits. This record supports discussion and does not triage or prescribe.