

My treatment, my symptoms

Atezolizumab + bevacizumab | HCC | 21-day treatment cycle

Fill in with your oncology team

Name / identifier: _____ Hospital: _____
 Oncology SOS number: _____ Other contact: _____
 My atezolizumab route (IV / SC): _____

How to fill each cycle page

For each symptom, write one score for its worst point in each week. Add the date, a count or reading when possible, and what it stopped you doing. A blank cell means not recorded, not “no symptom”.

Your symptom score (0-4)

0 None **1 Mild** **2 Moderate** **3 Severe** **4 Very severe**

This describes your experience; it is not a CTCAE grade or a treatment decision. The team can add a CTCAE grade beside each symptom and decide on tests and next steps.

Do not wait for a score or your next visit

Call oncology promptly for new diarrhoea, cough, breathlessness, bleeding, black stools, jaundice, severe headache, marked weakness, or any sudden change. For collapse, major bleeding, severe breathing trouble, severe chest pain or seizure, call 112/999.

If your temperature is $\geq 37.5^{\circ}\text{C}$ or $\leq 36^{\circ}\text{C}$, or you feel acutely unwell, use your local SOS plan. Immune problems may appear after treatment ends.

Useful baseline facts (ask your team to confirm)

Usual bowel movements per day: _____ My BP monitoring instructions: _____

Varices screening / plan: _____

Current blood thinner / steroid / other key medicines: _____

Who to tell about planned dental care or surgery: _____

What the pages contain

Six cycle pages: week 1 (days 1–7), week 2 (days 8–14) and week 3 (days 15–21). Each has separate immune and bevacizumab symptom rows, space for dates/readings and a day-unit review box.

The last page is a reusable blank cycle template. Print it again for cycle 7 onward, a postponed cycle, or later immune symptoms. Keep completed pages together and bring them to each clinic or day-unit visit.

Sources: NCCP 00831 v2a; NCI CTCAE v6 and patient-reported symptom principles.

Original SACTCheck tracking scale; not the PRO-CTCAE instrument. Clinical-review prototype.

Cycle 1 / symptom record

Atezolizumab + bevacizumab | one page for this 21-day cycle

Day 1 treatment date:

Next review date:

Atezolizumab route / treatment changes:

Call for red flags when they happen. Record the call afterwards. Bleeding, chest pain, breathlessness, a seizure or new vision changes must not wait for the next visit.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Symptom or BP details / advice given (write dates and the number called):

Oncology / day-unit review

Reviewed by / date:

Next treatment / review date:

Tests / BP / urine / plan / next contact:

Even if no further treatment is given, report new symptoms after the last dose. Use your team’s SOS instructions; this record does not triage you.

Cycle 2 / symptom record

Atezolizumab + bevacizumab | one page for this 21-day cycle

Day 1 treatment date:

Next review date:

Atezolizumab route / treatment changes:

Call for red flags when they happen. Record the call afterwards. Bleeding, chest pain, breathlessness, a seizure or new vision changes must not wait for the next visit.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Symptom or BP details / advice given (write dates and the number called):

Oncology / day-unit review

Reviewed by / date:

Next treatment / review date:

Tests / BP / urine / plan / next contact:

Even if no further treatment is given, report new symptoms after the last dose. Use your team’s SOS instructions; this record does not triage you.

Cycle 3 / symptom record

Atezolizumab + bevacizumab | one page for this 21-day cycle

Day 1 treatment date:

Next review date:

Atezolizumab route / treatment changes:

Call for red flags when they happen. Record the call afterwards. Bleeding, chest pain, breathlessness, a seizure or new vision changes must not wait for the next visit.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Symptom or BP details / advice given (write dates and the number called):

Oncology / day-unit review

Reviewed by / date:

Next treatment / review date:

Tests / BP / urine / plan / next contact:

Even if no further treatment is given, report new symptoms after the last dose. Use your team’s SOS instructions; this record does not triage you.

Cycle 4 / symptom record

Atezolizumab + bevacizumab | one page for this 21-day cycle

Day 1 treatment date:

Next review date:

Atezolizumab route / treatment changes:

Call for red flags when they happen. Record the call afterwards. Bleeding, chest pain, breathlessness, a seizure or new vision changes must not wait for the next visit.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Symptom or BP details / advice given (write dates and the number called):

Oncology / day-unit review

Reviewed by / date:

Next treatment / review date:

Tests / BP / urine / plan / next contact:

Even if no further treatment is given, report new symptoms after the last dose. Use your team’s SOS instructions; this record does not triage you.

Atezolizumab + bevacizumab | one page for this 21-day cycle

Atezolizumab route / treatment changes: _____

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Tests / BP / urine / plan / next contact:

SACTCheck • NCCP 00831 v2a • Patient symptom record v0.3 6 / 8

Cycle 6 / symptom record

Atezolizumab + bevacizumab | one page for this 21-day cycle

Day 1 treatment date:

Next review date:

Atezolizumab route / treatment changes:

Call for red flags when they happen. Record the call afterwards. Bleeding, chest pain, breathlessness, a seizure or new vision changes must not wait for the next visit.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Symptom or BP details / advice given (write dates and the number called):

Oncology / day-unit review

Reviewed by / date:

Next treatment / review date:

Tests / BP / urine / plan / next contact:

Even if no further treatment is given, report new symptoms after the last dose. Use your team’s SOS instructions; this record does not triage you.

Cycle _____ / symptom record

Atezolizumab + bevacizumab | one page for this 21-day cycle

Day 1 treatment date: _____

Next review date: _____

Atezolizumab route / treatment changes: _____

Call for red flags when they happen. Record the call afterwards. Bleeding, chest pain, breathlessness, a seizure or new vision changes must not wait for the next visit.

Weekly worst score: 0 none · 1 mild · 2 moderate · 3 severe · 4 very severe

Symptoms to check	D1-7	D8-14	D15-21	CTCAE Team	Date, count / reading, effect, call
IMMUNE / GENERAL					
Bowel diarrhoea • pain • blood					
Lungs / heart new cough • breathlessness • chest pain					
Liver yellow eyes • dark urine • itch					
Hormones / brain fatigue • dizziness • headache					
Glucose / thirst thirst • more urine • glucose					
Skin rash • blisters • itch					
Kidneys less urine • swelling					
Nerves / muscle weakness • numbness • vision					
BEVACIZUMAB / VESSELS					
Bleeding nose • black stools • vomit blood					
Blood pressure reading • headache • vision					
Healing / jaw wound • jaw or tooth pain					
Brain / vision severe headache • vision • confusion					
Other / fever new symptom • temperature					

Symptom or BP details / advice given (write dates and the number called):

Oncology / day-unit review

Reviewed by / date: _____

Next treatment / review date: _____

Tests / BP / urine / plan / next contact: _____

Even if no further treatment is given, report new symptoms after the last dose. Use your team’s SOS instructions; this record does not triage you.