NCCP 00322 · VERSION 4

Everolimus + exemestane

Usual starting doses are everolimus 10 mg once daily and exemestane 25 mg once daily; use the doses on your prescription. Both tablets are taken every day continuously. There is no planned rest week. Review benefit and tolerability over time; there is no fixed adjuvant completion date.

Your treatment and review passport

Bring this to reviews. Record symptoms, treatment changes and questions when helpful. You do not need to complete a daily diary or calculate a toxicity grade.

The four sheets are reusable review periods, not a prescribed number of cycles. Follow the treatment and rest days agreed with your team; do not calculate a restart from this sheet.

These patient-language prompts are not a validated questionnaire or a formal CTCAE assessment. Urgent symptoms override the form.

Emergency: 112 / 999. Severe chest pain, major breathing difficulty, collapse or stroke symptoms need emergency help.

Contact your treating team promptly: Contact the oncology team promptly for new or worsening cough or breathlessness, fever or infection symptoms, mouth sores that prevent drinking/eating, severe diarrhoea or dehydration, or marked thirst and frequent urination. Severe breathing difficulty, collapse or swelling of the tongue/throat needs emergency help.

YOUR ONCOLOGY TEAM · DAYTIME

Insert numbers here

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

Insert numbers here

Ask for medical oncology

EVENINGS / OVERNIGHT

Your agreed out-of-hours pathway

Other hospitals: use the contacts your own team provides.

Your complete treatment reference

https://sactcheck.com/patient/00322/

Public information only. No personal information is encoded.

Source reconciled; independent clinical, pharmacy and patient/PPI review pending

Everolimus + exemestane

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Mouth soreness	☐	☐	☐	
Rash	☐	☐	☐	
Diarrhoea	☐	☐	☐	
Fatigue	☐	☐	☐	
Cough or breathlessness	☐	☐	☐	
Infection symptoms	☐	☐	☐	
Joint stiffness	☐	☐	☐	
Hot flushes	☐	☐	☐	
Vaginal dryness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, fever or infection symptoms, mouth sores that prevent drinking/eating, severe diarrhoea or dehydration, or marked thirst and frequent urination. Severe breathing difficulty, collapse or swelling of the tongue/throat needs emergency help. Emergency symptoms: 112 / 999.

Everolimus + exemestane

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Mouth soreness	☐	☐	☐	
Rash	☐	☐	☐	
Diarrhoea	☐	☐	☐	
Fatigue	☐	☐	☐	
Cough or breathlessness	☐	☐	☐	
Infection symptoms	☐	☐	☐	
Joint stiffness	☐	☐	☐	
Hot flushes	☐	☐	☐	
Vaginal dryness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, fever or infection symptoms, mouth sores that prevent drinking/eating, severe diarrhoea or dehydration, or marked thirst and frequent urination. Severe breathing difficulty, collapse or swelling of the tongue/throat needs emergency help. Emergency symptoms: 112 / 999.

Everolimus + exemestane

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Mouth soreness	☐	☐	☐	
Rash	☐	☐	☐	
Diarrhoea	☐	☐	☐	
Fatigue	☐	☐	☐	
Cough or breathlessness	☐	☐	☐	
Infection symptoms	☐	☐	☐	
Joint stiffness	☐	☐	☐	
Hot flushes	☐	☐	☐	
Vaginal dryness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, fever or infection symptoms, mouth sores that prevent drinking/eating, severe diarrhoea or dehydration, or marked thirst and frequent urination. Severe breathing difficulty, collapse or swelling of the tongue/throat needs emergency help. Emergency symptoms: 112 / 999.

Everolimus + exemestane

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Mouth soreness	☐	☐	☐	
Rash	☐	☐	☐	
Diarrhoea	☐	☐	☐	
Fatigue	☐	☐	☐	
Cough or breathlessness	☐	☐	☐	
Infection symptoms	☐	☐	☐	
Joint stiffness	☐	☐	☐	
Hot flushes	☐	☐	☐	
Vaginal dryness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, fever or infection symptoms, mouth sores that prevent drinking/eating, severe diarrhoea or dehydration, or marked thirst and frequent urination. Severe breathing difficulty, collapse or swelling of the tongue/throat needs emergency help. Emergency symptoms: 112 / 999.