


A bigger picture of side effects

HCC | NCCP 00831 v2a | Every 21 days

Atezolizumab can cause immune inflammation in many organs. Bevacizumab acts on blood vessels and healing. Any new symptom can have more than one cause: tell your team.



Bevacizumab: also look beyond the organ map

High blood pressure, bleeding, blood clots, slow wound healing, jaw pain and a rare brain syndrome (PRES) need their own watch list. Each is explained on page 2.

When to call

Call your oncology SOS service for any new worrying symptom. Call 112/999 for major bleeding, collapse, severe chest pain, severe breathing difficulty, seizure or sudden loss of vision. Never wait for the next cycle.

The signs to recognise and report

HCC | NCCP 00831 v2a | Every 21 days

BEVACIZUMAB / vessels, gut, healing and jaw

High blood pressure (hypertension)

Often has no symptoms, so your team checks readings. A severe headache, vision change or confusion needs urgent assessment.

Bleeding (haemorrhage)

Report nosebleeds that do not settle, black stools or new bruising. Vomiting blood or major bleeding is an emergency.

Clots in veins or arteries (thromboembolism)

A clot in a calf vein may cause one-sided swelling or pain; one in the lungs may cause sudden breathlessness or chest pain. Stroke-like symptoms are an emergency.

Protein leaking into urine (proteinuria)

Usually found on urine tests. Report new swelling or passing much less urine.

A hole or abnormal connection in the gut (perforation / fistula)

Sudden severe or persistent belly pain, often with fever or feeling very unwell, needs emergency assessment.

Slow wound healing (impaired healing)

Tell oncology before surgery, dental extraction or another procedure; the team will plan treatment timing.

Jaw-bone damage (osteonecrosis of the jaw)

Rare: new jaw or tooth pain, swelling, a loose tooth or a mouth wound that will not heal. Tell oncology and your dentist promptly.


Rare brain swelling syndrome (PRES)

Severe headache, new vision change, confusion or a seizure, with or without high blood pressure, needs emergency assessment.

More detail, including the cycle passport

Scan for the public regimen page, print the cycle symptom passport and save your oncology contact card. No patient data is held in this code.

Immune effects can begin during treatment or after it stops.



Sources: NCCP 00831 v2a; EMA Avastin and Tecentriq product information.

Patient discussion aid. Follow local oncology emergency instructions.