Breast adjuvant treatment only · NCCP 00588h. These materials cover olaparib after treatment for high-risk early breast cancer. Other cancers use different eligibility, duration and follow-up; use the matching NCCP indication and your treating team's plan.

NCCP 00588 · VERSION 5B

Olaparib · adjuvant breast treatment

Take olaparib tablets morning and evening every day. There is no planned week off. Blood-review appointments are usually every four weeks during this one-year breast course.

Your treatment and review passport

Bring this to reviews. Record symptoms, treatment changes and questions when helpful. You do not need to complete a daily diary or calculate a toxicity grade.

The four sheets are reusable review periods, not a prescribed number of cycles. Follow the treatment and rest days agreed with your team; do not calculate a restart from this sheet.

These patient-language prompts are not a validated questionnaire or a formal CTCAE assessment. Urgent symptoms override the form.

Emergency: 112 / 999. Severe chest pain, major breathing difficulty, collapse or stroke symptoms need emergency help.

Contact your treating team promptly: Contact the oncology team urgently for fever or feeling acutely unwell, unusual bleeding, new or worsening breathlessness/cough, severe weakness, persistent vomiting or inability to drink. Chest pain, severe breathing difficulty or collapse require emergency help.

YOUR ONCOLOGY TEAM · DAYTIME

Insert numbers here

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

Insert numbers here

Ask for medical oncology

EVENINGS / OVERNIGHT

Your agreed out-of-hours pathway

Other hospitals: use the contacts your own team provides.

Your complete treatment reference

https://sactcheck.com/patient/00588/scope.html

Public information only. No personal information is encoded.

Source-reconciled development content; independent oncology, pharmacy and patient/PPI review pending

Olaparib · adjuvant breast treatment

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea / appetite changes	☐	☐	☐	
Fatigue / anaemia	☐	☐	☐	
Infections / bruising	☐	☐	☐	
New cough / breathlessness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team urgently for fever or feeling acutely unwell, unusual bleeding, new or worsening breathlessness/cough, severe weakness, persistent vomiting or inability to drink. Chest pain, severe breathing difficulty or collapse require emergency help. Emergency symptoms: 112 / 999.

Olaparib · adjuvant breast treatment

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea / appetite changes	☐	☐	☐	
Fatigue / anaemia	☐	☐	☐	
Infections / bruising	☐	☐	☐	
New cough / breathlessness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team urgently for fever or feeling acutely unwell, unusual bleeding, new or worsening breathlessness/cough, severe weakness, persistent vomiting or inability to drink. Chest pain, severe breathing difficulty or collapse require emergency help. Emergency symptoms: 112 / 999.

Olaparib · adjuvant breast treatment

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea / appetite changes	☐	☐	☐	
Fatigue / anaemia	☐	☐	☐	
Infections / bruising	☐	☐	☐	
New cough / breathlessness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team urgently for fever or feeling acutely unwell, unusual bleeding, new or worsening breathlessness/cough, severe weakness, persistent vomiting or inability to drink. Chest pain, severe breathing difficulty or collapse require emergency help. Emergency symptoms: 112 / 999.

Olaparib · adjuvant breast treatment

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea / appetite changes	☐	☐	☐	
Fatigue / anaemia	☐	☐	☐	
Infections / bruising	☐	☐	☐	
New cough / breathlessness	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team urgently for fever or feeling acutely unwell, unusual bleeding, new or worsening breathlessness/cough, severe weakness, persistent vomiting or inability to drink. Chest pain, severe breathing difficulty or collapse require emergency help. Emergency symptoms: 112 / 999.