NCCP 00322 · clinician draft

Everolimus + exemestane

> **Supportive prescription draft for review.** This is a regimen template. It is not an issued patient prescription; individual review and completion are required.

Everolimus + exemestane · supportive-care review

Active medicines: Everolimus + Exemestane

Emetogenic risk: Oral minimal–low

No routine prophylactic antiemetic order is populated for this phase. Agree an individual symptom-treatment plan where needed.

Additional phase-specific support

- NCCP classifies everolimus as minimal-to-low emetic risk. There are no routine infusion premedications. Any as-needed antiemetic follows the individual prescription and local oral-SACT policy.
- Discuss non-alcoholic mouth care and a prescribed alcohol-free corticosteroid mouthwash during the first eight weeks. Avoid irritating products containing alcohol, hydrogen peroxide, iodine or thyme derivatives. Check for oral thrush; do not automatically add an antifungal.
- Systemic steroids may be needed for pneumonitis. When steroids or other immunosuppressive medicines are used, the team considers PJP prevention; it is not an automatic prescription for every patient.
- Manage diabetes and lipid abnormalities alongside treatment. Bone-health advice and medicines depend on fracture risk, DXA findings, diet and vitamin-D status.
- Check prescriptions, over-the-counter medicines and supplements with oncology pharmacy. Avoid grapefruit and St John’s wort; some antibiotics and antifungals can markedly change everolimus exposure.
- Routine IV-chemotherapy antiemetic, steroid or G-CSF orders are not populated. Review persistent nausea and prescribe individual symptom treatment if needed.

Before signing: verify allergies, current medicines, interactions, renal / hepatic function, QT risk, sedation, prior response, total steroid exposure and the rescue-medicine duration. Do not duplicate medicines from another phase.

Individual changes / rescue duration: _____
Prescriber / date: _____ Pharmacy review: _____

NCCP 00322 v4 · NCCP antiemetics v8, Table 1 pp4–5

Sources checked 2026-10-20 · SACTCheck v0.84.9 · Regimen-level drafts; prescriber and oncology-pharmacy verification required