SACTCHECK · REGIMEN-SPECIFIC SACT CONSENT

PROTOTYPE · GOVERNANCE REVIEW REQUIRED

Lenvatinib: differentiated thyroid cancer

Differentiated thyroid cancer · NCCP 00295 · version 6 · 28-day cycle

Patient name	DOB	Hospital no.	Date

Treatment context
This treatment aims to slow cancer growth and help control symptoms. Your team explains the expected benefit, uncertainty and alternatives for your situation.

Schedule
Lenvatinib 24 mg once daily, continuously, until progression or unacceptable side effects. The clinician may prescribe a lower starting dose or later reductions.

1. TREATMENT DISCUSSION

- ☐ Purpose, expected benefit and alternatives explained
- ☐ Indication, medicines, sequence and duration confirmed
- ☐ Blood tests and any individually indicated heart checks discussed
- ☐ Support medicines and phase changes explained
- ☐ Fertility, contraception and breastfeeding discussed where relevant
- ☐ Common, serious and lasting drug-specific risks discussed below
- ☐ Urgent symptoms and local contact details confirmed

2. REGIMEN / AGENT-SPECIFIC MATERIAL RISKS

Lenvatinib

KINASE INHIBITOR

- ☐ High blood pressure; rare hypertensive crisis
- ☐ Diarrhoea, nausea, vomiting, reduced appetite and weight loss
- ☐ Protein in urine and kidney injury, especially with dehydration
- ☐ Thyroid hormone changes, low calcium and liver injury
- ☐ Bleeding, arterial clots, heart failure and heart-rhythm changes
- ☐ Rare bowel perforation or fistula, impaired healing and neurological symptoms

Discuss treatment aim, expected benefit and uncertainty, alternatives and the option of declining; each medicine's risks, potentially lasting effects, required tests, urgent symptoms, fertility, contraception, pregnancy, breastfeeding and the individual support plan. Treat diarrhoea and vomiting promptly using the agreed plan because dehydration can damage the kidneys. Check blood pressure as taught. Report sudden severe headache, vision changes, bleeding, chest pain, severe abdominal pain or fluid leakage from an abnormal opening urgently.

Individual aim / benefit, alternatives, material risks and questions:

3. CONSENT CONFIRMATION

- ☐ Expected benefit, important risks and reasonable alternatives discussed
- ☐ Patient questions invited and answered; patient-specific material risks / priorities considered
- ☐ Emergency contact / toxicity advice and written information offered where appropriate
- ☐ Patient understands consent is voluntary and may be withdrawn

Patient / person giving consent _____ Date _____

Clinician obtaining consent _____ Date _____

Prototype only. This one-page form is a regimen-specific consent aid and requires formal governance, consultant and oncology-pharmacy review before clinical use. The current NCCP regimen, local/national consent policy, current medicine information, patient-specific material risks and clinical judgement remain authoritative.
Base regimen: NCCP 00295 v6.

SACTCheck v0.84.50
Developed by Dr Paul O'Brien