BASELINE → TREATMENT → FOLLOW-UP

# My tests and checks

Required safety tests are distinct from team-agreed scans and follow-up. Radiotherapy appointments and extra tests follow your personal plan.

| Check | Before treatment | Days 1–5 | Day 8 | Rest of cycle | After / review |
|---|---|---|---|---|---|
| **Chemotherapy** | Confirm the plan | Both Day 1; etoposide Days 2–5 | Cisplatin only | No planned chemotherapy | Review the next phase |
| **Radiotherapy** | Planning and appointments | Starts close to chemotherapy | Follow radiation calendar | Continue if scheduled | Radiation follow-up plan |
| **Blood / organ tests** | FBC, kidneys / liver | FBC before etoposide doses | FBC and symptoms | Extra tests if needed | Recovery / individual scans |

The team arranges and reviews tests. This guide shows expected timing; it does not record completed appointments. NCCP 00456 v4 · official regimen · HPRA etoposide product information,14 November2025 · HSE lung cancer treatment: radiotherapy

THE WHOLE TREATMENT JOURNEY

# Cisplatin + etoposide + chest radiotherapy: treatment and checks

### Stage III non-small-cell lung cancer

Cisplatin on Days 1 and 8; etoposide on Days 1–5. Each cycle lasts 28 days. Two cycles first; two more may be offered after review. Radiotherapy usually starts within 24 hours of the first chemotherapy dose; follow your separate radiation appointment plan.

**Read from left to right.** Columns show stages, not equal lengths of time. This is a general plan: no dates or personal information are needed. Your team confirms which steps apply and arranges appointments.

**Treatment, tests and reviews across the course**

| Care / check | Before treatment | Days 1–5 | Day 8 | Rest of cycle | After / review |
|---|---|---|---|---|---|
| **Chemotherapy** NCCP 00456 · ETOPOSIDE-SMPC | Confirm the plan | Both Day 1; etoposide Days 2–5 | Cisplatin only | No planned chemotherapy | Review the next phase |
| **Radiotherapy** NCCP 00456 · ETOPOSIDE-SMPC | Planning and appointments | Starts close to chemotherapy | Follow radiation calendar | Continue if scheduled | Radiation follow-up plan |
| **Blood / organ tests** NCCP 00456 · ETOPOSIDE-SMPC | FBC, kidneys / liver | FBC before etoposide doses | FBC and symptoms | Extra tests if needed | Recovery / individual scans |

# What each check is for

## 1 Prepare both plans

Before treatment

Chemotherapy and chest radiotherapy work together to treat lung cancer. Your team will explain the aim, possible benefit and alternatives for you.

**Ask / act:** Confirm chemotherapy, radiation, tests and contacts.

Sources: NCCP 00456

## 2 Review safety

Before each administration

Check bloods, organs and symptoms

**Ask / act:** Report fever, swallowing or breathing changes promptly.

Sources: NCCP 00456 · ETOPOSIDE-SMPC

## 3 Review next phase

After the planned cycles

Check response and recovery

**Ask / act:** Get the next plan in writing.

Sources: NCCP 00456

## At the next review, ask

- Which treatment phase am I in, and what happens next?
- Which test is expected next, who arranges it, and who explains the result?
- Who should I contact if an expected appointment has not arrived?

This map does not show whether a test has been ordered, booked or completed. Do not wait for a scheduled test if you develop new symptoms.

Sources checked 2026-11-02 · Source reconciled; independent clinical, pharmacy and patient/PPI review pending · SACTCheck v0.84.30