SACTCHECK · REGIMEN-SPECIFIC SACT CONSENT

Bevacizumab 7.5 · lung

PROTOTYPE · GOVERNANCE REVIEW REQUIRED

First-line non-squamous NSCLC · bevacizumab component only · NCCP 00214 · version 8 · 21-day cycle

Patient name	DOB	Hospital no.	Date

Treatment context
To help control advanced non-squamous lung cancer alongside the prescribed chemotherapy, then possibly as continuation treatment.

Schedule
Bevacizumab is given by drip on Day 1 every 21 days. In this lung setting it starts with platinum chemotherapy for up to 6 cycles, then may continue alone while helping and tolerable. Your team must supply the partner chemotherapy schedule.

1. TREATMENT DISCUSSION

- ☐ Purpose, expected benefit and alternatives explained
- ☐ Indication, medicines, sequence and duration confirmed
- ☐ Blood tests and any individually indicated heart checks discussed
- ☐ Support medicines and phase changes explained
- ☐ Fertility, contraception and breastfeeding discussed where relevant
- ☐ Common, serious and lasting drug-specific risks discussed below
- ☐ Urgent symptoms and local contact details confirmed

2. REGIMEN / AGENT-SPECIFIC MATERIAL RISKS

Bevacizumab
ANTI-VEGF ANTIBODY

- ☐ High blood pressure
- ☐ Protein in urine and kidney injury
- ☐ Bleeding or blood clots
- ☐ Poor wound healing
- ☐ Rare bowel perforation, fistula or serious neurological effects

Discuss the goal, alternatives, important risks for you, fertility/pregnancy prevention, practical support and what would prompt changing or stopping treatment.

Individual aim / benefit, alternatives, material risks and questions:

3. CONSENT CONFIRMATION

- ☐ Expected benefit, important risks and reasonable alternatives discussed
- ☐ Patient questions invited and answered; patient-specific material risks / priorities considered
- ☐ Emergency contact / toxicity advice and written information offered where appropriate
- ☐ Patient understands consent is voluntary and may be withdrawn

Patient / person giving consent _____ Date _____

Clinician obtaining consent _____ Date _____

Prototype only. This one-page form is a regimen-specific consent aid and requires formal governance, consultant and oncology-pharmacy review before clinical use. The current NCCP regimen, local/national consent policy, current medicine information, patient-specific material risks and clinical judgement remain authoritative.
Base regimen: NCCP 00214 v8.

SACTCheck v0.84.30
Developed by Dr Paul O'Brien