Confirm your alectinib treatment setting This guide covers alectinib alone for ALK-positive lung cancer. Confirm whether it is adjuvant treatment after complete surgery, first treatment for advanced cancer, or treatment after crizotinib. These settings have different evidence and treatment lengths.

NCCP 00401 · VERSION 6

Alectinib monotherapy

Take alectinib twice daily with food, every day, with no planned rest week. After surgery, treatment lasts up to 24 months, stopping sooner for recurrence or unacceptable side effects. For advanced cancer, treatment continues until progression or unacceptable side effects under the oncology plan.

Your treatment and review passport

Bring this to reviews. Record symptoms, treatment changes and questions when helpful. You do not need to complete a daily diary or calculate a toxicity grade.

The four sheets are reusable review periods, not a prescribed number of cycles. Follow the treatment and rest days agreed with your team; do not calculate a restart from this sheet.

These patient-language prompts are not a validated questionnaire or a formal CTCAE assessment. Urgent symptoms override the form.

Emergency: 112 / 999. Severe chest pain, major breathing difficulty, collapse or stroke symptoms need emergency help.

Contact your treating team promptly: Contact the oncology team promptly for new or worsening cough or breathlessness, unexplained muscle pain or weakness, yellow skin or eyes, dark urine, marked tiredness or pallor, dizziness or fainting, severe abdominal pain, persistent vomiting or diarrhoea, or reduced urine. Sudden serious breathing difficulty, severe chest pain or collapse needs emergency help. Do not wait for the next blood test.

YOUR ONCOLOGY TEAM · DAYTIME

Insert numbers here

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

Insert numbers here

Ask for medical oncology

EVENINGS / OVERNIGHT

Your agreed out-of-hours pathway

Other hospitals: use the contacts your own team provides.

Your complete treatment reference

https://sactcheck.com/patient/00401/

Public information only. No personal information is encoded.

Source reconciled; independent clinical, pharmacy and patient/PPI review pending

Alectinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Muscle pain / weakness	☐	☐	☐	
Breathlessness / cough	☐	☐	☐	
Dizziness / fainting	☐	☐	☐	
Constipation	☐	☐	☐	
Fatigue	☐	☐	☐	
Skin / sunlight changes	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

> Contact the oncology team promptly for new or worsening cough or breathlessness, unexplained muscle pain or weakness, yellow skin or eyes, dark urine, marked tiredness or pallor, dizziness or fainting, severe abdominal pain, persistent vomiting or diarrhoea, or reduced urine. Sudden serious breathing difficulty, severe chest pain or collapse needs emergency help. Do not wait for the next blood test. Emergency symptoms: 112 / 999.

Alectinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Muscle pain / weakness	☐	☐	☐	
Breathlessness / cough	☐	☐	☐	
Dizziness / fainting	☐	☐	☐	
Constipation	☐	☐	☐	
Fatigue	☐	☐	☐	
Skin / sunlight changes	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, unexplained muscle pain or weakness, yellow skin or eyes, dark urine, marked tiredness or pallor, dizziness or fainting, severe abdominal pain, persistent vomiting or diarrhoea, or reduced urine. Sudden serious breathing difficulty, severe chest pain or collapse needs emergency help. Do not wait for the next blood test. Emergency symptoms: 112 / 999.

Alectinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Muscle pain / weakness	☐	☐	☐	
Breathlessness / cough	☐	☐	☐	
Dizziness / fainting	☐	☐	☐	
Constipation	☐	☐	☐	
Fatigue	☐	☐	☐	
Skin / sunlight changes	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, unexplained muscle pain or weakness, yellow skin or eyes, dark urine, marked tiredness or pallor, dizziness or fainting, severe abdominal pain, persistent vomiting or diarrhoea, or reduced urine. Sudden serious breathing difficulty, severe chest pain or collapse needs emergency help. Do not wait for the next blood test. Emergency symptoms: 112 / 999.

Alectinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Muscle pain / weakness	☐	☐	☐	
Breathlessness / cough	☐	☐	☐	
Dizziness / fainting	☐	☐	☐	
Constipation	☐	☐	☐	
Fatigue	☐	☐	☐	
Skin / sunlight changes	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact the oncology team promptly for new or worsening cough or breathlessness, unexplained muscle pain or weakness, yellow skin or eyes, dark urine, marked tiredness or pallor, dizziness or fainting, severe abdominal pain, persistent vomiting or diarrhoea, or reduced urine. Sudden serious breathing difficulty, severe chest pain or collapse needs emergency help. Do not wait for the next blood test. Emergency symptoms: 112 / 999.