# Fortnightly cetuximab + modified FOLFOX-6


To control advanced bowel cancer and symptoms. Your team reviews benefit, side effects and the ongoing plan.

**Advanced** / **metastatic colorectal cancer** · NCCP 00733 v2a · Document revised 5 November 2026

**Your personal plan:** this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

## My overall treatment

Cetuximab and modified FOLFOX6 on Day 1 every 14 days; a 46-hour fluorouracil pump ends around Day 3. No Day 8 infusion.




**A repeating 14-day cycle**

Modified FOLFOX6 includes oxaliplatin, folinic acid and fluorouracil.

## A typical 14-day cycle

| Day 1 | Day 2–3 | Day 4–14 |
|---|---|---|
| Treatment and checks | Pump completion | Recovery and the next review |

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

## My tests and checks

| When | What is checked | Timing / reason |
|---|---|---|
| **Before** | **Suitability and bloods**<br>Required by regimen | Confirm RAS result, blood count, kidney/liver tests; dihydropyrimidine dehydrogenase (a medicine-processing enzyme) (DPD) before fluorouracil unless already tested. |
| **During** | **Bloods and symptom review**<br>Required by regimen | Blood count, kidney/liver tests before each cycle; weekly counts if delayed for low counts. Review skin, bowel and nerve symptoms. |
| **During / after** | **Mineral levels**<br>Required by regimen | Monitor during treatment; monthly electrolytes, magnesium and calcium for two months after the last antibody dose. |
| **If indicated** | **Heart / nerve checks**<br>Regimen-specific checks | electrocardiogram (ECG) if cardiac function is compromised; formal neuropathy review every two cycles. |
| **Review** | **Response and recovery**<br>Individual plan | Scans and markers follow the consultant plan. Follow unresolved effects. |

## Between treatments

- Report cold sensitivity or persistent tingling; avoid cold exposure as instructed.
- Fever, sudden illness, severe diarrhoea, poor intake or reduced urine needs urgent advice. There are no guaranteed safe days.

Bring your medicine list; confirm tests, the skin-care plan and working urgent contact numbers. Confirm your pump-care instructions, professional disconnection and written symptom rescue plan.

**When to get help**

**Call 112** / **999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**



Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# What to watch for

You do not need to know which medicine caused a symptom before calling.

### 1 Nerves

**Oxaliplatin**

Cold-triggered tingling or difficulty with buttons/walking: report.

### 2 Mouth / swallowing

**Fluorouracil**

Pain or ulcers affecting eating or drinking need advice.

### 3 Breathing / reaction


**Cetuximab**

New breathing difficulty requires prompt assessment.

### 4 Chest

**Fluorouracil**

New chest pain needs urgent assessment.




### 5 Bowel

**Treatment**

Diarrhoea, increased stoma output or dehydration: call early.

### 6 Skin / nails

**Cetuximab**

Report painful rash, cracks or infected skin early.

### 7 Blood / infection

**Treatment**

Fever, shivers or sudden illness: contact oncology immediately.

### 8 Line / pump

**Treatment delivery**

Pain, swelling, leakage or a loose connection needs immediate advice.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

New breathing difficulty, chest pain, collapse, severe diarrhoea or inability to drink require prompt assessment. Report eye pain, blurred vision, blistering or infected skin promptly. Call for line pain, swelling, leakage or unexpected pump progress.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# Keep your treatment details to hand

**Advanced / metastatic colorectal cancer** · NCCP 00733 v2a · Document revised 5 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

**FRONT / CONTACTS**

## My Treatment Card

SACTCheck

Name: _____

**Fortnightly cetuximab + modified FOLFOX-6**

D1 every 14 days; 46-hour fluorouracil pump to D3; no D8 visit.

Phase: _____ Cycle plan: team to confirm

**Daytime (EXAMPLE)** 087 12345678

**Out of hours (EXAMPLE)** 087 87654321

**Unwell or fever? Call oncology now.**
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

**BACK / TREATMENT RECORD**

## My cycle record

Rolling record; the team confirms the total treatment plan.

| Cycle | Date / initials |
|---|---|
| | |
| | |
| | |
| | |

My treatment information

Latest treatment date: _____

Plan changed? Ask the team to update this card.

CUT outer border

**FOLD centre — do not cut**

## Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

## Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

### iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

### Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

## Your local contacts and resources

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**

Hospital / team: _____

Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.



Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.