Nivolumab and ipilimumab for advanced melanoma

National Cancer Control Programme (NCCP) 00431 · Draft source reconciliation; independent clinical, pharmacy and patient/PPI review pending

PRACTICAL TREATMENT GUIDE

Practical treatment planning

Agree the arrangements with your oncology team.

STEP 1

Taking or receiving treatment

At each combination visit, nivolumab is given before ipilimumab, as separate intravenous (IV) infusions. The source schedule gives each over 30 minutes; allow extra time for assessment, preparation and observation. Maintenance may be IV or subcutaneous nivolumab with its own dose and appointment interval. The route and interval are recorded in your plan; they are not interchangeable on your own.

STEP 2

Missed, vomited or held treatment

If an appointment is missed or treatment is held, contact the unit for a new plan. Do not count a missed visit as a dose received. A move to maintenance does not erase previous immune toxicity or a permanent-stop decision.

STEP 3

Appointments and supply

Plan blood tests, travel and medicine collection in advance. If you need an interpreter or someone to help at home, tell the team before the appointment.

STEP 4

Paper copies and contact information

Ask for your latest schedule and contact details on paper. Replace old versions when treatment changes so everyone helping you uses the same plan.

Sources: NCCP 00431 v11: current regimen source. Draft source reconciliation; independent clinical, pharmacy and patient/PPI review pending.