# TCHP: docetaxel, carboplatin, trastuzumab and pertuzumab

Treatment before surgery for HER2-positive breast cancer.

**HER2-positive early breast cancer · before surgery** · NCCP 00722 v2 · Document revised 4 November 2026

**Your personal plan:** this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

## My overall treatment

Four medicines by drip on Day 1, every 21 days for six cycles. Delays or stopping earlier may be needed.

### Treatment stages

01 **Before surgery · six TCHP cycles**
21-day cycle

02 **Surgery and selected postoperative treatment**
Individual plan

Your team confirms the active stage and dates. The full treatment guide explains each step.

This shows treatment timing, not guaranteed symptom-free days. Your team confirms the active phase and dates.

**Before surgery**
Six TCHP cycles; review response.

**After surgery**
Pathology guides the next treatment; HER2 therapy has its own plan.

## A typical 21-day cycle

**Day 1–21**
The current treatment cycle

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

## My tests and checks

| When | What is checked | Timing / reason |
|---|---|---|
| **Before** | **Blood count, kidney/liver function, GFR and heart function**<br>Required by regimen | Before treatment |
| **During** | **Blood count, kidneys and liver**<br>Required by regimen | Before each cycle |
| **During / completion** | **Echo or multigated acquisition (heart pumping) scan (MUGA)**<br>Required by regimen | Every 12 weeks during trastuzumab and at completion; earlier for concerns |
| **Review** | **Response and surgery planning**<br>Team-agreed plan | Individual timing |

## Between treatments

- Fatigue, bowel or mouth symptoms may occur between visits.
- Report infection symptoms or new breathlessness promptly.

Follow your steroid and anti-sickness prescription; ask about growth-factor support.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**



Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# What to watch for

You do not need to know which medicine caused a symptom before calling.

### 1 Hair / scalp

**Docetaxel**

Hair loss is expected with docetaxel. Discuss scalp cooling where appropriate and hair / scalp support.

### 3 Breathing

**HER2 treatment**

New cough or breathlessness needs prompt assessment.

### 5 Bowel


**Pertuzumab / docetaxel**

Report diarrhoea promptly, especially with poor intake, fever or dizziness.

### 7 Blood / infection

**Chemotherapy and the whole regimen**

Fever, shivers or suddenly unwell: contact oncology immediately.




### 2 Mouth

**Chemotherapy**

Painful ulcers or difficulty eating and drinking need advice.

### 4 Heart / circulation

**HER2 treatment**

Fainting, chest pain or severe breathing difficulty: urgent help. Keep scheduled cardiac checks.

### 6 Nerves / joints

**Docetaxel**

Report numbness, tingling or difficulty with buttons or walking before the next dose.

### 8 Skin / liver symptoms

**Treatment medicines**

Severe rash, blistering or yellow skin/eyes needs prompt advice.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Report new breathlessness, chest symptoms, severe diarrhoea, dehydration, jaundice, unusual bleeding or sudden illness promptly. Do not wait for the next planned test.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# Keep your treatment details to hand

**HER2-positive early breast cancer · before surgery** · NCCP 00722 v2 · Document revised 4 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

**FRONT / CONTACTS**

## My Treatment Card

SACTCheck

Name: _____

**TCHP**

Four medicines on Day 1 every 21 days; surgery follows the chemotherapy course.

Phase: _____ Planned cycles: 6

**Daytime (EXAMPLE)** 087 12345678
**Out of hours (EXAMPLE)** 087 87654321

**Unwell or fever? Call oncology now.**
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

**BACK / TREATMENT RECORD**

## My cycle record

Team stamps after each completed cycle.

| C1 | C2 | C3 |
|---|---|---|
| Date / initials | Date / initials | Date / initials |
| C4 | C5 | C6 |
| Date / initials | Date / initials | Date / initials |

My treatment information

Plan changed? Ask the team to update this card.

CUT outer border

**FOLD centre — do not cut**

## Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

## Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

### iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

### Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

## Your local contacts and resources

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**

Hospital / team: _____
Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.