BASELINE → TREATMENT → FOLLOW-UP

Treatment and checks

Relative stages; each cycle is planned 21 days apart but may be delayed. No fixed scan or echo interval is implied.

Check	Preparation	Cycle1	Cycle2	Cycle3	Cycle4	Review
Treatment	Agree aim and consent	Both drugs onDay 1	Repeat if appropriate	Repeat if appropriate	Final planned cycle	Separate next plan
Blood and kidneys	FBC, renal, liver; verify GFR	Review before dose	Repeat before dose	Repeat before dose	Repeat before dose	Follow abnormalities
Symptoms	Nerves/hearing baseline	Allergy and symptoms	Nerves, hearing, blood effects	Review cumulative effects	Review cumulative effects	Manage persisting effects
Scans and decisions	Stage and team plan	No universal scan date	Individual plan	Individual plan	Individual plan	Consultant agrees monitoring

The team arranges and reviews tests. This guide shows expected timing; it does not record completed appointments. NCCP 00304 v8 · official regimen

THE WHOLE TREATMENT JOURNEY

Carboplatin and paclitaxel · lung cancer: treatment and checks

Standalone chemotherapy · adjuvant or advanced NSCLC

Both medicines on Day 1, repeated every 21 days for four planned cycles, unless cancer progresses or side effects require a change. This standalone plan does not include nivolumab or radiotherapy.

Read from left to right. Columns show stages, not equal lengths of time. This is a general plan: no dates or personal information are needed. Your team confirms which steps apply and arranges appointments.

Treatment, tests and reviews across the course

Care / check	Preparation	Cycle1	Cycle2	Cycle3	Cycle4	Review
Treatment NCCP 00304	Agree aim and consent	Both drugs onDay 1	Repeat if appropriate	Repeat if appropriate	Final planned cycle	Separate next plan
Blood and kidneys NCCP 00304	FBC, renal, liver; verify GFR	Review before dose	Repeat before dose	Repeat before dose	Repeat before dose	Follow abnormalities
Symptoms NCCP 00304	Nerves/hearing baseline	Allergy and symptoms	Nerves, hearing, blood effects	Review cumulative effects	Review cumulative effects	Manage persisting effects
Scans and decisions NCCP 00304	Stage and team plan	No universal scan date	Individual plan	Individual plan	Individual plan	Consultant agrees monitoring

What each check is for

1 Preparation

Before first dose

Confirm the treatment aim and suitability

Ask / act: Confirm consent, organ function, pregnancy advice and contacts.

Sources: NCCP 00304

2 Before each cycle

BeforeDay 1

Safety can change

Ask / act: Review blood results, symptoms and premedication.

Sources: NCCP 00304

3 End of course

Afterfour cycles

Agree next steps

Ask / act: Review recovery and individual disease monitoring.

Sources: NCCP 00304

At the next review, ask

- Which treatment phase am I in, and what happens next?
- Which test is expected next, who arranges it, and who explains the result?
- Who should I contact if an expected appointment has not arrived?

This map does not show whether a test has been ordered, booked or completed. Do not wait for a scheduled test if you develop new symptoms.

Sources checked 2026-11-02 · Source reconciled; independent clinical, pharmacy and patient/PPI review pending · SACTCheck v0.84.28