NCCP 00361 · VERSION 4

Fulvestrant · injections every 4 weeks

NCCP schedule: 500 mg on Days 1 and 15 of the first 28-day cycle, then Day 1 of each 28-day cycle. This means Day 29 next, then every 28 days.

Your treatment and review passport

Bring this to reviews. Record symptoms, treatment changes and questions when helpful. You do not need to complete a daily diary or calculate a toxicity grade.

The four recording sheets are reusable review periods, not four prescribed cycles. For injections, use the dates given by your team. For daily tablets, treatment continues unless your prescriber changes the plan.

These patient-language prompts are not a validated questionnaire or a formal CTCAE assessment. Urgent symptoms override the form.

Emergency: 112 / 999. Severe chest pain, major breathing difficulty, collapse or stroke symptoms need emergency help.

Contact your treating team promptly: Tell the team about unusual bleeding or extensive bruising, injection-site pain with numbness or pain down the leg, jaundice or worsening symptoms. Severe chest pain, breathlessness or stroke symptoms require emergency help.

YOUR ONCOLOGY TEAM · DAYTIME

Insert numbers here

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

Insert numbers here

Ask for medical oncology

EVENINGS / OVERNIGHT

Your agreed out-of-hours pathway

Other hospitals: use the contacts your own team provides.

Your complete treatment reference

https://sactcheck.com/patient/00361/

Public information only. No personal information is encoded.

Source reconciled; independent clinical, pharmacy and patient/PPI review pending

Fulvestrant · injections every 4 weeks

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Injection-site pain / leg nerve symptoms	☐	☐	☐	
Hot flushes	☐	☐	☐	
Joint / muscle pain	☐	☐	☐	
Fatigue / nausea	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

> Tell the team about unusual bleeding or extensive bruising, injection-site pain with numbness or pain down the leg, jaundice or worsening symptoms. Severe chest pain, breathlessness or stroke symptoms require emergency help. Emergency symptoms: 112 / 999.

Fulvestrant · injections every 4 weeks

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Injection-site pain / leg nerve symptoms	☐	☐	☐	
Hot flushes	☐	☐	☐	
Joint / muscle pain	☐	☐	☐	
Fatigue / nausea	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Tell the team about unusual bleeding or extensive bruising, injection-site pain with numbness or pain down the leg, jaundice or worsening symptoms. Severe chest pain, breathlessness or stroke symptoms require emergency help. Emergency symptoms: 112 / 999.

Fulvestrant · injections every 4 weeks

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Injection-site pain / leg nerve symptoms	☐	☐	☐	
Hot flushes	☐	☐	☐	
Joint / muscle pain	☐	☐	☐	
Fatigue / nausea	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

> Tell the team about unusual bleeding or extensive bruising, injection-site pain with numbness or pain down the leg, jaundice or worsening symptoms. Severe chest pain, breathlessness or stroke symptoms require emergency help. Emergency symptoms: 112 / 999.

Fulvestrant · injections every 4 weeks

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Injection-site pain / leg nerve symptoms	☐	☐	☐	
Hot flushes	☐	☐	☐	
Joint / muscle pain	☐	☐	☐	
Fatigue / nausea	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

> Tell the team about unusual bleeding or extensive bruising, injection-site pain with numbness or pain down the leg, jaundice or worsening symptoms. Severe chest pain, breathlessness or stroke symptoms require emergency help. Emergency symptoms: 112 / 999.