

Modified FOLFOX-6

Gastrointestinal · NCCP 00209 · version 10a

Your medicines

Oxaliplatin · Folinic acid · 5-fluorouracil (5-FU)

Your treatment schedule


Every 14 days; 5-FU home infusion over about 46 hours.

A picture of side effects

Tell your team about new or worsening symptoms. The same symptom can have more than one cause. Numbers connect each symptom box to its location.

Oxaliplatin · nerve and cold effects

5-FU / chemotherapy · other effects



This map shows selected effects to discuss; it does not show their likelihood or every possible side effect. Blood-count and whole-body effects are marked schematically.

Selected symptoms to help discussion. Tell your team about any new or worsening symptom. See page 2 for the schedule, support and QR.

Modified FOLFOX-6

Gastrointestinal · NCCP 00209 · version 10a

Your treatment journey

Day 1

Oxaliplatin and folinic acid are given by drip, then 5-FU is started.

Days 1-3

A portable pump gives 5-FU continuously for about 46 hours.

Around day 3

Pump disconnect. Follow your local line and pump instructions.

Days 4-14

Recovery and monitoring. Symptoms can occur on any day.

Day 15

Next cycle if review and blood tests allow.

Monitoring and support

- DPD status is checked before fluoropyrimidine treatment.
- Before each cycle: blood count, kidney/liver bloods and assessment of nerve symptoms.
- Follow your own labelled anti-sickness, mouth-care and diarrhoea medicines.
- Your current medicines, including non-prescription products.
- A note of new symptoms, when they started and what they stopped you doing.
- Any temperature, blood-pressure or bowel-count readings your team asked you to record.
- Questions about the purpose of treatment, scan/review timing or changes to the plan.

05 / when to call Do not wait for the next appointment Use your oncology SOS instructions Call your oncology SOS service for fever or shivers, sudden illness, 4 or more diarrhoea episodes in a day, vomiting despite medicines, mouth sores stopping fluids, bleeding, new chest pain or breathlessness. Severe chest pain or breathing difficulty: call 112/999. If your team has given you different local thresholds or emergency instructions, follow those instructions.

Scan to open your treatment portal

Regimen information only; this code contains no patient details.

<https://sactcheck.com/docs/patient/00209/>



[Official NCCP source](#) · SACTCheck v0.80.2 · Developed by Dr Paul O'Brien. Patient information prototype for clinical review; follow your oncology team's advice and local emergency instructions.