SACTCHECK · REGIMEN-SPECIFIC SACT CONSENT

Capecitabine

Colorectal and breast cancer · NCCP 00216 · version 8 · 21-day cycle

PROTOTYPE · GOVERNANCE REVIEW REQUIRED

Patient name	DOB	Hospital no.	Date

Treatment context
Capecitabine is chemotherapy taken as tablets. NCCP 00216 covers several colorectal and breast cancer settings, including treatment after surgery and treatment of advanced disease. Ask which aim and duration apply to you.

Schedule
capecitabine twice daily on Days 1–14, then no capecitabine on Days 15–21. Follow your individual prescription.

1. TREATMENT DISCUSSION

- ☐ Purpose, expected benefit and alternatives explained
- ☐ Indication, medicines, sequence and duration confirmed
- ☐ Blood tests and any individually indicated heart checks discussed
- ☐ Support medicines and phase changes explained
- ☐ Fertility, contraception and breastfeeding discussed where relevant
- ☐ Common, serious and lasting drug-specific risks discussed below
- ☐ Urgent symptoms and local contact details confirmed

2. REGIMEN / AGENT-SPECIFIC MATERIAL RISKS

Capecitabine
ORAL CHEMOTHERAPY

- ☐ Diarrhoea and dehydration
- ☐ Painful hands / feet
- ☐ Mouth soreness and reduced intake
- ☐ Low blood counts / serious infection
- ☐ Chest pain / heart problems
- ☐ Severe early toxicity, including DPD-related toxicity

Confirm DPD testing, tablet directions, missed-dose and stop-and-call instructions, kidney/liver and blood monitoring, interactions, fertility and contraception. Confirm the indication-specific aim, expected benefit and alternatives. Distinguish the eight-cycle adjuvant colon/residual triple-negative breast plan from ongoing treatment for advanced disease. Explain that a cycle stamp records treatment, not permission to restart tablets. NCCP identifies stage II colon, completely resected metastatic colorectal and residual triple-negative breast indications as unlicensed in Ireland; explain this and follow local off-label consent policy.

Individual aim / benefit, alternatives, material risks and questions:

3. CONSENT CONFIRMATION

- ☐ Expected benefit, important risks and reasonable alternatives discussed
- ☐ Patient questions invited and answered; patient-specific material risks / priorities considered
- ☐ Emergency contact / toxicity advice and written information offered where appropriate
- ☐ Patient understands consent is voluntary and may be withdrawn

Patient / person giving consent _____ Date _____

Clinician obtaining consent _____ Date _____

Prototype only. This one-page form is a regimen-specific consent aid and requires formal governance, consultant and oncology-pharmacy review before clinical use. The current NCCP regimen, local/national consent policy, current medicine information, patient-specific material risks and clinical judgement remain authoritative.
Base regimen: NCCP 00216 v8.

SACTCheck v0.84.36
Developed by Dr Paul O'Brien