# Panitumumab + FOLFIRI

To control advanced bowel cancer and symptoms. Your team reviews benefit, side effects and the ongoing plan.

**RAS wild-type metastatic colorectal cancer; first-line or selected second-line** · NCCP 00448 v5 · Document revised 5 November 2026

**Your personal plan:** this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

## My overall treatment

Panitumumab and FOLFIRI on Day 1 every 14 days; a 46-hour fluorouracil pump ends around Day 3. No Day 8 infusion.

**A repeating 14-day cycle**
FOLFIRI includes irinotecan, folinic acid and fluorouracil.

## A typical 14-day cycle

| Day 1 | Day 2–3 | Day 4–7 | Day 8–14 |
|---|---|---|---|
| Infusion and pump connection | The pump is delivering treatment | After disconnection | Between visits and the next review |

Timing may change after review. Side effects can occur on any day; there are no guaranteed safe days.

## My tests and checks

| When | What is checked | Timing / reason |
|---|---|---|
| **Before** | **Suitability and bloods**<br>Required by regimen | Confirm RAS result, blood count, kidney/liver tests; DPD before fluorouracil unless already tested. |
| **During** | **Bloods and symptom review**<br>Required by regimen | Blood count, kidney/liver tests before each cycle; weekly counts if delayed for low counts. Review skin, bowel and hydration symptoms. |
| **During / after** | **Mineral levels**<br>Required by regimen | Monitor during treatment; monthly electrolytes, magnesium and calcium for two months after the last antibody dose. |
| **If indicated** | **ECG / warfarin INR**<br>Conditional tests | ECG if cardiac function is compromised; INR as clinically indicated if taking warfarin. |
| **Review** | **Response and recovery**<br>Individual plan | Scans and markers follow the consultant plan. Follow unresolved effects. |

## Between treatments

- Report cramps or sweating during infusion. At the first liquid stool, use your prescribed rescue plan, drink advised electrolyte fluids and contact the team early.
- Fever, sudden illness, severe diarrhoea, poor intake or reduced urine needs urgent advice. There are no guaranteed safe days.

Bring your medicine list; confirm tests, the skin-care plan and working urgent contact numbers. Confirm your pump-care instructions, professional disconnection and written symptom rescue plan.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321
**EXAMPLE ONLY — team must replace both numbers before patient use.**


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# What to watch for

You do not need to know which medicine caused a symptom before calling.

### 1 Eyes

**Panitumumab**

New eye pain or visual change needs prompt advice.

### 2 Mouth

**Fluorouracil + folinic acid**

Report ulcers or pain affecting eating and drinking.

### 3 Chest

**Fluorouracil**

New chest pain or breathlessness needs urgent assessment.

### 4 Bowel

**Irinotecan / fluorouracil**

Report diarrhoea, increased stoma output or severe abdominal pain.

### 5 Hydration / minerals

**Panitumumab + chemotherapy**

Reduced urine, cramps or weakness need advice; keep your blood-test appointments.

### 6 Skin / nails

**Panitumumab**

Report rash, cracks or painful nails early.

### 7 Hands / feet


**Fluorouracil**

Report painful redness, peeling or difficulty using your hands or walking.

### 8 Pump / line

**Treatment delivery**

Pain, leakage, swelling or a loose connection needs immediate advice.




Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

Report new breathing difficulty, eye pain or blurred vision, blistering or infected skin, severe diarrhoea or dehydration promptly. Also report new chest pain, fever or a line/pump problem immediately.

**When to get help**

**Call 112 / 999** for severe breathing difficulty, severe chest pain, collapse or a seizure.

**Call oncology immediately:** temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**


Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

# Keep your treatment details to hand

**RAS wild-type metastatic colorectal cancer; first-line or selected second-line** · NCCP 00448 v5 · Document revised 5 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

**FRONT / CONTACTS**

## My Treatment Card

SACTCheck

Name: _____

**Panitumumab + FOLFIRI**

D1 every 14 days; 46-hour fluorouracil pump to D3; no D8 visit.

Phase: _____ Cycle plan: team to confirm

**Daytime (EXAMPLE)** 087 12345678

**Out of hours (EXAMPLE)** 087 87654321

**Unwell or fever? Call oncology now.**
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

**BACK / TREATMENT RECORD**

## My cycle record

Rolling record; the team confirms the total treatment plan.

| Cycle | Date / initials |
|---|---|
| | |
| | |
| | |
| | |

My treatment information

Latest treatment date: _____

Plan changed? Ask the team to update this card.

CUT outer border

**FOLD centre — do not cut**

## Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

## Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

### iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

### Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

## Your local contacts and resources

**Oncology daytime:** 087 12345678 · **Out of hours:** 087 87654321

**EXAMPLE ONLY — team must replace both numbers before patient use.**

Hospital / team: _____

Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.



Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.