Weekly cetuximab + FOLFOX-4

To control selected RAS-wild-type bowel cancer that has spread and help with symptoms.

Advanced / metastatic colorectal cancer · NCCP 00692 v2 · Document revised 5 November 2026

Your personal plan: this is the standard regimen schedule. Your team confirms your prescribed doses, cycles, treatment changes and appointments in your written plan.

My overall treatment

A 14-day cycle with weekly cetuximab. Chemotherapy starts on Day 1 and continues on Day 2 through two separate 22-hour fluorouracil infusions. There is no fixed total number of cycles.

Day 1 · combination	Day 2–3 · fluorouracil	Day 8 · cetuximab
Cetuximab, then oxaliplatin/ folinic acid, fluorouracil bolus and first 22-hour infusion.	Day 2 bolus and second 22-hour infusion; finish around Day 3. Team confirms other Day 2 medicines.	Antibody-only visit, including premedicines and observation. Next cycle after review.

Your treatment schedule

Day 1	Days 2–3	Days 4–14
Cetuximab and chemotherapy; first 22-hour infusion.	Day 2 treatment and second 22-hour infusion; finish around Day 3.	Recovery plus Day 8 cetuximab; next cycle after review.

Your team confirms the active phase and dates. Symptoms may occur during or after treatment; there are no guaranteed safe days.

My tests and checks

When	What is checked	Timing / reason
Before	**Bloods, RAS and DPD** Regimen / suitability	Blood count, kidneys/liver, minerals, RAS selection and DPD before first fluorouracil; ECG if heart function is compromised.
During	**Bloods, nerves and symptoms** Required by regimen	Blood count, kidneys/liver each cycle; mineral and skin checks; formal nerve review every two cycles.
After	**Minerals and recovery** Required by regimen	Monthly electrolytes, magnesium and calcium for two months after the last cetuximab; follow persistent symptoms.
Review	**Response and treatment aim** Individual plan	Scans and tumour markers follow the consultant plan; there is no universal fixed interval.

Between treatments

- Cold sensitivity, bowel or mouth symptoms, tiredness and skin changes vary. Avoid cold exposure and ice chips; report persistent numbness.
- Call 112/999 for chest pain, collapse or serious breathing difficulty. Contact oncology urgently for fever, severe diarrhoea or a line/pump problem.

Confirm Day 2 renewal, Day 3 disconnection and Day 8 attendance. Allow observation after every cetuximab dose; tell the team about all new symptoms.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

What to watch for

You do not need to know which medicine caused a symptom before calling.

1 Nerves

Oxaliplatin

Cold-triggered tingling or difficulty with buttons/walking: report.

2 Mouth / swallowing

Fluorouracil

Pain or ulcers affecting eating or drinking need advice.

3 Breathing / reaction


Cetuximab

New breathing difficulty requires prompt assessment.

4 Chest

Fluorouracil

New chest pain needs urgent assessment.



5 Bowel

Treatment

Diarrhoea, increased stoma output or dehydration: call early.

6 Skin / nails

Cetuximab

Report painful rash, cracks or infected skin early.

7 Blood / infection

Treatment

Fever, shivers or sudden illness: contact oncology immediately.

8 Line / pump

Treatment delivery

Pain, swelling, leakage or a loose connection needs immediate advice.

Selected effects, not every possible effect or a prediction. Blood-count, skin and line markers are schematic. Number and text carry meaning; colour is decorative.

For sudden chest pain, collapse or serious breathing difficulty, call 112/999 or seek emergency care immediately. Contact oncology urgently for severe diarrhoea, inability to drink or sudden illness. Report eye pain, blurred vision, blistering or infected skin promptly. Call for line pain, swelling, leakage or unexpected pump progress.

When to get help

Call 112 / 999 for severe breathing difficulty, severe chest pain, collapse or a seizure.

Call oncology immediately: temperature 37.5°C or above, 36°C or below, shivering or suddenly feeling unwell, even with a normal temperature. Follow your hospital's temperature instructions. If you cannot reach the team, seek urgent medical assessment. Do not wait for the next appointment.

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.

Keep your treatment details to hand

Advanced / metastatic colorectal cancer · NCCP 00692 v2 · Document revised 5 November 2026

Print this page **one-sided on A4 at Actual size / 100%**. Cut only the dashed outer border around both panels. **Do not cut the centre line.** Fold with FRONT and BACK facing out, then glue or tape the blank backs together. Finished size: **85.6 × 54 mm**. Keep the stamp side writable.

FRONT / CONTACTS

My Treatment Card

SACTCheck

Name: _____

Weekly cetuximab + FOLFOX4

14-day cycle: D1 combination; D2 second 22-hour 5-FU infusion; D8 cetuximab.

Phase: _____ Cycle plan: team to confirm

Daytime (EXAMPLE) 087 12345678

Out of hours (EXAMPLE) 087 87654321

Unwell or fever? Call oncology now.
Severe breathing difficulty, chest pain or collapse: **112 / 999.**

EXAMPLE NUMBERS — replace before patient use.

BACK / TREATMENT RECORD

My cycle record

Rolling record: number of cycles depends on benefit and side effects. Components may change separately.

Cycle	Date / initials

My treatment information

Latest treatment date: _____

Plan changed? Ask the team to update this card.

CUT outer border

FOLD centre — do not cut

Keep the record accurate

The team dates and initials each recorded treatment unit when complete. A cycle is complete after its final planned dose; a weekly-treatment stamp records that weekly dose. Delays, omitted doses or a changed plan need a note or a replacement card. A stamp does not approve the next treatment. Keep any medicine-specific alert card too.

Put your treatment page on your phone

Scan your QR and check the treatment name. Save that page to your home screen.

iPhone / Safari

Tap Share → Add to Home Screen. Select Open as Web App if offered, then Add.

Android / Chrome

Tap the three-dot menu → Add to Home screen or Install and create shortcut. Choose the shortcut option and confirm.

Menu wording varies. The QR opens information, not a personal record. Paper stamps do not update the website. Check that the saved icon opens the correct treatment.

Your local contacts and resources

Oncology daytime: 087 12345678 · **Out of hours:** 087 87654321

EXAMPLE ONLY — team must replace both numbers before patient use.

Hospital / team: _____

Backup if the team cannot be reached: _____

Additional local services and resources will be added when confirmed. Your team must check and complete this page before patient use.

Feasibility build. Clinical, pharmacy and patient/PPI review pending. Your team confirms your personal plan.