Advanced ALK-positive NSCLC after crizotinib Adults with ALK-positive advanced non-small-cell lung cancer previously treated with crizotinib: NCCP 00340a. This suite does not turn the broader first-line licence into an NCCP indication or funding approval. Confirm your treatment setting with the team.

NCCP 00340 · VERSION 4

Ceritinib monotherapy

The usual starting dose is 450 mg once daily with food, every day without a planned rest week. Follow your own prescription. Treatment continues while it helps and side effects remain acceptable; there is no fixed course length.

Your treatment and review passport

Bring this to reviews. Record symptoms, treatment changes and questions when helpful. You do not need to complete a daily diary or calculate a toxicity grade.

The four sheets are reusable review periods, not a prescribed number of cycles. Follow the treatment and rest days agreed with your team; do not calculate a restart from this sheet.

These patient-language prompts are not a validated questionnaire or a formal CTCAE assessment. Urgent symptoms override the form.

Emergency: 112 / 999. Severe chest pain, major breathing difficulty, collapse or stroke symptoms need emergency help.

Contact your treating team promptly: Contact oncology urgently for new or worsening cough or breathlessness, fainting, palpitations, severe dizziness, yellow skin or eyes, dark urine, severe persistent abdominal pain, persistent vomiting or diarrhoea, poor drinking or little urine, or marked thirst with frequent urination and feeling unwell. Severe breathing difficulty, collapse or severe chest pain needs emergency help.

YOUR ONCOLOGY TEAM · DAYTIME

Insert numbers here

Acute Oncology Service

YOUR ONCOLOGY TEAM · OUT OF HOURS

Insert numbers here

Ask for medical oncology

EVENINGS / OVERNIGHT

Your agreed out-of-hours pathway

Other hospitals: use the contacts your own team provides.

Your complete treatment reference

https://sactcheck.com/patient/00340/

Public information only. No personal information is encoded.

Source reconciled; independent clinical, pharmacy and patient/PPI review pending

Ceritinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea	☐	☐	☐	
Vomiting	☐	☐	☐	
Diarrhoea	☐	☐	☐	
New cough or breathlessness	☐	☐	☐	
Palpitations or fainting	☐	☐	☐	
Abdominal pain	☐	☐	☐	
Thirst / frequent urination	☐	☐	☐	
Fatigue	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact oncology urgently for new or worsening cough or breathlessness, fainting, palpitations, severe dizziness, yellow skin or eyes, dark urine, severe persistent abdominal pain, persistent vomiting or diarrhoea, poor drinking or little urine, or marked thirst with frequent urination and feeling unwell. Severe breathing difficulty, collapse or severe chest pain needs emergency help. Emergency symptoms: 112 / 999.

Ceritinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea	☐	☐	☐	
Vomiting	☐	☐	☐	
Diarrhoea	☐	☐	☐	
New cough or breathlessness	☐	☐	☐	
Palpitations or fainting	☐	☐	☐	
Abdominal pain	☐	☐	☐	
Thirst / frequent urination	☐	☐	☐	
Fatigue	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact oncology urgently for new or worsening cough or breathlessness, fainting, palpitations, severe dizziness, yellow skin or eyes, dark urine, severe persistent abdominal pain, persistent vomiting or diarrhoea, poor drinking or little urine, or marked thirst with frequent urination and feeling unwell. Severe breathing difficulty, collapse or severe chest pain needs emergency help. Emergency symptoms: 112 / 999.

Ceritinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea	☐	☐	☐	
Vomiting	☐	☐	☐	
Diarrhoea	☐	☐	☐	
New cough or breathlessness	☐	☐	☐	
Palpitations or fainting	☐	☐	☐	
Abdominal pain	☐	☐	☐	
Thirst / frequent urination	☐	☐	☐	
Fatigue	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact oncology urgently for new or worsening cough or breathlessness, fainting, palpitations, severe dizziness, yellow skin or eyes, dark urine, severe persistent abdominal pain, persistent vomiting or diarrhoea, poor drinking or little urine, or marked thirst with frequent urination and feeling unwell. Severe breathing difficulty, collapse or severe chest pain needs emergency help. Emergency symptoms: 112 / 999.

Ceritinib monotherapy

Review period / visit: _____ Next review: _____

Medicine-specific symptom	No concern	Present / manageable	Affects sleep or daily activities — contact team	When / what changed?
Nausea	☐	☐	☐	
Vomiting	☐	☐	☐	
Diarrhoea	☐	☐	☐	
New cough or breathlessness	☐	☐	☐	
Palpitations or fainting	☐	☐	☐	
Abdominal pain	☐	☐	☐	
Thirst / frequent urination	☐	☐	☐	
Fatigue	☐	☐	☐	

Checks: expected, booked and reviewed are different

Test / review	Due window	Who books it?	Who reviews the result?	Outcome / next action
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____

Missed tablets / injection changes / questions / support needed:

Contact oncology urgently for new or worsening cough or breathlessness, fainting, palpitations, severe dizziness, yellow skin or eyes, dark urine, severe persistent abdominal pain, persistent vomiting or diarrhoea, poor drinking or little urine, or marked thirst with frequent urination and feeling unwell. Severe breathing difficulty, collapse or severe chest pain needs emergency help. Emergency symptoms: 112 / 999.