Brand Style Guide

This guide provides a reference document for ensuring that the H&H identity, brand assets, and overall presentation maintain consistency and impact regardless of the communication channels in which they are used.

On the following pages you'll find guidelines for creating various branding elements, examples of proper executions, as well as color palettes and typography system. By adhering to these guidelines, the H&H team and vendors will be able to produce materials that accurately reflect the brand identity and purpose.

Here is the approved H&H logo/brand identity.

Preferred Full-Color Logo

Black Logo

Knockout Logo

One-Color Logo (Blue)

One-Color Logo (Grey)

DOWNLOAD LOGOS

There are several H&H logo versions that can be used depending on the details and constraints of design.

Full-Color Logo
This is the preferred logo to use. This logo can also be used on small designs.

One-Color Logo
This logo version is not preferred and should only be used when minimal color usage is required (i.e., a t-shirt). Please use PMS 7691 or grey only.

Black Logo/Grayscale Logo
This logo version is not preferred and should only be used when printing using only black (i.e., a fax or newsprint).

Knockout Logo
This logo version should be used when placed on a dark background or image.



Logo Clear Space

Logo Minimum Size

H&H logos should be used with attention paid to allowing clear space surrounding them. In addition, there are minimum sizes that the logos should be used in order to maintain legibility.

Logo Clear Space

There is a preference for the logo to stand alone and not have interference from other graphical elements within a certain distance.

Logo Minimum Size

The H&H logo should not be used at a size smaller than depicted here. If used at a size smaller than shown here, legibility and logo quality can be compromised.

H&H

Designed to Amaze,
Engineered to Last®

H&H

Designed to Amaze,
Engineered to Last®

H&H

Designed to Amaze, Engineered to Last®

H&H Designed to Amaze,
Engineered to Last®

Designed to Amaze,
Engineered to Last®
Source Sans Variable Light

Designed to Amaze,
Engineered to Last®
Source Sans Variable Regular

The registered key phrase may appear alongside the logo in the provided "lock-ups" above or it may appear independently on the page, screen or screen-set as long as the H&H logo is clearly stated within the same communications piece. The optional key phrase is used only with the logo, never in place of it.

Incorrect Usage

DO NOT
use a different typeface for the mark.

DO NOT
use different colors for the mark.

DO NOT
reduce the scale or change the positioning of any of the elements.

DO NOT
rotate, skew, or stretch the logo.

DO NOT
embellish the logo with additional visual elements.

DO NOT
use the full-color logo on a complicated background image.

DO NOT
separate the logotype from the logo mark*

Examples are shown of ways the logo should not be altered or presented: non-standard configurations, distortions, color manipulation, or substitution of typefaces. The only approved logos that may be used are shown in section 1.2 of this guide.

**contact the communications department for additional guidelines on using the logo mark / logotype as an accent, background or pattern graphic.*

Primary Color Palette

CMYK	RGB	HEX	PMS
80, 2, 11, 0	0, 180, 218	#00b4da	638
90, 2, 8, 24	0, 141, 179	#008db3	632
100, 60, 10, 0	0, 102, 166	#0066a6	7691
100, 81, 0, 17	7, 66, 143	#07428f	7687
100, 100, 0, 0	46, 49, 146	#2e3192	2747

Secondary Color Palette

CMYK	RGB	HEX
80, 10, 100, 45	8, 105, 43	#08692b
100, 0, 30, 45	0, 110, 121	#006e79
0, 100, 87, 47	145, 3, 20	#910314
64, 88, 10, 39	89, 49, 96	#593160
0, 25, 100, 24	201, 154, 12	#c99a0c

Neutral Color Palette

CMYK	RGB	HEX	PMS
35, 25, 25, 0	169, 175, 178	#a9afb2	
50, 40, 40, 0	140, 143, 144	#8c8f90	
60, 50, 50, 20	101, 104, 104	#656868	Cool Grey 10
60, 50, 50, 55	64, 67, 67	#404343	
75, 68, 67, 90	0, 0, 0	#000000	

Color enhances the power of your branding. To ensure a color presentation that is consistently bold yet simple, we've developed primary, secondary, and neutral color palettes for use in H&H marketing and communications.

Primary Color Palette
The primary palette comprises the cool, blue colors that make up the mark. These colors should be used for the main graphics and typography in most designs.

Secondary Color Palette
The secondary palette is made up of deep, desaturated colors that serve as accents to the Primary Color Scheme. These should be used as accent colors.

Neutral Color Palette
The neutral color palette is designed to harmonize with and balance the colors of the primary and secondary palettes.

H&H STANDARD TYPEFACES (see following pages for complete sets)

Corporate Typeface: Myriad Pro Family — PRIMARY SANS SERIF

Logo Typeface: Univers Family — LOGO SANS SERIF

Domine Family (Google Fonts) — PRIMARY SERIF

ALTERNATE STANDARD TYPEFACES (if the above are not available)

Arial Narrow — PRIMARY SANS SERIF

Cambria — PRESENTATION SERIF

Calibri — PRESENTATION SAN SERIF

KEY PHRASE TYPEFACE

Source Sans Variable — 2022 KEY PHRASE

WEBSITE & ELECTRONIC COMMUNICATIONS*

Open Sans — WWW.HARDESTYHANOVER.COM

Domine

SOCIAL MEDIA *(Samples available through Canva only)*

Open Sauce, Domine, Garet, Anton

Note: *The words "typeface" and "font" are typically thought of as synonymous, but they actually refer to different things. While a typeface describes a particular style of lettering, a font refers to variations of a typeface, like its size and weight. Think of typeface as the album and fonts as the individual songs.*

Typography is one of the most recognizable elements of an identity and helps portray the personality of an organization. These typefaces were selected for their contemporary, clear design as well as their readability and variety. Consistent use of typography will help build brand recognition. The H&H brand typefaces are broken into the following categories.

H&H Standard Typefaces are those easily acquired for most computer systems. Contact IT for assistance if you do not have these fonts installed.

Alternate Standard Typeface are those easily found on most computer systems.

Key Phrase Typeface is used for the registered tagline and may be used as a complementary typeface in professionally designed communications.

Website & Electronic Typefaces are being used on the H&H website, employee portal and electronic communication designs.

Additional samples are included in the following pages.

LOGO TYPEFACE

UNIVERS FAMILY

Univers Light

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Univers Light Oblique

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Univers Roman

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Univers Oblique

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Univers Bold

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Univers Bold Oblique

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

It is important to use consistent typographic styles in all online, interactive, and printed H&H materials. **The official typeface for the H&H logo is Univers.** This typeface may also be used in occasional print and electronic communications.

This typeface may be complemented with a serif such as Domine or Cambria.

CORPORATE TYPEFACE

MYRIAD FAMILY

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
0123456789 ¿ ? ¡ ! & @ ‘ ’ “ ” « » % * ^ # $ £ € ¢ / ( ) [ ] { } . , ® ©
The quick brown fox jumps over the lazy dog
REGULAR

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
*0123456789 ¿ ? ¡ ! & @ ‘ ’ “ ” « » % * ^ # $ £ € ¢ / ( ) [ ] { } . , ® ©*
The quick brown fox jumps over the lazy dog
ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
LIGHT
ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
LIGHT ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
SEMI-BOLD
ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
SEMI-BOLD ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
BOLD
ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
BOLD ITALIC

ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
BLACK
ABCDEFGHIJKLMNOPQRSTUVWXYZ abcdefghijklmnopqrstuvwxyz
BLACK ITALIC

All above weights are also available in condensed, semi-condensed and semi-extended versions; package includes over 40 fonts.

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
SEMI-CONDENSED

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
SEMI-EXTENDED

In additional to the official logo typeface, H&H uses the Myriad typeface for all proposals, reports, and other business correspondence unless otherwise required by client.

This typeface was carefully selected for its robust offering of styles and weights that can be used for headlines, subheads, and other type in all communications media. It was purchased for company-wide use and may be installed on any computer, please contact IT for support if needed.

This typeface may be complemented with a serif such as Domine or Cambria.

CORPORATE TYPEFACE

DOMINE FAMILY

Domine Regular

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Domine Medium

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Domine Semi-Bold

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

Domine Bold

A B C D E F G H I J K L M N O P Q R S T U V W X Y Z
a b c d e f g h i j k l m n o p q r s t u v w x y z 0 1 2 3 4 5 6 7 8 9

The Domine typeface has been selected as the serif choice across the H&H website.

This typeface may also be used in print communications.

Stationery:

The stationery package provides a clear space for communicating, while immediately identifying the information as coming from H&H. No alterations should be made to the placement of elements or fonts; nor should any graphics or type be added to the design. The signature appears in the upper left-hand corner of the letterhead. Company information appears flush right in 9 point Univers. Electronic letterhead files are available for each office with or without the graphic watermark feature.

Business Cards:

The signature appears in the upper left hand corner of the business card. Company address appears flush left and personal information flush right in Univers typeface.

Email Signature:

The email signature, which is placed at the bottom of all outgoing company emails, is an HTML file that can be customized for individual use. The logo appears with key phrase justified left below employee information. Type is set in Calibri 10pt (8pt licensing states).

H&H

Address Block
Street
City, State Zip
T: xxx.xxx.xxxx
www.hardestyhanover.com

December 1, 2022

Mr. J. Smith
Company Name
555 Any Street, Suite 555
Anywhere, XX 55555

Re: Velis sima coritate ne porem voluptu sdaestem

Dear David,

Nonsent moloriatis repudig naturia illupta sperum fugia aut parum eicim ne vel maion pos ius nobit, con plicitis magnia consendit, que et lationse excea venis quae provid qui delenda quia site que voluptas nes-si ipsaere mporrum quosam rem verum ni res ullest, comnisqui omnis ut dereriorum explitae nihilici aut prendio samustorum.

Landell orerio te velis sima coritate ne porem voluptu sdaestem iume soluptas maximet enis erum erci-um, qui quate lautemo luptat es as corent exerciamus, te vereptas aut ut quossimet fuga. Facepro estius is dolupta sumque voluptat qui dolut elitem ex el ipitia nitius, optur, nimi, quatur? Consequae prore omnistiae volo tetur anditesci rerum la cuptassintur modi doloribea cumendunt, aut unditas peditius aute ilit adigen-de veris por repudi cus magnam ad ut fuga. Itatur rero mi, quas.

Respectfully,

Name
Title

Name
Title

Attachments: xxx



H&H

Fname Lname
NY, FL, ME, MA, LA, TX
Title
@hardestyhanover.com

Address Line 1
Address Line 2
City, State Zip

office: xxx.xxx.xxxx
direct: xxx.xxx.xxxx
cell: xxx.xxx.xxxx
fax: xxx.xxx.xxxx

Name
NY, FL, MA, LA, TX
Title
Main Office Location (optional)
e: xxx@hardestyhanover.com
o: xxx.xxx.xxx
c: xxx.xxx.xxx
www.hardestyhanover.com
linkedin.com/company/hardestyhanover

H&H Designed to Amaze, Engineered to Last®

Policy on the use of license information on business cards and email signatures

After reviewing industry practice relative to professional licensure and solicitation of services, all H&H design professionals (professional engineers and registered architects) must adhere to the following regarding licensure designation on business cards and in electronic communication (email).

Case 1-licensed professional (professional engineering or registered architect) in a single jurisdiction

Indicate the jurisdiction of licensure in parentheses after the designation

Example 1: John Smith, PE (ME)
Example 2: Alice Smythe, RA (LA)

Case 2-licensed professional with multiple license types
Indicate the jurisdiction of licensure for each license after the designation for each license type, even if they are the same

Example 1: John Smith, PE (CA), SE (CA)
Example 2: Jane Jones, PE (NY), SE (or)
Example 3: Laura Wilson, PLS (NY), PE (NY)

Case 3-licensed professional in two or more jurisdictions
In instances where an individual is licensed in two or more jurisdictions, list all jurisdictions of licensure in a separate line beneath their name

Example: Joseph Block, PE
NY, NJ, CT, PA, CA

In all cases, it is the responsibility of the professional to ensure their licenses are active and in good standing prior to sending communication with license information.

If you have any questions regarding this policy or its use, please contact the chief technical officer.







Internal Office Signage: Clear Acrylic with Silver Logo

PAINT SWATCHES

Interior office colors include the following paint options from Benjamin Moore.

Philipsburg Blue HC-159

Kendall Charcoal HC-166

Stonington Gray HC-170

Notable® Dry Erase Paint

Internal Office Signage is provided by HQ and distributed by Woodland Manufacturing. Ideally, it should be on the Philipsburg Blue accent wall. External signage is typically negotiated with local facility providers. Firm should be listed on office directories as H&H.

1. Unless you are working on a legal document, the company should be referred to as H&H (use Hardesty & Hanover, LLC only with a signature, in legal documents and contracts)

2. One space after a period, always

3. Bullets should be kept as simple and clean as possible. Use simple dots and dashes

4. Phone numbers are typically listed with a period between segments
   i.e. 212.944.1150

5. Dates are listed month/year format, with a dash (no space) between dates
   i.e. 2/2008-11/2009 or if writing correspondence with date write out month, day, year as follows January 1, 2013, do not abbreviate month

6. $ values: million not M

7. No apostrophes in dates
   i.e. 1890s not 1890's.

8. Use prepositions when describing work in general
   i.e. The project is… not Project is…

9. Spell out feet, inches, years

10. Project blurbs, abbreviate states: ME not Maine

11. Hyphenation

    - 100-foot-long and 50-year-old, but not the bridge spans 100 feet
    - single-leaf and single-span

12. Use serial comma:
    i.e structural, mechanical, and electrical not structural, mechanical and electrical

13. Spell out numbers ten and under, numerical values for 11 and up

14. Avoid duplicating unnecessary information
    i.e. three (3); use one or the other depending on numeric value

15. Spell out state name, then DOT: New York State DOT, Maine DOT, Virginia DOT

16. Abbreviation for Professional Engineer is PE (no periods). If there is a second designation, it follows PE... for example JAL Waddell, PE, SE

17. Mind your tense
    i.e. for an ongoing project say "work includes..." but for a completed one "work included"

18. Avoid tendencies to overuse capitalization
    i.e. When describing disciplines, say mechanical engineering not Mechanical Engineering
    and avoid "Project" after a name of a job - Willis Avenue Bridge project not Willis Avenue Bridge Project

19. Exodermic™ is the term used for a fabricated bridge product and should always be capitalized