1. Male

- 1.1. Have you ever had sex with another male?
 - 1.1.1.Yes
 - 1.1.1.1. Are you currently having sex with another male?
 - 11111 Yes
 - 1.1.1.1.1. What Year were you born?
 - 1.1.1.1.1.1. Based on your answers, talk to your healthcare provider about these suggested tests:
 - 1.1.1.1.1.2. HIV at least once a year. Some may benefit from more frequent testing (e.g. every 3-6 months)
 - 1.1.1.1.1.3. Syphilis, Chlamydia and Gonorrhea (at least once annually)
 - 1.1.1.1.1.4. CDC suggests extragenital testing for all sexually active gay and bisexual men. Talk to your provider
 - 1.1.1.1.1.5. Hepatitis A and Hepatitis B Vaccination
 - 1.1.1.1.2. If born between 1945 and 1965:
 - 1.1.1.1.2.1. Based on your answers, talk to your healthcare provider about these suggested tests:
 - 1.1.1.1.2.2. Hepatitis A and Hepatitis B Vaccination
 - 1.1.1.1.2.3. Hepatitis C Testing
 - 1.1.1.1.2.4. HIV at least once a year. Some may benefit from more frequent testing (e.g. every 3-6 months)
 - 1.1.1.1.2.5. Syphilis, Chlamydia and Gonorrhea (at least once annually)
 - 1.1.1.1.2.6. CDC suggests extragenital testing for all sexually active gay and bisexual men. Talk to your provider.
 - 1.1.1.1.2. No
 - 1.1.1.2.1. Based on Age Range 38 year old:
 - 1.1.1.2.1.1. HIV at least once a year. Some may benefit from more frequent testing (e.g. every 3-6 months)
 - 1.1.1.1.2.1.2. Syphilis, Chlamydia and Gonorrhea (at least once annually)
 - 1.1.1.2.1.3. CDC suggests extragenital testing for all sexually active gay and bisexual men. Talk to your provider
 - 1.1.1.1.2.1.4.
 - 1.1.1.2.1.5. Hepatitis A and Hepatitis B Vaccination
 - 1.1.1.1.2.2. Based on Age Range if born between 1945 and 1965:
 - 1.1.1.2.2.1. HIV at least once a year. Some may benefit from more frequent testing (e.g. every 3-6 months)
 - 1.1.1.1.2.2.2. Syphilis, Chlamydia and Gonorrhea (at least once annually)
 - 1.1.1.1.2.2.3. CDC suggests extragenital testing for all sexually active gay and bisexual men. Talk to your provider
 - 1.1.1.1.2.2.4. Hepatitis C Testing
 - 1.1.2.No
 - 1.1.2.1. What Year were you born?
 - 1.1.2.1.1. Based on Age Range 38 years
 - 1.1.2.1.1.1. Based on your answers, talk to your healthcare provider about these suggested tests:

- 1.1.2.1.1.2. HIV Testing at least once for everyone between the ages of 13 and 64
- 1.1.2.1.1.3. Chlamydia, as recommended by your health care provider
- 1.1.2.1.1.4. Hepatitis B Vaccination, if needed
- 1.1.2.1.2. Based on Age Range if born between 1945 and 1965:
 - 1.1.2.1.2.1. Based on your answers, talk to your healthcare provider about these suggested tests:
 - 1.1.2.1.2.2. HIV Testing at least once for everyone between the ages of 13 and 64
 - 1.1.2.1.2.3. Annual chlamydia and gonorrhea tests for women younger than 25 or have risk factors such as new or multiple sex partnersr
 - 1.1.2.1.2.4. Hepatitis B vaccination, if needed
 - 1.1.2.1.2.5. Hepatitis C Testing
 - 1.1.2.1.2.6.

2. Female

- 2.1. Are you pregnant?
- 2.2. Yes
 - 2.2.1.Based on your answers, talk to your healthcare provider about these suggested tests:
 - 2.2.2.Chlamydia, at first prenatal visit
 - 2.2.3. Syphilis, at first prenatal visit
 - 2.2.4.HIV, as early as possible in the pregnancy
 - 2.2.5. Hepatitis B, during an early prenatal visit
 - 2.2.6. Hepatitis C, as recommended by your health care provider
 - 2.2.7.Gonorrhea, as recommended by your health care provider
- 2.3. No
 - 2.3.1. What Year were you born?
 - 2.3.1.1. Based on Age Range 38 years
 - 2.3.1.1.1. Based on your answers, talk to your healthcare provider about these suggested tests:
 - 2.3.1.1.2. Chlamydia, at first prenatal visit
 - 2.3.1.1.3. Syphilis, at first prenatal visit
 - 2.3.1.1.4. HIV, as early as possible in the pregnancy
 - 2.3.1.1.5. Hepatitis B, during an early prenatal visit
 - 2.3.1.1.6. Hepatitis C, as recommended by your health care provider
 - 2.3.1.1.7. Gonorrhea, as recommended by your health care provider
 - 2.3.1.2. Based on Age Range if born between 1945 and 1965:
 - 2.3.1.2.1. Based on your answers, talk to your healthcare provider about these suggested tests:
 - 2.3.1.2.2. Chlamydia, at first prenatal visit
 - 2.3.1.2.3. Syphilis, at first prenatal visit
 - 2.3.1.2.4. HIV, as early as possible in the pregnancy
 - 2.3.1.2.5. Hepatitis B, during an early prenatal visit
 - 2.3.1.2.6. Hepatitis C, as recommended by your health care provider
 - 2.3.1.2.7. Gonorrhea, as recommended by your health care provider
 - 2.3.1.3. Based on Age Range 13 years
 - 2.3.1.3.1. Based on your answers, talk to your healthcare provider about these suggested tests:
 - 2.3.1.3.2. HIV Testing at least once for everyone between the ages of 13 and 64

- 2.3.1.3.3. Annual chlamydia and gonorrhea tests for women younger than 25 or have risk factors such as new or multiple sex partners
- 2.3.1.3.4. Hepatitis B Vaccination, if never vaccinated

3. Transgender

- 3.1. Based on your answers, talk to your healthcare provider about these suggested tests:
- 3.2. HIV Testing (at least once annually)
- 3.3. Screening for other sexually transmitted infections should include syphilis, gonorrhea, chlamydia, genital herpes, hepatitis B & C, as recommended by your health care provider